

Cumulative Index Volumes 1–200

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words)

- Aalbersberg, I.J. and G. Rozenberg, Cts systems and Petri nets 40 (2-3) (1985) 149–162
- Aalbersberg, I.J. and G. Rozenberg, Theory of traces 60 (1) (1988) 1–82
- Aasa, A., Precedences in specifications and implementations of programming languages 142 (1) (1995) 3–26
- Abadi, M. and G.D. Plotkin, A logical view of composition 114 (1) (1993) 3–30
- Abadi, M., L. Cardelli and P.-L. Curien, Formal parametric polymorphism 121 (1-2) (1993) 9–58
- Abadi, M., The power of temporal proofs 65 (1) (1989) 35–83
- Abadi, M., The power of temporal proofs (*Corrigendum*) 70 (2) (1990) 275
- Abadi, M. and L. Lamport, The existence of refinement mappings 82 (2) (1991) 253–284
- Abdali, S.K. and B.D. Saunders, Transitive closure and related semiring properties via eliminants 40 (2-3) (1985) 257–274
- Abe, N., *see* A. Nakamura 137 (1) (1995) 159–176
- Abello, J. and S. Dolev, On the computational power of self-stabilizing systems 182 (1-2) (1997) 159–170
- Abelson, H., Towards a theory of local and global in computation 6 (1) (1978) 41–67
- Abelson, H., Towards a theory of local and global in computation (*Corrigendum*) 6 (3) (1978) 343
- Abiteboul, S. and R. Hull, Restructuring hierarchical database objects 62 (1-2) (1988) 3–38
- Abiteboul, S. and E. Simon, Fundamental properties of deterministic and nondeterministic extensions of Datalog 78 (1) (1991) 137–158
- Abiteboul, S., P. Kanellakis and G. Grahne, On the representation and querying of sets of possible worlds 78 (1) (1991) 159–187
- Abiteboul, S., M.Y. Vardi and V. Vianu, Computing with infinitary logic 149 (1) (1995) 101–128
- Ablayev, F., Lower bounds for one-way probabilistic communication complexity and their application to space complexity 157 (2) (1996) 139–159
- Ably, F.M., The complexity properties of probabilistic automata with isolated cut point 57 (1) (1988) 87–95
- Abraham, U. and M. Magidor, On the mutual-exclusion problem – a quest for minimal solutions 129 (1) (1994) 1–38
- Abraham, U., On interprocess communication and the implementation of multi-writer atomic registers 149 (2) (1995) 257–298
- Abramsky, S., Observation equivalence as a testing equivalence 53 (2-3) (1987) 225–241
- Abramsky, S., Computational interpretations of linear logic 111 (1-2) (1993) 3–57
- Abramsky, S., Proofs as processes 135 (1) (1994) 5–9
- Aceto, L., GSOS and finite labelled transition systems 131 (1) (1994) 181–195
- Aceto, L. and A. Jeffrey, A complete axiomatization of timed bisimulation for a class of timed regular behaviours 152 (2) (1995) 251–268
- Adámek, J. and E. Nelson, Separately continuous algebras 27 (1-2) (1983) 225–231

- Adámek, J., J. Reiterman and E. Nelson, Continuous semilattices 43 (2-3) (1986) 293–313
- Adámek, J. and V. Koubek, On the greatest fixed point of a set functor 150 (1) (1995) 57–75
- Adiga, B.S., *see* P. Shankar 88 (1) (1991) 117–125
- Adiga, B.S., *see* P. Shankar 95 (2) (1992) 339–340
- Ae, T., *see* K. Inoue 9 (3) (1979) 311–328
- Afek, Y., S. Kutten and M. Yung, The local detection paradigm and its applications to self-stabilization 186 (1-2) (1997) 199–230
- Aggarwal, A., A.K. Chandra and M. Snir, Communication complexity of PRAMs 71 (1) (1990) 3–28
- Agrawal, D., *see* M.H. Wong 149 (1) (1995) 179–199
- Agrawal, M. and V. Arvind, Geometric sets of low information content 158 (1-2) (1996) 193–219
- Agrawal, M. and V. Arvind, Quasi-linear truth-table reductions to p-selective sets 158 (1-2) (1996) 361–370
- Aiello, L., M. Aiello and R.W. Weyhrauch, Pascal in LCF: Semantics and examples of proof 5 (2) (1977) 135–177
- Aiello, M., *see* L. Aiello 5 (2) (1977) 135–177
- Aigrain, P. and D. Beauquier, Polyomino tilings, cellular automata and codicity 147 (1-2) (1995) 165–180
- Aiken, A., A theory of compaction-based parallelization 73 (2) (1990) 121–154
- Ainhirn, W., Marvellous interpretations differ little but decisively from ordinary interpretations of EOL forms 21 (2) (1982) 163–178
- Ait-Kaci, H., An algebraic semantics approach to the effective resolution of type equations 45 (3) (1986) 293–351
- Ait-Kaci, H., A. Podelski and G. Smolka, A feature constraint system for logic programming with entailment 122 (1-2) (1994) 263–283
- Ait-Kaci, H. and J. Garrigue, Label-selective λ -calculus syntax and confluence 151 (2) (1995) 353–383
- Aizawa, K., *see* A. Nakamura 24 (2) (1983) 161–177
- Aizawa, K. and A. Nakamura, Graph grammars with path-controlled embedding 88 (1) (1991) 151–170
- Ajili, F. and E. Contejean, Avoiding slack variables in the solving of linear diophantine equations and inequations 173 (1) (1997) 183–208
- Akl, S.G., M. Cosnard and A.G. Ferreira, Data-movement-intensive problems: two folk theorems in parallel computation revisited 95 (2) (1992) 323–337
- Akyildiz, I.F. and H. Von Brand, Exact solutions for open, closed and mixed queueing networks with rejection blocking 64 (2) (1989) 203–219
- Akyildiz, I.F. and H. von Brand, Exact solutions for networks of queues with blocking-after-service 125 (1) (1994) 111–130
- Alagar, V.S., Foreword 183 (2) (1997) 155–156
- Alagić, M., *see* S. Alagić 179 (1-2) (1997) 273–299
- Alagić, S. and M. Alagić, Order-sorted model theory for temporal executable specifications 179 (1-2) (1997) 273–299
- Alaiwan, H., Equivalence of infinite behavior of finite automata 31 (3) (1984) 297–306
- Albers, S., A competitive analysis of the list update problem with lookahead 197 (1-2) (1998) 95–109
- Albert, J. and L. Wegner, Languages with homomorphic replacements 16 (3) (1981) 291–305
- Albert, L., R. Casas and F. Fages, Average-case analysis of unification algorithms 113 (1) (1993) 3–34
- Albert, M.H. and J. Lawrence, A proof of Ehrenfeucht's Conjecture 41 (1) (1985) 121–123
- Albert, M.H. and J. Lawrence, Test sets for finite substitutions 43 (1) (1986) 117–122
- Albrecht, D., J.N. Crossley and J.S. Jeavons, New Curry–Howard terms for full linear logic 185 (2) (1997) 217–235
- Alder, A. and V. Strassen, On the algorithmic complexity of associative algebras 15 (2) (1981) 201–211
- Alessi, F., P. Baldan and G. Bellè, A fixed-point theorem in a category of compact metric spaces 146 (1-2) (1995) 311–320
- Alessi, F. and P. Baldan, A characterization of distance between 1-bounded compact ultrametric spaces through a universal space 193 (1-2) (1998) 113–127
- Alexi, W., Extraction and verification of programs by analysis of formal proofs 61 (2-3) (1988) 225–258
- Alferes, J.J., *see* L.M. Pereira 122 (1-2) (1994) 49–68
- Alimohamed, M., A characterization of lambda definability in categorical models of implicit polymorphism 146 (1-2) (1995) 5–23

- Allender, E. and M.M. Klawe, Improved lower bounds for the cycle detection problem 36 (2-3) (1985) 231–237
- Allender, E. and C. Wilson, Downward translations of equality 75 (3) (1990) 335–346
- Allender, E., R. Beigel, U. Hertrampf and S. Homer, Almost-everywhere complexity hierarchies for nondeterministic time 115 (2) (1993) 225–241
- Allouche, J.-P., On a sequence of rational functions 65 (2) (1989) 123–130
- Allouche, J.-P., P. Morton and J. Shallit, Pattern spectra, substring enumeration, and automatic sequences 94 (2) (1992) 161–174
- Allouche, J.-P. and J. Shallit, The ring of k -regular sequences 98 (2) (1992) 163–197
- Allouche, J.-P., Note on the cyclic towers of Hanoi 123 (1) (1994) 3–7
- Allouche, J.-P. and M. Bousquet-Mélou, Canonical positions for the factors in paperfolding sequences 129 (2) (1994) 263–278
- Allouche, J.-P., F. von Haeseler, H.-O. Peitgen, A. Petersen and G. Skordev, Automaticity of double sequences generated by one-dimensional linear cellular automata 188 (1-2) (1997) 195–209
- Almeida, J., Locally commutative power semigroups and counting factors of words 108 (1) (1993) 3–16
- Almeida, J.J., *see* J.C. Ramalho 199 (1-2) (1998) 231–247
- Alon, N. and U. Zwick, On Nečiporuk's theorem for branching programs 64 (3) (1989) 331–342
- Alon, N., G. Kalai, M. Ricklin and L. Stockmeyer, Lower bounds on the competitive ratio for mobile user tracking and distributed job scheduling 130 (1) (1994) 175–201
- Alonso, L., Uniform generation of a Motzkin word 134 (2) (1994) 529–536
- Alonso, L. and R. Schott, A parallel algorithm for the generation of a permutation and applications 159 (1) (1996) 15–28
- Alpuente, M., M. Falaschi and G. Levi, Incremental constraint satisfaction for equational logic programming 142 (1) (1995) 27–57
- Alpuente, M., M. Falaschi and G. Vidal, A compositional semantic basis for the analysis of equational Horn programs 165 (1) (1996) 133–169
- Alt, H., Multiplication is the easiest nontrivial arithmetic function 36 (2-3) (1985) 333–339
- Althöfer, I. and J. Bürlmann, Superlinear period lengths in some subtraction games 148 (1) (1995) 111–119
- Alur, R. and D.L. Dill, A theory of timed automata 126 (2) (1994) 183–235
- Alur, R., C. Courcoubetis, N. Halbwachs, T.A. Henzinger, P.-H. Ho, X. Nicollin, A. Olivero, J. Sifakis and S. Yovine, The algorithmic analysis of hybrid systems 138 (1) (1995) 3–34
- Alvarez, C., *see* B. Jenner 107 (1) (1992) 3–30
- Àlvarez, C. and B. Jenner, On adaptive DLOGTIME and POLYLOGTIME reductions 148 (2) (1995) 183–205
- Amaldi, E. and V. Kann, The complexity and approximability of finding maximum feasible subsystems of linear relations 147 (1-2) (1995) 181–210
- Ambler, S., M. Kwiatkowska and N. Measor, Duality and the completeness of the modal μ -calculus 151 (1) (1995) 3–27
- Ambos-Spies, K., H. Fleischhack and H. Huwig, Diagonalizations over polynomial time computable sets 51 (1-2) (1987) 177–204
- Ambos-Spies, K., On the relative complexity of hard problems for complexity classes without complete problems 63 (1) (1989) 43–61
- Ambos-Spies, K., S. Homer and R.I. Soare, Minimal pairs and complete problems 132 (1-2) (1994) 229–241
- Ambos-Spies, K., H.-C. Neis and S.A. Terwijn, Genericity and measure for exponential time 168 (1) (1996) 3–19
- Ambos-Spies, K., S.A. Terwijn and X. Zheng, Resource bounded randomness and weakly complete problems 172 (1-2) (1997) 195–207
- America, P. and J. De Bakker, Designing equivalent semantic models for process creation 60 (2) (1988) 109–176
- Amir, A. and G.M. Landau, Fast parallel and serial multidimensional approximate array matching 81 (1) (1991) 97–115
- Amrhein, B., O. Gloor and W. Küchlin, On the Walk 187 (1-2) (1997) 179–202
- Amtoft, T. and J.L. Träff, Partial memoization for obtaining linear time behavior of a 2DPDA 98 (2) (1992) 347–356
- Anantharaman, S. and G. Richard, A rewrite mechanism for logic programs with negation 192 (1) (1998) 77–106

- Andersen, H.R., Model checking and boolean graphs 126 (1) (1994) 3–30
- Anderson, J.A., Semiretracts of a free monoid 134 (1) (1994) 3–11
- Anderson, N. and D. Manley, A matrix extension of Winograd's inner product algorithm 131 (2) (1994) 475–477
- Anderson, S.O. and A.J. Power, A representable approach to finite nondeterminism 177 (1) (1997) 3–25
- Andersson, A., Comments on "On the balance property of Patricia tries: External path length viewpoint" 106 (2) (1992) 391–393
- Andraşiu, M., Gh. Păun, J. Dassow and A. Salomaa, Language-theoretic problems arising from Richelieu cryptosystems 116 (2) (1993) 339–357
- Andreev, A.E., A.E.F. Clementi and J.D.P. Rolim, Constructing the highest degree subgraph for dense graphs is in \mathcal{NCAS} 161 (1-2) (1996) 307–314
- Andreev, A.E., A.E.F. Clementi and J.D.P. Rolim, Optimal bounds for the approximation of boolean functions and some applications 180 (1-2) (1997) 243–268
- Andréka, H., I. Németi and I. Sain, A complete logic for reasoning about programs via nonstandard model theory I 17 (2) (1982) 193–212
- Andréka, H., I. Németi and I. Sain, A complete logic for reasoning about programs via nonstandard model theory II 17 (3) (1982) 259–278
- Andréka, H., I. Németi and I. Sain, On the strength of temporal proofs 80 (2) (1991) 125–151
- Andrews, J., A logical semantics for depth-first Prolog with ground negation 184 (1-2) (1997) 105–143
- Angel, E. and V. Zissimopoulos, Autocorrelation coefficient for the graph bipartitioning problem 191 (1-2) (1998) 229–243
- Angluin, D., On counting problems and the polynomial-time hierarchy 12 (2) (1980) 161–173
- Angluin, D., W.I. Gasarch and C.H. Smith, Training sequences 66 (3) (1989) 255–272
- Anselmo, M., Sur les codes zigzag et leur décidabilité 74 (3) (1990) 341–354
- Anselmo, M., The zigzag series: a two-way version of the $*$ operator 79 (1) (1991) 3–24
- Anselmo, M., The operation \uparrow on formal power series 117 (1-2) (1993) 39–43
- Antimirov, V., Partial derivatives of regular expressions and finite automaton constructions 155 (2) (1996) 291–319
- Antimirov, V.M. and P.D. Mosses, Rewriting extended regular expressions 143 (1) (1995) 51–72
- Antoy, S. and A. Middeidorp, A sequential reduction strategy 165 (1) (1996) 75–95
- Antsaklis, P.J., *see* M. Lemmon 138 (1) (1995) 201–210
- Aoki, K., J. Shinoda and T. Tsuda, On Π_2 theories of hp-T degrees of low sets 123 (2) (1994) 315–327
- Aoyagi, S., *see* Y. Manabe 193 (1-2) (1998) 97–112
- Aparício, J.N., *see* L.M. Pereira 122 (1-2) (1994) 49–68
- Apolloni, B. and S. Chiaravalli, PAC learning of concept classes through the boundaries of their items 172 (1-2) (1997) 91–120
- Apostolico, A. and F.P. Preparata, Optimal off-line detection of repetitions in a string 22 (3) (1983) 297–315
- Apostolico, A., S. Browne and C. Guerra, Fast linear-space computations of longest common subsequences 92 (1) (1992) 3–17
- Apostolico, A., Efficient CRCW-PRAM algorithms for universal substring searching 108 (2) (1993) 331–344
- Apostolico, A. and A. Ehrenfeucht, Efficient detection of quasiperiodicities in strings 119 (2) (1993) 247–265
- Apostolico, A., D. Breslauer and Z. Galil, Parallel detection of all palindromes in a string 141 (1-2) (1995) 163–173
- Apt, K.R., J.A. Bergstra and L.G.L.T. Meertens, Recursive assertions are not enough – or are they 8 (1) (1979) 73–87
- Apt, K.R., Ten years of Hoare's logic: A survey – Part II: Nondeterminism 28 (1-2) (1984) 83–109
- Apt, K.R., A. Pnueli and J. Stavi, Fair termination revisited – with delay 33 (1) (1984) 65–84
- Apt, K.R., *see* R.N. Bol 86 (1) (1991) 35–79
- Arai, N.H., A proper hierarchy of propositional sequent calculi 159 (2) (1996) 343–354
- Arai, N.H., Tractability of cut-free Gentzen type propositional calculus with permutation inference 170 (1-2) (1996) 129–144
- Araki, T. and T. Kasami, Some decision problems related to the reachability problem for Petri nets 3 (1) (1976) 85–104

- Araki, T. and T. Kasami, Decidable problems on the strong connectivity of Petri net reachability sets 4 (1) (1977) 99–119
- Araki, T., T. Kagimasa and N. Tokura, Relations of flow languages to Petri net languages 15 (1) (1981) 51–75
- Arcangeli, J.-P. and C. Pomian, Principles of plasma pattern and alternative structure compilation 71 (2) (1990) 177–191
- Arfi, M., Opérations polynomiales et hiérarchies de concaténation 91 (1) (1991) 71–84
- Arikawa, S., T. Shinohara and A. Yamamoto, Learning elementary formal systems 95 (1) (1992) 97–113
- Arikawa, S., *see* Y. Mukouchi 137 (1) (1995) 53–84
- Arimura, H., H. Ishizaka and T. Shinohara, Learning unions of tree patterns using queries 185 (1) (1997) 47–62
- Ariola, Z.M. and Arvind, Properties of a first-order functional language with sharing 146 (1-2) (1995) 69–108
- Armbruster, D., A polynomial determination of the most-recent property in Pascal-like programs 56 (1) (1988) 3–15
- Arnold, A. and M. Latteux, A new proof of two theorems about rational transductions 8 (2) (1979) 261–263
- Arnold, A. and M. Nivat, Metric interpretations of infinite trees and semantics of nondeterministic recursive programs 11 (2) (1980) 181–205
- Arnold, A. and M. Dauchet, Morphismes et bimorphismes d'arbres 20 (1) (1982) 33–93
- Arnold, A., Rational ω -languages are non-ambiguous 26 (1-2) (1983) 221–223
- Arnold, A., A syntactic congruence for rational ω -languages 39 (2-3) (1985) 333–335
- Arnold, A., Logical definability of fixed points 61 (2-3) (1988) 289–297
- Arnold, A., An initial semantics for the μ -calculus on trees and Rabin's complementation lemma 148 (1) (1995) 121–132
- Arnold, A., A topological property of rational ω -languages 151 (1) (1995) 29–36
- Arnold, A. and I. Castellani, An algebraic characterization of observational equivalence 156 (1-2) (1996) 289–299
- Arora, S. and R. Fagin, On winning strategies in Ehrenfeucht–Fraïssé games 174 (1-2) (1997) 97–121
- Arques, D., J. Françon, M.T. Guichet and P. Guichet, Comparison of algorithms controlling concurrent access to a database: A combinatorial approach 58 (1-3) (1988) 3–16
- Arques, D. and I. Jacques, Classification des cartes pointées de genre 1 et relation fonctionnelle associée 117 (1-2) (1993) 45–65
- Arquès, D. and O. Grange, A fast scan-line algorithm for topological filling of well-nested objects in 2.5D digital pictures 147 (1-2) (1995) 211–248
- Arvind, , *see* Z.M. Ariola 146 (1-2) (1995) 69–108
- Arvind, V. and S. Biswas, On some bandwidth restricted versions of the satisfiability problem of propositional CNF formulas 68 (2) (1989) 123–134
- Arvind, V., J. Köbler, U. Schöning and R. Schuler, If NP has polynomial-size circuits, then MA=AM 137 (2) (1995) 279–282
- Arvind, V., *see* M. Agrawal 158 (1-2) (1996) 193–219
- Arvind, V., *see* M. Agrawal 158 (1-2) (1996) 361–370
- Arvind, V. and N.V. Vinodchandran, Solvable black-box group problems are low for PP 180 (1-2) (1997) 17–45
- Asano, T., An approach to the subgraph homeomorphism problem 38 (2-3) (1985) 249–267
- Asano, T., D. Ranjan, T. Roos, E. Welzl and P. Widmayer, Space-filling curves and their use in the design of geometric data structures 181 (1) (1997) 3–15
- Asarin, E., O. Maler and A. Pnueli, Reachability analysis of dynamical systems having piecewise-constant derivatives 138 (1) (1995) 35–65
- Ashcroft, E.A. and F.E. Fich, A generalized setting for fixpoint theory 9 (2) (1979) 243–256
- Ashcroft, E.A., *see* M.C.B. Hennessy 11 (3) (1980) 227–245
- Aslam, J.A. and A. Dhagat, On-line algorithms for 2-coloring hypergraphs via chip games 112 (2) (1993) 355–369
- Asperti, A. and C. Laneve, Paths, computations and labels in the λ -calculus 142 (2) (1995) 277–297
- Asperti, A. and C. Laneve, Interaction systems II: The practice of optimal reductions 159 (2) (1996) 191–244
- Assous, M.R., V. Bouchitté, C. Charretton and B. Rozoy, Finite labelling problem in event structures 123 (1) (1994) 9–19
- Astesiano, E. and G. Costa, Distributive semantics for nondeterministic typed λ -calculi 32 (1-2) (1984) 121–156

- Astesiano, E. and E. Zucca, Parametric channels via label expressions in CCS 33 (1) (1984) 45–63
- Astesiano, E., A. Giovini and G. Reggio, Observational structures and their logic 96 (1) (1992) 249–283
- Astesiano, E. and M. Cerioli, Free objects and equational deduction for partial conditional specifications 152 (1) (1995) 91–138
- Astesiano, E., Preface 173 (2) (1997) 309–310
- Asveld, P.R.J., Abstract grammars based on transductions 81 (2) (1991) 269–288
- Atkinson, M.D., The complexity of group algebra computations 5 (2) (1977) 205–209
- Atkinson, M.D., M.J. Livesey and D. Tulley, Permutations generated by token passing in graphs 178 (1-2) (1997) 103–118
- Atkinson, M.D. and D. Tulley, Bounded capacity priority queues 182 (1-2) (1997) 145–157
- Attiya, H. and Y. Mansour, Language complexity on the synchronous anonymous ring 53 (2-3) (1987) 169–185
- Atzeni, P., G. Ausiello, C. Batini and M. Moscarini, Inclusion and equivalence between relational database schemata 19 (3) (1982) 267–285
- Atzeni, P. and D.S. Parker, Set containment inference and syllogisms 62 (1-2) (1988) 39–65
- Atzeni, P. and E.P.F. Chan, Efficient and optimal query answering on independent schemes 77 (3) (1990) 291–308
- Aubin, R., Mechanizing structural induction Part I: Formal system 9 (3) (1979) 329–345
- Aubin, R., Mechanizing structural induction Part II: Strategies 9 (3) (1979) 347–362
- Auer, P., Learning nested differences in the presence of malicious noise 185 (1) (1997) 159–175
- Augusteijn, L., *see* R. Leermakers 104 (2) (1992) 313–323
- Auletta, V., D. Parente and G. Persiano, Dynamic and static algorithms for optimal placement of resources in a tree 165 (2) (1996) 441–461
- Aumann, Y. and M.O. Rabin, Clock construction in fully asynchronous parallel systems and PRAM simulation 128 (1-2) (1994) 3–30
- Ausiello, G., A. Marchetti-Spaccamela and M. Protasi, Toward a unified approach for the classification of NP-complete optimization problems 12 (1) (1980) 83–96
- Ausiello, G., *see* P. Atzeni 19 (3) (1982) 267–285
- Ausiello, G., A. D'Atri and M. Moscarini, On the existence of acyclic views in a database scheme 35 (2-3) (1985) 165–177
- Ausiello, G., U. Nanni and G.F. Italiano, Dynamic maintenance of directed hypergraphs 72 (2-3) (1990) 97–117
- Ausiello, G., G.F. Italiano, A.M. Spaccamela and U. Nanni, On-line computation of minimal and maximal length paths 95 (2) (1992) 245–261
- Ausiello, G., P. Crescenzi and M. Protasi, Approximate solution of NP optimization problems 150 (1) (1995) 1–55
- Ausiello, G. and R. Giaccio, On-line algorithms for satisfiability problems with uncertainty 171 (1-2) (1997) 3–24
- Austry, D. and G. Boudol, Algèbre de processus et synchronisation 30 (1) (1984) 91–131
- Autebert, J.-M., Une note sur le cylindre des langages déterministes 8 (3) (1979) 395–399
- Autebert, J.-M., J. Beauquier, L. Boasson and G. Sénizergues, Remarques sur les langages de parenthèses 31 (3) (1984) 337–349
- Avenhaus, J. and K. Madlener, The Nielsen reduction and P-complete problems in free groups 32 (1-2) (1984) 61–76
- Avenhaus, J. and K. Madlener, On the complexity of intersection and conjugacy problems in free groups 32 (3) (1984) 279–295
- Averbuch, A., Z. Galil and S. Winograd, Classification of all the minimal bilinear algorithms for computing the coefficients of the product of two polynomials modulo a polynomial, Part I: The algebra $G[u]/\langle Q(u)^l \rangle$, $l > 1$ 58 (1-3) (1988) 17–56
- Averbuch, A., Z. Galil and S. Winograd, Classification of all the minimal bilinear algorithms for computing the coefficients of the product of two polynomials modulo a polynomial, Part II: The algebra $G[u]/\langle u^n \rangle$ 86 (2) (1991) 143–203
- Avron, A., The semantics and proof theory of linear logic 57 (2-3) (1988) 161–184
- Ayers, K., Deque automata and a subfamily of context-sensitive languages which contains all semilinear bounded languages 40 (2-3) (1985) 163–174
- Azar, Y., Parallel comparison merging of many-ordered lists 83 (2) (1991) 275–285

- Azar, Y., A.Z. Broder and A.R. Karlin, On-line load balancing 130 (1) (1994) 73–84
- Baader, F. and W. Büttner, Unification in commutative idempotent monoids 56 (3) (1988) 345–352
- Baader, F. and K.U. Schulz, Combination techniques and decision problems for disunification 142 (2) (1995) 229–255
- Baader, F. and K.U. Schulz, Combination of constraint solvers for free and quasi-free structures 192 (1) (1998) 107–161
- Baaz, M., A. Leitsch and R. Zach, Completeness of a first-order temporal logic with time-gaps 160 (1-2) (1996) 241–270
- Babai, L., P. Pudlák, V. Rödl and E. Szemerédi, Lower bounds to the complexity of symmetric Boolean functions 74 (3) (1990) 313–323
- Baccelli, F., W.A. Massey and P.E. Wright, Determining the exit time distribution for a closed cyclic network 125 (1) (1994) 149–165
- Bachmair, L. and N. Dershowitz, Completion for rewriting modulo a congruence 67 (2-3) (1989) 173–201
- Back, R.J.R., A continuous semantics for unbounded nondeterminism 23 (2) (1983) 187–210
- Back, R.J.R. and H. Mannila, On the suitability of trace semantics for modular proofs of communicating processes 39 (1) (1985) 47–68
- Back, R.J.R. and J. Von Wright, Combining angels, demons and miracles in program specifications 100 (2) (1992) 365–383
- Backhouse, R., *see* H. Doornbos 179 (1-2) (1997) 103–135
- Backofen, R. and G. Smolka, A complete and recursive feature theory 146 (1-2) (1995) 243–268
- Badouel, E. and P. Darondeau, On guarded recursion 82 (2) (1991) 403–408
- Badouel, E., L. Bernardinello and P. Darondeau, The synthesis problem for elementary net systems is NP-complete 186 (1-2) (1997) 107–134
- Baeten, J.C.M., J.A. Bergstra and J.W. Klop, On the consistency of Koomen's fair abstraction rule 51 (1-2) (1987) 129–176
- Baeten, J.C.M., J.A. Bergstra, J.W. Klop and W.P. Weijland, Term-rewriting systems with rule priorities 67 (2-3) (1989) 283–301
- Baeten, J.C.M. and J.A. Bergstra, Recursive process definitions with the state operator 82 (2) (1991) 285–302
- Baeten, J.C.M. and J.A. Bergstra, Process algebra with propositional signals 177 (2) (1997) 381–405
- Baeza-Yates, R. and E. Goles, Preface 181 (1) (1997) 1–2
- Baeza-Yates, R.A., Searching subsequences 78 (2) (1991) 363–376
- Baeza-Yates, R.A. and M. Régnier, Average running time of the Boyer–Moore–Horspool algorithm 92 (1) (1992) 19–31
- Baeza-Yates, R.A., Bounded disorder: The effect of the index 168 (1) (1996) 21–38
- Bafna, V., B. Kalyanasundaram and K. Pruhs, Not all insertion methods yield constant approximate tours in the Euclidean plane 125 (2) (1994) 345–353
- Bafna, V., E.L. Lawler and P.A. Pevzner, Approximation algorithms for multiple sequence alignment 182 (1-2) (1997) 233–244
- Bagchi, A. and A. Mahanti, Admissible heuristic search in AND/OR graphs 24 (2) (1983) 207–219
- Baier, C. and M.E. Majster-Cederbaum, Denotational semantics in the cpo and metric approach 135 (2) (1994) 171–220
- Baier, C., *see* M.E. Majster-Cederbaum 170 (1-2) (1996) 145–171
- Baier, C., Trees and semantics 179 (1-2) (1997) 217–250
- Bainbridge, E.S., P.J. Freyd, A. Scedrov and P.J. Scott, Functorial polymorphism 70 (1) (1990) 35–64
- Bainbridge, E.S., P.J. Freyd, A. Scedrov and P.J. Scott, Functorial polymorphism (*Corrigendum*) 71 (3) (1990) 431
- Bajaj, C., Geometric optimization and the polynomial hierarchy 54 (1) (1987) 87–102
- Baker, B.S. and E.G. Coffman, Jr., Mutual exclusion scheduling 162 (2) (1996) 225–243
- Baker, K.A., G.F. McNulty and W. Taylor, Growth problems for avoidable words 69 (3) (1989) 319–345
- Baker, T.P. and A.L. Selman, A second step toward the polynomial hierarchy 8 (2) (1979) 177–187
- Balcázar, J.L., R.V. Book and U. Schöning, On bounded query machines 40 (2-3) (1985) 237–243
- Balcázar, J.L., J. Díaz and J. Gabarró, On characterizations of the class PSPACE/poly 52 (3) (1987) 251–267
- Balcázar, J.L., *see* R. Gavaldà 88 (1) (1991) 1–14
- Balcázar, J.L. and U. Schöning, Logarithmic advice classes 99 (2) (1992) 279–290

- Baldan, P., *see* F. Alessi 146 (1-2) (1995) 311–320
- Baldan, P., *see* F. Alessi 193 (1-2) (1998) 113–127
- Baldoni, R., *see* Y. Manabe 193 (1-2) (1998) 97–112
- Baldwin, W.A. and G.O. Strawn, Multidimensional trees 84 (2) (1991) 293–311
- Balsters, H. and M.M. Fokkinga, Subtyping can have a simple semantics 87 (1) (1991) 81–96
- Bampis, E., J.-C. König and D. Trystram, Optimal parallel execution of complete binary trees and grids into most popular interconnection networks 147 (1-2) (1995) 1–18
- Bampis, E., *see* L. Finta 162 (2) (1996) 323–340
- Banach, R., Regular relations and bicartesian squares 129 (1) (1994) 187–192
- Banach, R., Term graph rewriting and garbage collection using opfibrations 131 (1) (1994) 29–94
- Banach, R., Locating the contractum in the double pushout approach 152 (2) (1995) 305–320
- Bancilhon, F. and P. Richard, A sound and complete axiomatization of embedded cross dependencies 34 (3) (1984) 343–350
- Baratchart, L., M. Olivi and F. Wielonsky, On a rational approximation problem in the real Hardy space H_2 94 (2) (1992) 175–197
- Baratella, S., A completeness result for allowed semi-strict programs with respect to well-behaved and allowed query clauses 97 (1) (1992) 143–156
- Baratella, S., A class of programs for which SLDNF resolution and NAF rule are complete 120 (1) (1993) 83–99
- Barbanera, F. and M. Fernández, Intersection type assignment systems with higher-order algebraic rewriting 170 (1-2) (1996) 173–207
- Barbar, K., Attributed tree grammars 119 (1) (1993) 3–22
- Barbin-Le Rest, E. and M. Le Rest, Sur la combinatoire des codes à deux mots 41 (1) (1985) 61–80
- Barcucci, E., R. Pinzani and R. Sprugnoli, The random generation of directed animals 127 (2) (1994) 333–351
- Barcucci, E., A. Del Lungo, M. Nivat and R. Pinzani, Reconstructing convex polyominoes from horizontal and vertical projections 155 (2) (1996) 321–347
- Barcucci, E., A. Del Lungo and R. Pinzani, “Deco” polyominoes, permutations and random generation 159 (1) (1996) 29–42
- Barcucci, E., A. Del Lungo, R. Pinzani and R. Sprugnoli, Polyominoes defined by their vertical and horizontal projections 159 (1) (1996) 129–136
- Barendregt, H., A global representation of the recursive functions in the λ -calculus 3 (2) (1976) 225–242
- Barendregt, H., Constructive proofs of the range property in lambda calculus 121 (1-2) (1993) 59–69
- Barr, M., Fixed points in cartesian closed categories 70 (1) (1990) 65–72
- Barr, M., Terminal coalgebras in well-founded set theory 114 (2) (1993) 299–315
- Barr, M., Additions and corrections to “Terminal coalgebras in well-founded set theory” 124 (1) (1994) 189–192
- Barr, M., Nonsymmetric *-autonomous categories 139 (1-2) (1995) 115–130
- Barrington, D.A.M. and J. Corbett, A note on some languages in uniform ACC^0 78 (2) (1991) 357–362
- Bartha, M., An equational axiomatization of systolic systems 55 (2-3) (1987) 265–289
- Bartha, M., Foundations of a theory of synchronous systems 100 (2) (1992) 325–346
- Barthélemy, F., *see* E.V. de la Clergerie 199 (1-2) (1998) 167–198
- Barthelmann, K., Nondeterministic operations on finite relational structures 200 (1-2) (1998) 1–44
- Barua, R., The Hausdorff–Kuratowski hierarchy of ω -regular languages and a hierarchy of Muller automata 96 (2) (1992) 345–360
- Barua, R. and S. Ramakrishnan, σ -game, σ^+ -game and two-dimensional additive cellular automata 154 (2) (1996) 349–366
- Barua, R., *see* P. Sarkar 197 (1-2) (1998) 111–138
- Baruah, S.K., R.R. Howell and L.E. Rosier, Feasibility problems for recurring tasks on one processor 118 (1) (1993) 3–20
- Bar Yehuda, R., T. Etzion and S. Moran, Rotating-table games and derivatives of words 108 (2) (1993) 311–329
- Barzdin, G.J., *see* J.M. Barzdin 90 (1) (1991) 199–208
- Barzdin, J.M. and G.J. Barzdin, Rapid construction of algebraic axioms from samples 90 (1) (1991) 199–208
- Bassino, F., Nonnegative companion matrices and star-height of N-rational series 180 (1-2) (1997) 61–80
- Batini, C., *see* P. Atzeni 19 (3) (1982) 267–285

- Bauderon, M., Infinite hypergraphs I. Basic properties 82 (2) (1991) 177–214
- Bauderon, M., Infinite hypergraphs II. Systems of recursive equations 103 (2) (1992) 165–190
- Bauer, G., n -level rewriting systems 40 (2-3) (1985) 85–99
- Bauernöppel, F., E. Kranakis, D. Krizanc, A. Maheshwari, J.-R. Sack and J. Urrutia, Planar stage graphs: Characterizations and applications 175 (2) (1997) 239–255
- Baur, W. and V. Strassen, The complexity of partial derivatives 22 (3) (1983) 317–330
- Baur, W., On the algebraic complexity of rational iteration procedures 88 (2) (1991) 313–324
- Bavel, Z., *see* J.W. Grzymala-Busse 43 (1) (1986) 1–10
- Beal, M.P., Codes circulaires, automates locaux et entropie 57 (2-3) (1988) 283–302
- Beame, P., E. Brisson and R. Ladner, The complexity of computing symmetric functions using threshold circuits 100 (1) (1992) 253–265
- Beatty, J.C., Two iteration theorems for the $LL(k)$ languages 12 (2) (1980) 193–228
- Beauquier, D., Minimal automaton for a factorial, transitive, and rational language 67 (1) (1989) 65–73
- Beauquier, D. and J.-E. Pin, Languages and scanners 84 (1) (1991) 3–21
- Beauquier, D. and A. Podelski, Rabin tree automata and finite monoids 134 (1) (1994) 13–25
- Beauquier, D., *see* P. Aigrain 147 (1-2) (1995) 165–180
- Beauquier, J., Générateurs algébriques et systèmes de paires itérantes 8 (3) (1979) 293–323
- Beauquier, J., Substitution of semi-AFL's 14 (2) (1981) 187–193
- Beauquier, J., *see* J.-M. Autebert 31 (3) (1984) 337–349
- Beauquier, J. and F. Gire, Une note sur le théorème de caractérisation des générateurs algébriques 51 (1-2) (1987) 117–127
- Beauquier, J., Two distributed problems involving byzantine processes 95 (1) (1992) 169–185
- Bebjak, A. and I. Štefánková, Separation of deterministic, nondeterministic and alternating complexity classes 88 (2) (1991) 297–311
- Becker, B. and U. Sparrmann, Computations over finite monoids and their test complexity 84 (2) (1991) 225–250
- Bedard, F., F. Lemieux and P. McKenzie, Extensions to Barrington's M-program model 107 (1) (1992) 31–61
- Bedon, N., Finite automata and ordinals 156 (1-2) (1996) 119–144
- Beeri, C., An improvement on Valiant's decision procedure for equivalence of deterministic finite turn pushdown machines 3 (3) (1976) 305–320
- Beeri, C. and M.Y. Vardi, Formal systems for join dependencies 38 (1) (1985) 99–116
- Beeri, C. and Y. Kornatzky, Algebraic optimization of object-oriented query languages 116 (1) (1993) 59–94
- Beeson, M.J., Towards a computation system based on set theory 60 (3) (1988) 297–340
- Beigel, R., Bi-immunity results for cheatable sets 73 (3) (1990) 249–263
- Beigel, R., Bounded queries to SAT and the Boolean hierarchy 84 (2) (1991) 199–223
- Beigel, R. and J. Gill, Counting classes: thresholds, parity, mods, and fewness 103 (1) (1992) 3–23
- Beigel, R., *see* E. Allender 115 (2) (1993) 225–241
- Beigel, R., W. Gasarch and E. Kinber, Frequency computation and bounded queries 163 (1-2) (1996) 177–192
- Beigel, R., B. Gasarch, M. Li and L. Zhang, Addition in $\log_2 n + O(1)$ steps on average. A simple analysis 191 (1-2) (1998) 245–248
- Belaga, E.G., Constructive universal algebra: An introduction 51 (1-2) (1987) 229–238
- Belaga, E.G., Bilinear mincing rank 61 (2-3) (1988) 299–306
- Belanger, J. and J. Wang, No NP problems averaging over ranking of distributions are harder 181 (2) (1997) 229–245
- Belkhir, N., *see* J. Desharnais 149 (2) (1995) 333–360
- Bellè, G., *see* F. Alessi 146 (1-2) (1995) 311–320
- Bellia, M. and M.E. Occhiuto, C-expressions: a variable-free calculus for equational logic programming 107 (2) (1993) 209–252
- Bellin, G. and J. Ketonen, A decision procedure revisited: Notes on direct logic, linear logic and its implementation 95 (1) (1992) 115–142
- Bellin, G. and P.J. Scott, On the π -calculus and linear logic 135 (1) (1994) 11–65
- Ben-Amram, A.M., Unit-cost pointers versus logarithmic-cost addresses 132 (1-2) (1994) 377–385
- Ben-Ari, M., Comments on "tautology testing with a generalized matrix reduction method" 11 (3) (1980) 341
- Bender, M.A., M. Gastaldo and M. Morvan, Parallel interval order recognition and construction of interval representations 143 (1) (1995) 73–91

- Benedek, G.M. and A. Itai, Learnability with respect to fixed distributions 86 (2) (1991) 377–390
- Bennett, G., Double dipping: the case of the missing binomial coefficient identities 123 (2) (1994) 351–375
- Benninger, D. and J. Schmid, Effective subdirect decomposition: a case study 100 (1) (1992) 137–156
- Bennison, V.L. and R.I. Soare, Some lowness properties and computational complexity sequences 6 (3) (1978) 233–254
- Benoit, C., Axiomatisation des tests 35 (1) (1985) 89–107
- Benson, D.B., *see* M.G. Main 16 (1) (1981) 93–98
- Benson, D.B. and J. Tiuryn, Fixed points in free process algebras, Part I 63 (3) (1989) 275–294
- Benson, D.B., *see* J. Tiuryn 70 (2) (1990) 179–192
- Benson, G., A space efficient algorithm for finding the best nonoverlapping alignment score 145 (1-2) (1995) 357–369
- Benveniste, A., B.C. Levy, E. Fabre and P. Le Guernic, A calculus of stochastic systems for the specification, simulation, and hidden state estimation of mixed stochastic/nonstochastic systems 152 (2) (1995) 171–217
- Benzaken, C. and S. Foldes, Complexity of graph embeddability problems 15 (3) (1981) 321–328
- Berard, B., Literal shuffle 51 (3) (1987) 281–299
- Bérard, B., Global serializability of concurrent programs 124 (1) (1994) 41–70
- Berarducci, A., *see* C. Böhm 39 (2-3) (1985) 135–154
- Berarducci, A. and B. Intrigila, Some new results on easy lambda-terms 121 (1-2) (1993) 71–88
- Berenguer, X., J. Díaz and L.H. Harper, A solution of the Sperner–Erdős problem 21 (1) (1982) 99–103
- Bergeron, A., Sharing out control in distributed processes 139 (1-2) (1995) 163–186
- Bergeron, A., On the rational behaviors of concurrent timers 189 (1-2) (1997) 229–237
- Bergeron, F. and U. Sattler, Constructible differentially finite algebraic series in several variables 144 (1-2) (1995) 59–65
- Bergey, A. and R. Cori, On the orbits of the product of two permutations 131 (2) (1994) 449–461
- Berghammer, R. and H. Zierer, Relational algebraic semantics of deterministic and nondeterministic programs 43 (2-3) (1986) 123–147
- Berghammer, R., B. Elbl and U. Schmerl, Formalizing Dijkstra's predicate transformer wp in weak second-order logic 146 (1-2) (1995) 185–197
- Berghammer, R., *see* T.F. Gritzner 159 (2) (1996) 245–270
- Bergstra, J. and J.W. Klop, Church–Rosser strategies in the lambda calculus 9 (1) (1979) 27–38
- Bergstra, J. and J.W. Klop, Invertible terms in the lambda calculus 11 (1) (1980) 19–37
- Bergstra, J.A., *see* K.R. Apt 8 (1) (1979) 73–87
- Bergstra, J.A., J. Tiuryn and J.V. Tucker, Floyd's principle, correctness theories and program equivalence 17 (2) (1982) 113–149
- Bergstra, J.A. and J.V. Tucker, Some natural structures which fail to possess a sound and decidable Hoare-like logic for their while-programs 17 (3) (1982) 303–315
- Bergstra, J.A. and J.-J.C. Meyer, On the elimination of iteration quantifiers in a fragment of algorithmic logic 21 (3) (1982) 269–279
- Bergstra, J.A. and J.V. Tucker, Hoare's logic and Peano's arithmetic 22 (3) (1983) 265–284
- Bergstra, J.A. and J.V. Tucker, Hoare's logic for programming languages with two data types 28 (1-2) (1984) 215–221
- Bergstra, J.A. and J.W. Klop, Proving program inclusion using Hoare's logic 30 (1) (1984) 1–48
- Bergstra, J.A., *see* J.W. De Bakker 34 (1-2) (1984) 135–156
- Bergstra, J.A. and J.W. Klop, Algebra of communicating processes with abstraction 37 (1) (1985) 77–121
- Bergstra, J.A. and J.V. Tucker, Algebraic specifications of computable and semicomputable data types 50 (2) (1987) 137–181
- Bergstra, J.A., *see* J.C.M. Baeten 51 (1-2) (1987) 129–176
- Bergstra, J.A., *see* J.C.M. Baeten 67 (2-3) (1989) 283–301
- Bergstra, J.A., *see* J.C.M. Baeten 82 (2) (1991) 285–302
- Bergstra, J.A. and J. Heering, Which data types have ω -complete initial algebra specifications? 124 (1) (1994) 149–168
- Bergstra, J.A., *see* J.C.M. Baeten 177 (2) (1997) 381–405
- Berline, C. and K. Grue, A κ -denotational semantics for map theory in ZFC+SI 179 (1-2) (1997) 137–202
- Berliner, H.J., *see* J.A. Shufelt 132 (1-2) (1994) 347–375

- Berman, F. and M. Paterson, Propositional dynamic logic is weaker without tests 16 (3) (1981) 321–328
- Berman, L., *see* J. Hartmanis 3 (2) (1976) 213–224
- Berman, L., The complexity of logical theories 11 (1) (1980) 71–77
- Berman, P. and A. Lingas, A nearly optimal parallel algorithm for the Voronoi diagram of a convex polygon 174 (1-2) (1997) 193–202
- Bermond, J.C. and J.-M. Fourneau, Independent connections: an easy characterization of baseline-equivalent multistage interconnection networks 64 (2) (1989) 191–201
- Bern, M.W., H.J. Karloff, P. Raghavan and B. Schieber, Fast geometric approximation techniques and geometric embedding problems 106 (2) (1992) 265–281
- Bernardin, L., On square-free factorization of multivariate polynomials over a finite field 187 (1-2) (1997) 105–116
- Bernardinello, L., *see* E. Badouel 186 (1-2) (1997) 107–134
- Bernátsky, L., *see* Z. Ésik 137 (2) (1995) 237–251
- Bernot, G., M. Bidoit and C. Choppy, Abstract data types with exception handling: An initial approach based on a distinction between exceptions and errors 46 (1) (1986) 13–45
- Bernot, G., M. Bidoit and T. Knapik, Observational specifications and the indistinguishability assumption 139 (1-2) (1995) 275–314
- Berry, G. and P.-L. Curien, Sequential algorithms on concrete data structures 20 (3) (1982) 265–321
- Berry, G. and R. Sethi, From regular expressions to deterministic automata 48 (1) (1986) 117–126
- Berry, G. and G. Boudol, The chemical abstract machine 96 (1) (1992) 217–248
- Berstel, J. and C. Reutenauer, Recognizable formal power series on trees 18 (2) (1982) 115–148
- Berstel, J. and M. Pocchiola, Average cost of Duval's algorithm for generating Lyndon words 132 (1-2) (1994) 403–413
- Berstel, J. and J.-E. Pin, Local languages and the Berry–Sethi algorithm 155 (2) (1996) 439–446
- Berstel, J. and A. de Luca, Sturmian words, Lyndon words and trees 178 (1-2) (1997) 171–203
- Berthé, V., Fréquences des facteurs des suites sturmiennes 165 (2) (1996) 295–309
- Bertolazzi, P. and A. Sassano, An $O(mn)$ algorithm for regular set-covering problems 54 (2-3) (1987) 237–247
- Bertoni, A., D. Bruschi and M. Goldwurm, Ranking and formal power series 79 (1) (1991) 25–35
- Bertoni, A., M. Goldwurm and N. Sabadini, The complexity of computing the number of strings of given length in context-free languages 86 (2) (1991) 325–342
- Bertossi, A.A., F. Luccio, E. Lodi and L. Pagli, String matching with weighted errors 73 (3) (1990) 319–328
- Bertrand, A., Sur une conjecture d'Yves Métivier 123 (1) (1994) 21–30
- Bertrand, C., A natural semantics of first-order type dependency 123 (1) (1994) 31–53
- Best, E., Adequacy properties of path programs 18 (2) (1982) 149–171
- Best, E. and R. Devillers, Sequential and concurrent behaviour in Petri net theory 55 (1) (1987) 87–136
- Best, E. and M. Koutny, Petri net semantics of priority systems 96 (1) (1992) 175–215
- Best, E., J. Desel and J. Esparza, Traps characterize home states in free choice systems 101 (2) (1992) 161–176
- Beth, T., On the computational complexity of the general discrete Fourier transform 51 (3) (1987) 331–339
- Bethke, I., Coherence spaces are untopological 85 (2) (1991) 353–357
- Bétréma, J. and J.G. Penaud, Animaux et arbres guingois 117 (1-2) (1993) 67–89
- Bettayeb, S., On the k -ary hypercube 140 (2) (1995) 333–339
- Beynon, M. and J. Buckle, On the planar monotone computation of Boolean functions 53 (2-3) (1987) 267–279
- Beynon, W.M., On the structure of free finite state machines 11 (2) (1980) 167–180
- Bezem, M., Completeness of resolution revisited 74 (2) (1990) 227–237
- Bezem, M. and A. Ponse, Two finite specifications of a queue 177 (2) (1997) 487–507
- Bhatta, K.S.H.S.R. and H. Karnick, A resolution rule for well-formed formulae 81 (2) (1991) 223–235
- Bibel, W., Tautology testing with a generalized matrix reduction method 8 (1) (1979) 31–44
- Bidoit, M., *see* G. Bernot 46 (1) (1986) 13–45
- Bidoit, M., *see* G. Bernot 139 (1-2) (1995) 275–314
- Bidoit, M. and R. Hennicker, Behavioural theories and the proof of behavioural properties 165 (1) (1996) 3–55
- Bidoit, M., *see* R. Hennicker 173 (2) (1997) 393–443
- Bidoit, N., Negation in rule-based database languages: A survey 78 (1) (1991) 3–83
- Bidoit, N. and C. Froidevaux, Negation by default and unstratifiable logic programs 78 (1) (1991) 85–112

- Bidoit, N. and S. De Amo, A first step towards implementing dynamic algebraic dependences 190 (2) (1998) 115–149
- Bilardi, G., *see* S. Kapur 141 (1-2) (1995) 151–162
- Billaud, M., Simple operational and denotational semantics for Prolog with cut 71 (2) (1990) 193–208
- Bini, D., On commutativity and approximation 28 (1-2) (1984) 135–150
- Biran, O., S. Moran and S. Zaks, Tight bounds on the round complexity of distributed 1-solvable tasks 145 (1-2) (1995) 271–290
- Birget, J.-C., Concatenation of inputs in a two-way automaton 63 (2) (1989) 141–156
- Birget, J.-C., Partial orders on words, minimal elements of regular languages, and state complexity 119 (2) (1993) 267–291
- Birget, J.-C., S.W. Margolis and J.C. Meakin, The word problem for inverse monoids presented by one idempotent relator 123 (2) (1994) 273–289
- Birget, J.-C. and J.B. Stephen, Formal languages defined by uniform substitutions 132 (1-2) (1994) 243–258
- Biskup, J., Inferences of multivalued dependencies in fixed and undetermined universes 10 (1) (1980) 93–105
- Biswas, S., *see* V. Arvind 68 (2) (1989) 123–134
- Biswas, S., *see* S.N. Khadilkar 81 (2) (1991) 189–199
- Bitar, J. and E. Goles, Parallel chip firing games on graphs 92 (2) (1992) 291–300
- Björner, A. and C. Reutenauer, Rationality of the Möbius function of subword order 98 (1) (1992) 53–63
- Björner, A., The Möbius function of factor order 117 (1-2) (1993) 91–98
- Björner, N., A. Browne and Z. Manna, Automatic generation of invariants and intermediate assertions 173 (1) (1997) 49–87
- Blaaberg, B. and C. Clausen, Adequacy for a lazy functional language with recursive and polymorphic types 136 (1) (1994) 243–275
- Black, D.L., *see* M.G. Main 107 (2) (1993) 305–332
- Blair, H.A. and V.S. Subrahmanian, Paraconsistent logic programming 68 (2) (1989) 135–154
- Blanchard, F. and G. Hansel, Systèmes codés 44 (1) (1986) 17–49
- Blanchard, F. and S. Martinez, Points d'orbite dense de certains langages de mots infinis 44 (1) (1986) 107–110
- Blanchard, F., β -expansions and symbolic dynamics 65 (2) (1989) 131–141
- Blanchard, F., Codes engendrant certains systèmes sofiques 68 (3) (1989) 253–265
- Blanchard, F. and S. Fabre, Quelques procédés engendrant des suites infinies 123 (1) (1994) 55–60
- Blanchard, F. and A. Maass, Dynamical behaviour of Coven's aperiodic cellular automata 163 (1-2) (1996) 291–302
- Blanchet-Sadri, F., Equations and monoid varieties of dot-depth one and two 123 (2) (1994) 239–258
- Blass, U. and A.S. Fraenkel, The Sprague–Grundy function for Wythoff's game 75 (3) (1990) 311–333
- Blattner, M. and S. Ginsburg, Position-restricted grammar forms and grammars 17 (1) (1982) 1–27
- Bleuzen-Guernalec, N., On a possible classification of real-time constructed sequences 65 (2) (1989) 143–148
- Blikle, A., A. Tarlecki and M. Thorup, On conservative extensions of syntax in system development 90 (1) (1991) 209–233
- Blizard, W.D., Dedekind multisets and function shells 110 (1) (1993) 79–98
- Bloom, B. and A.R. Meyer, Experimenting with process equivalence 101 (2) (1992) 223–237
- Bloom, B., Structural operational semantics for weak bisimulations 146 (1-2) (1995) 25–68
- Bloom, S.L. and R. Tindell, Algebraic and graph theoretic characterizations of structured flowchart schemes 9 (3) (1979) 265–286
- Bloom, S.L. and D.R. Troeger, A logical characterization of observation equivalence 35 (1) (1985) 43–53
- Bloom, S.L. and Z. Ésik, Equational logic of circular data type specification 63 (3) (1989) 303–331
- Bloom, S.L., A note on guarded theories 70 (1) (1990) 73–83
- Bloom, S.L. and Z. Ésik, Fixed-point operations on ccc's. Part I 155 (1) (1996) 1–38
- Bloom, S.L. and Z. Ésik, Free shuffle algebras in language varieties 163 (1-2) (1996) 55–98
- Bloom, S.L. and Z. Ésik, The equational logic of fixed points 179 (1-2) (1997) 1–60
- Blot, J., W. Fernandez de la Vega, V.T. Paschos and R. Saad, Average case analysis of greedy algorithms for optimisation problems on set systems 147 (1-2) (1995) 267–298
- Blum, N. and K. Mehlhorn, On the average number of rebalancing operations in weight-balanced trees 11 (3) (1980) 303–320
- Blum, N., More on the power of chain rules in context-free grammars 27 (3) (1983) 287–295

- Blum, N., A Boolean function requiring $3n$ network size 28 (3) (1984) 337–345
- Blum, N., An $\Omega(n^{4/3})$ lower bound on the monotone network complexity of the n^{th} degree convolution 36 (1) (1985) 59–69
- Blumer, A., J. Blumer, D. Haussler, A. Ehrenfeucht, M.T. Chen and J. Seiferas, The smallest automaton recognizing the subwords of a text 40 (1) (1985) 31–55
- Blumer, J., *see* A. Blumer 40 (1) (1985) 31–55
- Blundo, C., A. De Santis, L. Gargano and U. Vaccaro, On the information rate of secret sharing schemes 154 (2) (1996) 283–306
- Blundo, C., A. Cresti, A. De Santis and U. Vaccaro, Fully dynamic secret sharing schemes 165 (2) (1996) 407–440
- Blundo, C., L.A. Frota Mattos and D.R. Stinson, Generalized Beimel–Chor schemes for broadcast encryption and interactive key distribution 200 (1-2) (1998) 313–334
- Blute, R., Linear logic, coherence and dinaturality 115 (1) (1993) 3–41
- Board, R. and L. Pitt, On the necessity of Occam algorithms 100 (1) (1992) 157–184
- Boasson, L., Langages algebriques, paires inérantes et transductions rationnelles 2 (2) (1976) 209–223
- Boasson, L., *see* J.-M. Autebert 31 (3) (1984) 337–349
- Bodlaender, H., R.G. Downey, M.R. Fellows and H.T. Wareham, The parameterized complexity of sequence alignment and consensus 147 (1-2) (1995) 31–54
- Bodlaender, H.L., New lower bound techniques for distributed leader finding and other problems on rings of processors 81 (2) (1991) 237–256
- Bodlaender, H.L. and D. Kratsch, The complexity of coloring games on perfect graphs 106 (2) (1992) 309–326
- Bodlaender, H.L., Complexity of path-forming games 110 (1) (1993) 215–245
- Bodlaender, H.L. and K. Jansen, Restrictions of graph partition problems. Part I 148 (1) (1995) 93–109
- Boë, J.M., A. De Luca and A. Restivo, Minimal complete sets of words 12 (3) (1980) 325–332
- Boë, J.-M., Les boîtes 81 (1) (1991) 17–34
- Boehm, P., *see* H. Ehrig 71 (3) (1990) 347–380
- Böhm, C., M. Dezani-Ciancaglini, P. Peretti and S. Ronchi della Rocca, A discrimination algorithm inside λ - β -calculus 8 (3) (1979) 271–291
- Böhm, C. and A. Berarducci, Automatic synthesis of typed Λ -programs on term algebras 39 (2-3) (1985) 135–154
- Boissonnat, J.-D. and M. Teillaud, On the randomized construction of the Delaunay tree 112 (2) (1993) 339–354
- Bol, R.N., K.R. Apt and J.W. Klop, An analysis of loop checking mechanisms for logic programs 86 (1) (1991) 35–79
- Bol, R.N., Generalizing completeness results for loop checks in logic programming 104 (1) (1992) 3–28
- Bollman, D. and M. Laplaza, Some decision problems for polynomial mappings 6 (3) (1978) 317–325
- Bonacina, M.P. and J. Hsiang, Towards a foundation of completion procedures as semidecision procedures 146 (1-2) (1995) 199–242
- Bonatti, P.A. and T. Eiter, Querying disjunctive databases through nonmonotonic logics 160 (1-2) (1996) 321–363
- Bonic, R., *see* R. Paige 40 (1) (1985) 67–84
- Bonizzoni, P. and G. Mauri, On automata on infinite trees 93 (2) (1992) 227–244
- Bonizzoni, P., Primitive 2-structures with the $(n - 2)$ -property 132 (1-2) (1994) 151–178
- Bonner, A.J., Hypothetical datalog: complexity and expressibility 76 (1) (1990) 3–51
- Bonner, A.J. and M. Kifer, An overview of transaction logic 133 (2) (1994) 205–265
- Bonnier-Rigny, A. and D. Krob, A complete system of identities for one-letter rational expressions with multiplicities in the tropical semiring 134 (1) (1994) 27–50
- Bonsangue, M.M., B. Jacobs and J.N. Kok, Duality beyond sober spaces: Topological spaces and observation frames 151 (1) (1995) 79–124
- Bonsangue, M.M., F. van Breugel and J.J.M.M. Rutten, Generalized metric spaces: Completion, topology, and powerdomains via the Yoneda embedding 193 (1-2) (1998) 1–51
- Book, R.V., Translational lemmas, polynomial time, and $(\log n)^j$ -space 1 (3) (1976) 215–226
- Book, R.V. and C. Wrathall, On languages specified by relative acceptance 7 (2) (1978) 185–195
- Book, R.V., Bounded query machines: on NP and PSPACE 15 (1) (1981) 27–39
- Book, R.V. and C. Wrathall, Bounded query machines: on $\text{NP}(\cdot)$ and $\text{NPQUERY}(\cdot)$ 15 (1) (1981) 41–50

- Book, R.V. and C.P. O'Dunlaing, Testing for the Church–Rosser property 16 (2) (1981) 223–229
- Book, R.V., When is a monoid a group The Church–Rosser case is tractable 18 (3) (1982) 325–331
- Book, R.V., M. Jantzen and C. Wrathall, Monadic Thue systems 19 (3) (1982) 231–251
- Book, R.V., Decidable sentences of Church–Rosser congruences 24 (3) (1983) 301–312
- Book, R.V., *see* J.H. Gallier 37 (2) (1985) 123–150
- Book, R.V. and F. Otto, On the security of name-stamp protocols 39 (2-3) (1985) 319–325
- Book, R.V. and F. Otto, On the verifiability of two-party algebraic protocols 40 (2-3) (1985) 101–130
- Book, R.V., *see* J.L. Balcázar 40 (2-3) (1985) 237–243
- Book, R.V. and D.-Z. Du, The structure of generalized complexity cores 61 (2-3) (1988) 103–119
- Book, R.V., *see* D.-Z. Du 63 (3) (1989) 239–252
- Book, R.V., *see* S. Tang 81 (1) (1991) 35–47
- Boonyavatana, R. and G. Slutzki, The interchange or pump (di)lemmas for context-free languages 56 (3) (1988) 321–338
- Borchert, B., On the acceptance power of regular languages 148 (2) (1995) 207–225
- Boreale, M. and D. Sangiorgi, Some congruence properties for π -calculus bisimilarities 198 (1-2) (1998) 159–176
- Borel, J.-P., Symbolic representation of piecewise linear functions on the unit interval and application to discrepancy 123 (1) (1994) 61–87
- Börger, E. and H.K. Büning, The reachability problem for Petri nets and decision problems for Skolem arithmetic 11 (2) (1980) 123–143
- Borodin, A., F.E. Fich, F. Meyer auf der Heide, E. Upfal and A. Wigderson, A tradeoff between search and update time for the implicit dictionary problem 58 (1-3) (1988) 57–68
- Bosc, P., D. Dubois, O. Pivert and H. Prade, Flexible queries in relational databases – The example of the division operator 171 (1-2) (1997) 281–302
- Bosco, P.G., E. Giovannetti and C. Moiso, Narrowing vs. SLD-resolution 59 (1-2) (1988) 3–23
- Bossi, A., M. Gabbriellini, G. Levi and M.C. Meo, A compositional semantics for logic programs 122 (1-2) (1994) 3–47
- Bossi, A., N. Cocco and M. Fabris, Norms on terms and their use in proving universal termination of a logic program 124 (2) (1994) 297–328
- Botelho, F. and M. Garzon, Boolean neural nets are observable 134 (1) (1994) 51–61
- Botelho, F. and M. Garzon, Erratum to “Boolean neural nets are observable,” [Theoret. Comput. Sci. 134 (1994) 51–61] 182 (1-2) (1997) 257
- Botorog, G.H. and H. Kuchen, Efficient high-level parallel programming 196 (1-2) (1998) 71–107
- Böttinger, C., On Scott's thesis for domains of information and well-quasi-orderings 70 (1) (1990) 151–158
- Bouchitté, V., *see* M.R. Assous 123 (1) (1994) 9–19
- Bouchitté, V., M. Habib and M. Morvan, Preface 175 (2) (1997) 223
- Bouchitté, V. and J.-X. Rampon, On-line algorithms for orders 175 (2) (1997) 225–238
- Boudol, G. and L. Kott, Recursion induction principle revisited 22 (1-2) (1983) 135–173
- Boudol, G., *see* D. Austry 30 (1) (1984) 91–131
- Boudol, G. and I. Castellani, Concurrency and atomicity 59 (1-2) (1988) 25–84
- Boudol, G., *see* G. Berry 96 (1) (1992) 217–248
- Boudol, G. and K.G. Larsen, Graphical versus logical specifications 106 (1) (1992) 3–20
- Boudol, G., I. Castellani, M. Hennessy and A. Kiehn, Observing localities 114 (1) (1993) 31–61
- Boudriga, N., *see* A. Jaoua 79 (2) (1991) 323–339
- Boudriga, N., *see* J. Desharnais 114 (2) (1993) 247–272
- Bougaut, B., Algorithme explicite pour la recherche du p.g.c.d. dans certains anneaux principaux d'entiers de corps de nombres 11 (2) (1980) 207–220
- Bougé, L., A contribution to the theory of program testing 37 (2) (1985) 151–181
- Bougé, L., Repeated snapshots in distributed systems with synchronous communications and their implementation in CSP 49 (2-3) (1987) 145–169
- Bougé, L., D. Cachera, Y.L. Guyade, G. Utard and B. Virot, Formal validation of data-parallel programs: a two-component assertional proof system for a simple language 189 (1-2) (1997) 71–107
- Bouhoula, A., Using induction and rewriting to verify and complete parameterized specifications 170 (1-2) (1996) 245–276

- Bourgin, R.D. and S.E. Howe, Shortest curves in planar regions with curved boundary 112 (2) (1993) 215–253
- Bournez, O. and M. Cosnard, On the computational power of dynamical systems and hybrid systems 168 (2) (1996) 417–459
- Bousquet-Mélou, M., *see* J.-P. Allouche 129 (2) (1994) 263–278
- Boussinot, F., Proposition de sémantique dénotationnelle pour des réseaux de processus avec opérateur de mélange équitale 18 (2) (1982) 173–206
- Bovet, D.P., P. Crescenzi and R. Silvestri, A uniform approach to define complexity classes 104 (2) (1992) 263–283
- Boxma, O.J., *see* M.B. Combé 125 (1) (1994) 17–43
- Boyar, J., G. Frandsen and C. Sturtevant, An arithmetic model of computation equivalent to threshold circuits 93 (2) (1992) 303–319
- Bozapalidis, S. and O. Louscou-Bozapalidou, The rank of a formal tree power series 27 (1-2) (1983) 211–215
- Bozapalidis, S., Constructions effectives sur les séries formelles d'arbres 77 (3) (1990) 237–247
- Bozapalidis, S., Alphabetic tree relations 99 (2) (1992) 177–211
- Bracho, F., Continuously generated fixed points 68 (3) (1989) 303–317
- Bracho, F. and M. Droste, Labelled domains and automata with concurrency 135 (2) (1994) 289–318
- Bracho, F., M. Droste and D. Kuske, Representation of computations in concurrent automata by dependence orders 174 (1-2) (1997) 67–96
- Bradfield, J. and C. Stirling, Local model checking for infinite state spaces 96 (1) (1992) 157–174
- Bradley, L., Abstract language design 77 (1-2) (1990) 5–26
- Braga, G., G. Cattaneo, P. Flocchini and C.Q. Vogliotti, Pattern growth in elementary cellular automata 145 (1-2) (1995) 1–26
- Brandenburg, F.-J., Uniformly growing k -th power-free homomorphisms 23 (1) (1983) 69–82
- Brandenburg, F.J., A note on: 'Deque automata and a subfamily of context-sensitive languages which contains all semilinear bounded languages' (by K. Ayers) 52 (3) (1987) 341–342
- Brandenburg, F.-J., Representations of language families by homomorphic equality operations and generalized equality sets 55 (2-3) (1987) 183–263
- Brandenburg, F.J., On the intersection of stacks and queues 58 (1-3) (1988) 69–80
- Brandstädt, A., *see* G. Wechsung 9 (1) (1979) 127–140
- Brandstädt, A., *see* H. Müller 53 (2-3) (1987) 257–265
- Brandstädt, A. and D. Kratsch, On domination problems for permutation and other graphs 54 (2-3) (1987) 181–198
- Brandstädt, A., F.F. Dragan and F. Nicolai, Homogeneously orderable graphs 172 (1-2) (1997) 209–232
- Branicky, M.S., Universal computation and other capabilities of hybrid and continuous dynamical systems 138 (1) (1995) 67–100
- Braquelaire, J.P. and B. Courcelle, The solutions of two star-height problems for regular trees 30 (2) (1984) 205–239
- Brassard, G., C. Crépeau and M. Yung, Constant-round perfect zero-knowledge computationally convincing protocols 84 (1) (1991) 23–52
- Brattka, V., Recursive characterization of computable real-valued functions and relations 162 (1) (1996) 45–77
- Braüner, T., A general adequacy result for a linear functional language 177 (1) (1997) 27–58
- Brazma, A. and E. Kinber, Generalized regular expressions – a language for synthesis of programs with branching in loops 46 (2-3) (1986) 175–195
- Breazu-Tannen, V. and T. Coquand, Extensional models for polymorphism 59 (1-2) (1988) 85–114
- Breazu-Tannen, V. and J. Gallier, Polymorphic rewriting conserves algebraic strong normalization 83 (1) (1991) 3–28
- Breitbart, Y., H. Hunt III and D. Rosenkrantz, On the size of binary decision diagram representing Boolean functions 145 (1-2) (1995) 45–69
- Breitbart, Y., *see* R. Vingralek 190 (2) (1998) 363–396
- Brémond-Grégoire, P. and I. Lee, A process algebra of communicating shared resources with dense time and priorities 189 (1-2) (1997) 179–219
- Breslauer, D., Fast parallel string prefix-matching 137 (2) (1995) 269–278
- Breslauer, D., *see* A. Apostolico 141 (1-2) (1995) 163–173

- Breslauer, D., Saving comparisons in the Crochemore–Perrin string-matching algorithm 158 (1-2) (1996) 177–192
- Breslauer, D., The suffix tree of a tree and minimizing sequential transducers 191 (1-2) (1998) 131–144
- Bridges, D. and C. Calude, On recursive bounds for the exceptional values in speed-up 132 (1-2) (1994) 376–383
- Brigham, R.C., *see* R.D. Dutton 17 (2) (1982) 213–216
- Brimkov, V., B. Codenotti, M. Leoncini and G. Resta, Strong NP-completeness of a matrix similarity problem 165 (2) (1996) 483–490
- Brinksma, E., *see* C.A. Visser 89 (1) (1991) 179–206
- Brisson, E., *see* P. Beame 100 (1) (1992) 253–265
- Broder, A.Z., *see* Y. Azar 130 (1) (1994) 73–84
- Broggi, A. and F. Turini, Fully abstract compositional semantics for an algebra of logic programs 149 (2) (1995) 201–229
- Broggi, A., E. Lamma, P. Mancarella and P. Mello, A unifying view for logic programming with non-monotonic reasoning 184 (1-2) (1997) 1–59
- Bronstein, M. and M. Petkovšek, An introduction to pseudo-linear algebra 157 (1) (1996) 3–33
- Brookes, S. and S. Geva, Towards a theory of parallel algorithms on concrete data structures 101 (2) (1992) 177–221
- Brookes, S., Historical introduction to “Concrete domains” by G. Kahn and G.D. Plotkin 121 (1-2) (1993) 179–186
- Browne, A., *see* N. Bjørner 173 (1) (1997) 49–87
- Browne, A., E.M. Clarke, S. Jha, D.E. Long and W. Marrero, An improved algorithm for the evaluation of fixpoint expressions 178 (1-2) (1997) 237–255
- Browne, M.C., E.M. Clarke and O. Grümberg, Characterizing finite Kripke structures in propositional temporal logic 59 (1-2) (1988) 115–131
- Browne, S., *see* A. Apostolico 92 (1) (1992) 3–17
- Broy, M., M. Wirsing and C. Pair, A systematic study of models of abstract data types 33 (2-3) (1984) 139–174
- Broy, M., On the Herbrand–Kleene universe for nondeterministic computations 36 (1) (1985) 1–19
- Broy, M., A theory for nondeterminism, parallelism, communication, and concurrency 45 (1) (1986) 1–61
- Broy, M., Equational specification of partial higher-order algebras 57 (1) (1988) 3–45
- Bruce, K. and G. Longo, On combinatory algebras and their expansions 31 (1-2) (1984) 31–40
- Bruck, J., R. Cypher and C.-T. Ho, Tolerating faults in a mesh with a row of spare nodes 128 (1-2) (1994) 241–252
- Brüderlin, B., Using geometric rewrite rules for solving geometric problems symbolically 116 (2) (1993) 291–303
- Brüggemann-Klein, A., Regular expressions into finite automata 120 (2) (1993) 197–213
- Bruns, G., *see* J. Esparza 153 (1-2) (1996) 95–128
- Bruschi, D., *see* A. Bertoni 79 (1) (1991) 25–35
- Bruschi, D., Strong separations of the polynomial hierarchy with oracles: constructive separations by immune and simple sets 102 (2) (1992) 215–252
- Bruss, A.R. and A.R. Meyer, On time-space classes and their relation to the theory of real addition 11 (1) (1980) 59–69
- Bruyère, V., An answer to a question about finite maximal prefix sets of words 56 (3) (1988) 339–344
- Bruyère, V., Maximal codes with bounded deciphering delay 84 (1) (1991) 53–76
- Bruyère, V., C. De Felice and G. Guaiana, On some decision problems for trace codings 148 (2) (1995) 227–260
- Bruyère, V. and G. Hansel, Bertrand numeration systems and recognizability 181 (1) (1997) 17–43
- Bruyère, V., D. Derencourt and M. Latteux, The meet operation in the lattice of codes 191 (1-2) (1998) 117–129
- Brzozowski, J.A. and E. Leiss, On equations for regular languages, finite automata, and sequential networks 10 (1) (1980) 19–35
- Brzozowski, J.A., *see* C.-J. Seger 61 (1) (1988) 49–66
- Bublitz, S., U. Schürfeld and I. Wegener, Properties of complexity measures for PRAMs and WRAMs 48 (1) (1986) 53–73
- Bucciarelli, A. and T. Ehrhard, A theory of sequentiality 113 (2) (1993) 273–291
- Bucciarelli, A., Degrees of parallelism in the continuous type hierarchy 177 (1) (1997) 59–71

- Bucher, W., H.A. Maurer, K. Culik, II and D. Wotschke, Concise description of finite languages 14 (3) (1981) 227–246
- Bucher, W., A note on a problem in the theory of grammatical complexity 14 (3) (1981) 337–344
- Bucher, W. and J. Hagauer, It is decidable whether a regular language is pure context-free 26 (1-2) (1983) 233–241
- Bucher, W., H.A. Maurer and K. Culik, II, Context-free complexity of finite languages 28 (3) (1984) 277–285
- Bucher, W., A. Ehrenfeucht and D. Haussler, On total regulators generated by derivation relations 40 (2-3) (1985) 131–148
- Bucher, W., *see* M.G. Main 49 (2-3) (1987) 113–119
- Buckle, J., *see* M. Beynon 53 (2-3) (1987) 267–279
- Budach, L., Topological invariants of classification problems 72 (1) (1990) 3–26
- Bültermann, J., *see* I. Althöfer 148 (1) (1995) 111–119
- Bulyonkov, M.A., Mixed computation and compilation: new approaches to old problems 71 (2) (1990) 209–226
- Bulyonkov, M.A., From partial evaluation to mixed computation 90 (1) (1991) 47–60
- Bunder, M.W., An extension of Klop's counterexample to the Church–Rosser property to λ -calculus with other ordered pair combinators 39 (2-3) (1985) 337–342
- Bunder, M.W., Possible forms of evaluation or reduction in Martin–Löf type theory 41 (1) (1985) 113–120
- Bunder, M.W., *see* P. Trigg 135 (2) (1994) 405–422
- Bunder, M.W. and J.R. Hindley, Two beta-equal lambda-*I*-terms with no types in common 155 (1) (1996) 265–266
- Bunder, M.W., Lambda terms definable as combinators 169 (1) (1996) 3–21
- Bündgen, R., Buchberger's algorithm: The term rewriter's point of view 159 (2) (1996) 143–190
- Buneman, P., A. Jung and A. Ohori, Using powerdomains to generalize relational databases 91 (1) (1991) 23–55
- Buneman, P., S. Naqvi, V. Tannen and L. Wong, Principles of programming with complex objects and collection types 149 (1) (1995) 3–48
- Büning, H.K., *see* E. Börger 11 (2) (1980) 123–143
- Burago, D., M. de Rougemont and A. Slissenko, On the complexity of partially observed Markov decision processes 157 (2) (1996) 161–183
- Burckel, S., Functional equations associated with congruential functions 123 (2) (1994) 397–406
- Burckel, S., Closed iterative calculus 158 (1-2) (1996) 371–378
- Burkhard, H.D., An investigation of controls for concurrent systems based on abstract control languages 38 (2-3) (1985) 193–222
- Burkhard, H.-D., Fairness and control in multi-agent systems 189 (1-2) (1997) 109–127
- Burkhard, W.A., Non-uniform partial-match file designs 5 (1) (1977) 1–23
- Burkhard, W.A., M.L. Fredman and D.J. Kleitman, Inherent complexity trade-offs for range query problems 16 (3) (1981) 279–290
- Burmeister, P., F. Rosselló, J. Torrens and G. Valiente, Algebraic transformation of unary partial algebras I. Double-pushout approach 184 (1-2) (1997) 145–193
- Burn, G., *see* C. Hankin 56 (1) (1988) 17–36
- Buroschi, G., J. Demetovics, G.O.H. Katona, D.J. Kleitman and A.A. Sapozhenko, On the number of databases and closure operations 78 (2) (1991) 377–381
- Burroni, A., Higher-dimensional word problems with applications to equational logic 115 (1) (1993) 43–62
- Burstall, R.M., *see* J.A. Goguen 31 (3) (1984) 263–295
- Burstall, R.M., *see* J.A. Goguen 31 (1-2) (1984) 175–209
- Burstall, R.M., *see* A. Tarlecki 91 (2) (1991) 239–264
- Busi, N., R. Gorrieri and G. Zavattaro, A process algebraic view of Linda coordination primitives 192 (2) (1998) 167–199
- Buss, S.R. and G. Turán, Resolution proofs of generalized pigeonhole principles 62 (3) (1988) 311–317
- Buszkowski, W., Algebraic structures in categorial grammar 199 (1-2) (1998) 5–24
- Büttner, W., *see* F. Baader 56 (3) (1988) 345–352
- Cachera, D., *see* L. Bougé 189 (1-2) (1997) 71–107
- Cadoli, M., F.M. Donini, M. Schaerf and R. Silvestri, On compact representations of propositional circumscription 182 (1-2) (1997) 183–202

- Cadoli, M. and L. Palopoli, Circumscribing DATALOG: expressive power and complexity 193 (1-2) (1998) 215–244
- Çağman, N. and J.R. Hindley, Combinatory weak reduction in lambda calculus 198 (1-2) (1998) 239–247
- Cai, J., R. Paige and R. Tarjan, More efficient bottom-up multi-pattern matching in trees 106 (1) (1992) 21–60
- Cai, J. and R. Paige, Using multiset discrimination to solve language processing problems without hashing 145 (1-2) (1995) 189–228
- Cai, J., A. Condon and R.J. Lipton, On games of incomplete information 103 (1) (1992) 25–38
- Cai, L. and J. Chen, On input read-modes of alternating Turing machines 148 (1) (1995) 33–55
- Callegarin, G. and G. Pacini, About the implementability and the power of equationally defined data abstractions 14 (3) (1981) 305–315
- Calmet, J. and A. Carrière, Foreword 187 (1-2) (1997) 1
- Calmet, J. and K. Homann, Towards the Mathematics Software Bus 187 (1-2) (1997) 221–230
- Calude, C. and G. Istrate, Determining and stationary sets for some classes of partial recursive functions 82 (1) (1991) 151–155
- Calude, C., Relativized topological size of sets of partial recursive functions 87 (2) (1991) 347–352
- Calude, C. and C. Cămpăanu, Note on the topological structure of random strings 112 (2) (1993) 383–390
- Calude, C., *see* D. Bridges 132 (1-2) (1994) 376–383
- Calude, C. and M. Zimand, Effective category and measure in abstract complexity theory 154 (2) (1996) 307–327
- Cameron, H. and D. Wood, Balance in AVL trees and space cost of brother trees 127 (2) (1994) 199–228
- Cămpăanu, C., *see* C. Calude 112 (2) (1993) 383–390
- Canfield, R.E., *see* G.-Q. Zhang 174 (1-2) (1997) 275–279
- Capocelli, R.M., L. Gargano and U. Vaccaro, Decoders with initial state invariance for multivalued encodings 86 (2) (1991) 365–375
- Capocelli, R.M., L. Gargano and U. Vaccaro, A fast algorithm for the unique decipherability of multivalued encodings 134 (1) (1994) 63–78
- Cardelli, L., *see* M. Abadi 121 (1-2) (1993) 9–58
- Cardon, A. and M. Crochemore, Partitioning a graph in $O(|A| \log_2 |V|)$ 19 (1) (1982) 85–98
- Cardone, F., Recursive types for Fun 83 (1) (1991) 29–56
- Carlier, J., *see* O. Dubois 81 (1) (1991) 65–75
- Carlsson, S., J. Chen and C. Mattsson, Heaps with bits 164 (1-2) (1996) 1–12
- Caron, A.-C. and J.-L. Coquide, Decidability of reachability for disjoint union of term rewriting systems 126 (1) (1994) 31–52
- Carpi, A., On unambiguous reductions of monoids of unambiguous relations 51 (1-2) (1987) 215–220
- Carpi, A., Multidimensional unrepititive configurations 56 (2) (1988) 233–241
- Carpi, A., On synchronizing unambiguous automata 60 (3) (1988) 285–296
- Carpi, A. and A. De Luca, Non-repetitive words relative to a rewriting system 72 (1) (1990) 39–53
- Carpi, A., Overlap-free words and finite automata 115 (2) (1993) 243–260
- Carrere, F., On the Kleijn–Rozenberg k -adjacent languages 161 (1-2) (1996) 23–68
- Carrière, A., *see* J. Calmet 187 (1-2) (1997) 1
- Carrière, A. and L.-R. Oudin, Applications du calcul formel à la balistique 187 (1-2) (1997) 263–284
- Carter, J.L. and R. Fagin, A note on the existence of continuous functionals 16 (2) (1981) 231–235
- Carton, O., Chain automata 161 (1-2) (1996) 191–203
- Cartwright, R., *see* J.-H. You 170 (1-2) (1996) 383–406
- Casas, R., M.-I. Fernández-Camacho and J.-M. Steyaert, Algebraic simplification in computer algebra: an analysis of bottom-up algorithms 74 (3) (1990) 273–298
- Casas, R., *see* L. Albert 113 (1) (1993) 3–34
- Casas, R., J. Díaz and C. Martínez, Average-case analysis on simple families of trees using a balanced probability model 117 (1-2) (1993) 99–112
- Case, J. and C. Smith, Comparison of identification criteria for machine inductive inference 25 (2) (1983) 193–220
- Case, J., S. Jain and A. Sharma, Anomalous learning helps succinctness 164 (1-2) (1996) 13–28
- Caspi, P., Clocks in dataflow languages 94 (1) (1992) 125–140

- Cassez, F. and O. Roux, Compilation of the *ELECTRE* reactive language into finite transition systems 146 (1-2) (1995) 109–143
- Castagna, G., A meta-language for typed object-oriented languages 151 (2) (1995) 297–352
- Castagna, G., Unifying overloading and λ -abstraction: λ 176 (1-2) (1997) 337–345
- Castellani, I., *see* G. Boudol 59 (1-2) (1988) 25–84
- Castellani, I., *see* G. Boudol 114 (1) (1993) 31–61
- Castellani, I., *see* A. Arnold 156 (1-2) (1996) 289–299
- Castellani, I. and G.-Q. Zhang, Parallel product of event structures 179 (1-2) (1997) 203–215
- Cattaneo, G., *see* G. Braga 145 (1-2) (1995) 1–26
- Cattaneo, G. and C.Q. Vogliotti, The “magic” rule spaces of neural-like elementary cellular automata 178 (1-2) (1997) 77–102
- Caucal, D., On the regular structure of prefix rewriting 106 (1) (1992) 61–86
- Cauchon, G., Séries de Malcev–Neumann sur le groupe fibre et questions de rationalité 98 (1) (1992) 79–97
- Cavedon, L., Acyclic logic programs and the completeness of SLDNF-resolution 86 (1) (1991) 81–92
- Căzănescu, V.E., On context-free trees 41 (1) (1985) 33–50
- Căzănescu, V.-E. and G. Ștefănescu, A general result on abstract flowchart schemes with applications to the study of accessibility, reduction and minimization 99 (1) (1992) 1–63
- Ceola, C. and P.B.A. Lecomte, Computability of a map and decidability of its graph in the model of Blum, Shub and Smale 194 (1-2) (1998) 219–223
- Ceroli, M., *see* E. Astesiano 152 (1) (1995) 91–138
- Ceroli, M. and J. Meseguer, May I borrow your logic? (Transporting logical structures along maps) 173 (2) (1997) 311–347
- Černý, A., On sequences resulting from iteration of modified quadratic and palindromic mappings 188 (1-2) (1997) 161–174
- Cerny, E., *see* P. Girodias 173 (1) (1997) 253–281
- Chaboud, T., Domino tiling in planar graphs with regular and bipartite dual 159 (1) (1996) 137–142
- Chaitin, G.J., Information-theoretic characterizations of recursive infinite strings 2 (1) (1976) 45–48
- Chakka, R. and I. Mitrani, Heterogeneous multiprocessor systems with breakdowns: performance and optimal repair strategies 125 (1) (1994) 91–109
- Chakrabarti, S., Random allocation of jobs with weights and precedence 162 (2) (1996) 341–349
- Chan, E.P.F. and H.J. Hernández, On the desirability of γ -acyclic BCNF database schemes 62 (1-2) (1988) 67–104
- Chan, E.P.F., *see* P. Atzeni 77 (3) (1990) 291–308
- Chan, E.P.F., Testing satisfiability of a class of object-oriented conjunctive queries 134 (2) (1994) 287–309
- Chan, T.-H. and O.H. Ibarra, On the finite-valuedness problem for sequential machines 23 (1) (1983) 95–101
- Chandra, A.K., D.S. Hirschberg and C.K. Wong, Approximate algorithms for some generalized knapsack problems 3 (3) (1976) 293–304
- Chandra, A.K., *see* A. Aggarwal 71 (1) (1990) 3–28
- Chandrasekharan, N., *see* R. Sridhar 140 (2) (1995) 291–300
- Chang, C.-H. and R. Paige, From regular expressions to DFA's using compressed NFA's 178 (1-2) (1997) 1–36
- Chang, J.H., *see* O.H. Ibarra 39 (2-3) (1985) 89–106
- Chang, J.H., O.H. Ibarra, M.A. Palis and B. Ravikumar, On pebble automata 44 (1) (1986) 111–121
- Chang, J.H., O.H. Ibarra and M.A. Palis, Efficient simulations of simple models of parallel computation by time-bounded ATMs and space-bounded TMs 68 (1) (1989) 19–36
- Chang, R., *see* D. Ranjan 80 (2) (1991) 289–302
- Chaochen, Z., *see* M.R. Hansen 138 (1) (1995) 113–139
- Charretton, C., *see* M.R. Assous 123 (1) (1994) 9–19
- Charron-Bost, B., Coupling coefficients of a distributed execution 110 (2) (1993) 341–376
- Chatalic, P., C. Froidevaux and C. Schwind, Graded hypothesis theories 171 (1-2) (1997) 247–280
- Chaudhuri, S. and D. Dubhashi, Probabilistic recurrence relations revisited 181 (1) (1997) 45–56
- Chaunier, C. and N. Lygerös, Le nombre de posets à isomorphie près ayant 12 éléments 123 (1) (1994) 89–94
- Chazelle, B. and L. Monier, Unbounded hardware is equivalent to deterministic Turing machines 24 (2) (1983) 123–130

- Chazelle, B., H. Edelsbrunner, L.J. Guibas and M. Sharir, A singly exponential stratification scheme for real semi-algebraic varieties and its applications 84 (1) (1991) 77–105
- Chebotarev, A.N. and M.K. Morokhovets, Resolution-based approach to compatibility analysis of interacting automata 194 (1-2) (1998) 183–205
- Chen, C.-C. and I.-P. Lin, The computational complexity of the satisfiability of modal Horn clauses for modal propositional logics 129 (1) (1994) 95–121
- Chen, G.-H., B.-F. Wang and H. Li, Deriving algorithms on reconfigurable networks based on function decomposition 120 (2) (1993) 215–227
- Chen, G.-H., *see* C.-W. Yu 147 (1-2) (1995) 249–265
- Chen, J., *see* L. Cai 148 (1) (1995) 33–55
- Chen, J., *see* S. Carlsson 164 (1-2) (1996) 1–12
- Chen, J., Algorithmic graph embeddings 181 (2) (1997) 247–266
- Chen, J.-E., The difference between one tape and two tapes: with respect to reversal complexity 73 (3) (1990) 265–278
- Chen, M.T., *see* A. Blumer 40 (1) (1985) 31–55
- Chen, P., The communication complexity of computing differentiable functions in a multicomputer network 125 (2) (1994) 373–383
- Chen, W.Y.C., Context-free grammars, differential operators and formal power series 117 (1-2) (1993) 113–130
- Chen, Z. and S. Homer, Learning counting functions with queries 180 (1-2) (1997) 155–168
- Chen, Z.-Z., The maximal f -dependent set problem for planar graphs is in NC 143 (2) (1995) 309–318
- Chen, Z.-Z., Parallel constructions of maximal path sets and applications to short superstrings 161 (1-2) (1996) 1–21
- Cheng, A., J. Esparza and J. Palsberg, Complexity results for 1-safe nets 147 (1-2) (1995) 117–136
- Cheng, A., Petri nets, traces, and local model checking 183 (2) (1997) 229–251
- Cheng, A. and M. Nielsen, Open maps, behavioural equivalences, and congruences 190 (1) (1998) 87–112
- Cherkasova, L.A. and V.E. Kotov, An algebra of concurrent nondeterministic processes 90 (1) (1991) 151–170
- Cherubini, A., C. Citrini, S.C. Reghizzi and D. Mandrioli, QRT FIFO automata, breadth-first grammars and their relations 85 (1) (1991) 171–203
- Cheung, T.-Y. and Y. Zhu, Recognizing different types of beta-cycles in a database scheme 81 (2) (1991) 295–304
- Chiaravalli, S., *see* B. Apolloni 172 (1-2) (1997) 91–120
- Chin, F.Y., P. Kossowski and S.C. Loh, Efficient inference control for range SUM queries 32 (1-2) (1984) 77–86
- Chiola, G., C. Dutheil, G. Franceschinis and S. Haddad, A symbolic reachability graph for coloured petri nets 176 (1-2) (1997) 39–65
- Chiricota, Y., Représentation symbolique d'espèces moléculaires 117 (1-2) (1993) 131–136
- Chlebus, B.S., On the computational complexity of satisfiability in propositional logics of programs 21 (2) (1982) 179–212
- Chlebus, B.S., A hierarchy of propositional Horn formulas 68 (1) (1989) 113–119
- Cho, C.-H. and J.-T. Wang, Triangular grid protocol: An efficient scheme for replica control with uniform access quorums 196 (1-2) (1998) 259–288
- Cho, S. and D.T. Huynh, Finite-automaton aperiodicity is PSPACE-complete 88 (1) (1991) 99–116
- Choffrut, C., Une caractérisation des fonctions séquentielles et des fonctions sous-séquentielles en tant que relations rationnelles 5 (3) (1977) 325–337
- Choffrut, C. and M.P. Schützenberger, Counting with rational functions 58 (1-3) (1988) 81–101
- Choffrut, C., Rational relations and rational series 98 (1) (1992) 5–13
- Choffrut, C., T. Harju and J. Karhumäki, A note on decidability questions on presentations of word semigroups 183 (1) (1997) 83–92
- Choi, S.H. and D. Gouyou-Beauchamps, Enumeration of generalized Young tableaux with bounded height 117 (1-2) (1993) 137–151
- Choppy, C., *see* G. Bernot 46 (1) (1986) 13–45
- Choppy, C., S. Kaplan and M. Soria, Complexity analysis of term-rewriting systems 67 (2-3) (1989) 261–282
- Chottin, L., Etude syntaxique de certains langages solutions d'équations avec opérateurs 5 (1) (1977) 51–84
- Christol, G., Ensembles presque périodiques k -reconnaissables 9 (1) (1979) 141–145
- Chrobak, M., *see* W. Rytter 36 (2-3) (1985) 341–344

- Chrobak, M., Finite automata and unary languages 47 (2) (1986) 149–158
- Chrobak, M., Hierarchies of one-way multihead automata languages 48 (2-3) (1986) 153–181
- Chrobak, M., T. Szymacha and A. Krawczyk, A data structure useful for finding Hamiltonian cycles 71 (3) (1990) 419–424
- Chrobak, M. and D. Eppstein, Planar orientations with low out-degree and compaction of adjacency matrices 86 (2) (1991) 243–266
- Chrobak, M. and L.L. Larmore, HARMONIC is 3-competitive for two servers 98 (2) (1992) 339–346
- Chrobak, M. and W. Rytter, Two results on linear embeddings of complete binary trees 136 (2) (1994) 507–526
- Chwa, K.-Y., *see* J.-H. Park 124 (2) (1994) 329–342
- Chytil, M., M. Crochemore, B. Monien and W. Rytter, On the parallel recognition of unambiguous context-free languages 81 (2) (1991) 311–316
- Cialdea, M., Resolution for some first-order modal systems 85 (2) (1991) 213–229
- Cicerone, S. and F. Parisi-Presicce, On the complexity of specification morphisms 189 (1-2) (1997) 239–248
- Citrini, C., *see* A. Cherubini 85 (1) (1991) 171–203
- Clarke, E., *see* B. Mishra 38 (2-3) (1985) 269–291
- Clarke, E.M., *see* M.C. Browne 59 (1-2) (1988) 115–131
- Clarke, E.M., *see* A. Browne 178 (1-2) (1997) 237–255
- Clarkson, K.L., *see* L.J. Guibas 49 (1) (1987) 81–84
- Clausen, C., *see* B. Blaaberg 136 (1) (1994) 243–275
- Clausen, M., Fast generalized Fourier transforms 67 (1) (1989) 55–63
- Clausen, M., A. Dress, J. Grabmeier and M. Karpinski, On zero-testing and interpolation of k -sparse multivariate polynomials over finite fields 84 (2) (1991) 151–164
- Clementi, A.E.F., *see* A.E. Andreev 161 (1-2) (1996) 307–314
- Clementi, A.E.F., *see* A.E. Andreev 180 (1-2) (1997) 243–268
- Clerbout, M. and M. Latteux, Partial commutations and faithful rational transductions 34 (3) (1984) 241–254
- Clerbout, M. and Y. Roos, Semicommutations and algebraic languages 103 (1) (1992) 39–49
- Clerbout, M. and D. Gonzalez, Atomic semicommutations 123 (2) (1994) 259–272
- Clote, P., On the finite containment problem for Petri nets 43 (1) (1986) 99–105
- Clote, P., Nondeterministic stack register machines 178 (1-2) (1997) 37–76
- Cocco, N., *see* A. Bossi 124 (2) (1994) 297–328
- Cockett, J.R.B., Discrete decision theory: manipulations 54 (2-3) (1987) 215–236
- Cockett, J.R.B. and D. Spencer, Strong categorical datatypes II: A term logic for categorical programming 139 (1-2) (1995) 69–113
- Cockett, J.R.B. and D.A. Spooner, Constructing process categories 177 (1) (1997) 73–109
- Codenotti, B., M. Leoncini and G. Resta, Oracle computations in parallel numerical linear algebra 127 (1) (1994) 99–121
- Codenotti, B., *see* V. Brimkov 165 (2) (1996) 483–490
- Codenotti, B., B.N. Datta, K. Datta and M. Leoncini, Parallel algorithms for certain matrix computations 180 (1-2) (1997) 287–308
- Codish, M., D. Dams and E. Yardeni, Bottom-up abstract interpretation of logic programs 124 (1) (1994) 93–125
- Codish, M. and G. Mashevitzky, Proving implications by algebraic approximation 165 (1) (1996) 57–74
- Coffman, Jr., E.G., L. Flatto, B. Poonen and P.E. Wright, The processor minimization problem with independent waiting-time constraints 125 (1) (1994) 3–16
- Coffman, Jr., E.G., *see* B.S. Baker 162 (2) (1996) 225–243
- Cohen, D.M. and M.L. Fredman, Products of finite state machines with full coverage 154 (1) (1996) 57–65
- Cohen, R. and A. Gold, On the complexity of ω -type Turing acceptors 10 (3) (1980) 249–272
- Cohen, R.S. and A.Y. Gold, ω -computations on Turing machines 6 (1) (1978) 1–23
- Cohen, S., D. Lehmann and A. Pnueli, Symmetric economical solutions to the mutual exclusion problem in a distributed system 34 (1-2) (1984) 215–225
- Cohen-Chesnot, J., On the expressive power of temporal logic for infinite words 83 (2) (1991) 301–312
- Cole, R., Partitioning point sets in arbitrary dimension 49 (2-3) (1987) 239–265
- Collette, P. and E. Knapp, A foundation for modular reasoning about safety and progress properties of state-based concurrent programs 183 (2) (1997) 253–279

- Colombet, L. and L. Desbat, Speedup and efficiency of large-size applications on heterogeneous networks 196 (1-2) (1998) 31–44
- Colson, L., About primitive recursive algorithms 83 (1) (1991) 57–69
- Colussi, L. and L. Toniolo, How the character comparison order shapes the shift function of on-line pattern matching algorithms 163 (1-2) (1996) 117–144
- Comb  , M.B. and O.J. Boxma, Optimization of static traffic allocation policies 125 (1) (1994) 17–43
- Comon, H., Complete axiomatizations of some quotient term algebras 118 (2) (1993) 167–191
- Comon, H. and R. Treinen, The first-order theory of lexicographic path orderings is undecidable 176 (1-2) (1997) 67–87
- Compton, K.J., Stratified least fixpoint logic 131 (1) (1994) 95–120
- Condon, A., *see* J. Cai 103 (1) (1992) 25–38
- Consens, M.P. and A.O. Mendelzon, Low-complexity aggregation in GraphLog and Datalog 116 (1) (1993) 95–116
- Constable, R.L., *see* H. Egli 2 (2) (1976) 133–145
- Constable, R.L. and S.F. Smith, Computational foundations of basic recursive function theory 121 (1-2) (1993) 89–112
- Constantineau, I., Auto-similarit   dans la combinatoire des polyn  mes orthogonaux 117 (1-2) (1993) 153–167
- Contejean, E., *see* F. Ajili 173 (1) (1997) 183–208
- Coppo, M., Completeness of type assignment in continuous lambda models 29 (3) (1984) 309–324
- Coppo, M. and A. Ferrari, Type inference, abstract interpretation and strictness analysis 121 (1-2) (1993) 113–143
- Coquand, T., *see* V. Breazu-Tannen 59 (1-2) (1988) 85–114
- Coquand, T., Categories of embeddings 68 (3) (1989) 221–237
- Coquand, T., Another proof of the intuitionistic Ramsey theorem 115 (1) (1993) 63–75
- Coquide, J.-L., *see* A.-C. Caron 126 (1) (1994) 31–52
- Coquid  , J.-L., M. Dauchet, R. Gilleron and S. V  gv  lgyi, Bottom-up tree pushdown automata: classification and connection with rewrite systems 127 (1) (1994) 69–98
- Corbett, J., *see* D.A.M. Barrington 78 (2) (1991) 357–362
- Cori, R. and A. Machi, Construction of maps with prescribed automorphism group 21 (1) (1982) 91–98
- Cori, R. and Y. M  t  vier, Recognizable subsets of some partially abelian monoids 35 (2-3) (1985) 179–189
- Cori, R., E. Sopena, M. Latteux and Y. Roos, 2-asynchronous automata 61 (1) (1988) 93–102
- Cori, R. and M.R. Formisano, On the number of partially abelian square-free words on a three-letter alphabet 81 (1) (1991) 147–153
- Cori, R., *see* A. Bergey 131 (2) (1994) 449–461
- Corradini, A., *see* U. Montanari 103 (1) (1992) 51–106
- Corradini, A. and F. Rossi, Hyperedge replacement jungle rewriting for term-rewriting systems and logic programming 109 (1-2) (1993) 7–48
- Corradini, A., U. Montanari and F. Rossi, An abstract machine for concurrent modular systems: CHARM 122 (1-2) (1994) 165–200
- Corradini, F., On the coarsest congruence within global-clock-bounded equivalence 198 (1-2) (1998) 225–237
- Corsini, M.-M. and K. Musumbu, Type inference in Prolog: a new approach 119 (1) (1993) 23–38
- Cortesi, A. and G. Fil  , Graph properties for normal logic programs 107 (2) (1993) 277–303
- Cosnard, M., J. Duprat and A. Ferreira, Complexity of selection in $X + Y$ 67 (1) (1989) 115–120
- Cosnard, M., *see* S.G. Akl 95 (2) (1992) 323–337
- Cosnard, M., *see* P. Koiran 132 (1-2) (1994) 113–128
- Cosnard, M., *see* O. Bournez 168 (2) (1996) 417–459
- Costa, G., *see* E. Astesiano 32 (1-2) (1984) 121–156
- Costa, G. and G. Reggio, Specification of abstract dynamic-data types: A temporal logic approach 173 (2) (1997) 513–554
- Costantini, S., Contributions to the stable model semantics of logic programs with negation 149 (2) (1995) 231–255
- Courcelle, B., A representation of trees by languages I 6 (3) (1978) 255–279
- Courcelle, B., A representation of trees by languages II 7 (1) (1978) 25–55

- Courcelle, B. and P. Franchi-Zannettacci, Attribute grammars and recursive program schemes I 17 (2) (1982) 163–191
- Courcelle, B. and P. Franchi-Zannettacci, Attribute grammars and recursive program schemes II 17 (3) (1982) 235–257
- Courcelle, B., Fundamental properties of infinite trees 25 (2) (1983) 95–169
- Courcelle, B., *see* J.P. Braquelaire 30 (2) (1984) 205–239
- Courcelle, B., Equivalences and transformations of regular systems – applications to recursive program schemes and grammars 42 (1) (1986) 1–122
- Courcelle, B., An axiomatic definition of context-free rewriting and its application to NLC graph grammars 55 (2-3) (1987) 141–181
- Courcelle, B., Recursive queries and context-free graph grammars 78 (1) (1991) 217–244
- Courcelle, B., The monadic second-order logic of graphs V: On closing the gap between definability and recognizability 80 (2) (1991) 153–202
- Courcelle, B., The monadic second-order logic of graphs VII: Graphs as relational structures 101 (1) (1992) 3–33
- Courcelle, B. and M. Mosbah, Monadic second-order evaluations on tree-decomposable graphs 109 (1-2) (1993) 49–82
- Courcelle, B., Monadic second-order definable graph transductions: a survey 126 (1) (1994) 53–75
- Courcelle, B., The monadic second-order logic of graphs IX: Machines and their behaviours 151 (1) (1995) 125–162
- Courcelle, B., The monadic second-order logic of graphs X: Linear orderings 160 (1-2) (1996) 87–143
- Courcelle, B., Basic notions of universal algebra for language theory and graph grammars 163 (1-2) (1996) 1–54
- Courcoubetis, C., *see* R. Alur 138 (1) (1995) 3–34
- Cousineau, G., An algebraic definition for control structures 12 (2) (1980) 175–192
- Cousot, P. and R. Cousot, “A la Burstall” intermittent assertions induction principles for proving inevitability properties of programs 120 (1) (1993) 123–155
- Cousot, R., *see* P. Cousot 120 (1) (1993) 123–155
- Cox, P.T. and T. Pietrzykowski, A complete, nonredundant algorithm for reversed skolemization 28 (3) (1984) 239–261
- Cox, P.T., *see* E. Knill 120 (1) (1993) 1–44
- Creignou, N., The class of problems that are linearly equivalent to Satisfiability or a uniform method for proving NP-completeness 145 (1-2) (1995) 111–145
- Cremers, A.B. and T.N. Hibbard, On the formal definition of dependencies between the control and information structure of a data space 5 (2) (1977) 113–128
- Crépeau, C., *see* G. Brassard 84 (1) (1991) 23–52
- Crescenzi, P. and C.H. Papadimitriou, Reversible simulation of space-bounded computations 143 (1) (1995) 159–165
- Crescenzi, P., *see* G. Ausiello 150 (1) (1995) 1–55
- Crescenzi, P., *see* D.P. Bovet 104 (2) (1992) 263–283
- Cresti, A., *see* C. Blundo 165 (2) (1996) 407–440
- Crochemore, M., Sharp characterizations of squarefree morphisms 18 (2) (1982) 221–226
- Crochemore, M., *see* A. Cardon 19 (1) (1982) 85–98
- Crochemore, M., Transducers and repetitions 45 (1) (1986) 63–86
- Crochemore, M., *see* M. Chytil 81 (2) (1991) 311–316
- Crochemore, M. and W. Rytter, Usefulness of the Karp–Miller–Rosenberg algorithm in parallel computations on strings and arrays 88 (1) (1991) 59–82
- Crochemore, M., String-matching on ordered alphabets 92 (1) (1992) 33–47
- Crochemore, M., *see* J. Néraud 92 (1) (1992) 145–164
- Crochemore, M. and W. Rytter, On two-dimensional pattern matching by optimal parallel algorithms 132 (1-2) (1994) 391–402
- Crole, R.L., Computational adequacy of the FIX-logic 136 (1) (1994) 217–242
- Crossley, J.N., *see* D. Albrecht 185 (2) (1997) 217–235
- Crvenković, S. and R.S. Madarász, On Kleene algebras 108 (1) (1993) 17–24

- Crvenković, S. and R.S. Madarász, On dynamic algebras 134 (1) (1994) 79–86
- Csirmaz, L., Programs and program verifications in a general setting 16 (2) (1981) 199–210
- Csirmaz, L., Determinateness of program equivalence over Peano axioms 21 (2) (1982) 231–235
- Csuhaj-Varjú, E. and J. Kelemen, On the power of cooperation: A regular representation of recursively enumerable languages 81 (2) (1991) 305–310
- Csuhaj-Varjú, E. and J. Dassow, On bounded interpretations of grammar forms 87 (2) (1991) 287–313
- Csuhaj-Varjú, E. and A. Kelemenová, Descriptive complexity of context-free grammar forms 112 (2) (1993) 277–289
- Csuhaj-Varjú, E., *see* A. Kelemenová 134 (1) (1994) 119–130
- Cucker, F., M. Shub and S. Smale, Separation of complexity classes in Koiran's weak model 133 (1) (1994) 3–14
- Cucker, F. and M. Shub, Generalized Knapsack problems and fixed degree separations 161 (1-2) (1996) 301–306
- Culik, II, K., On the decidability of the sequence equivalence problem for DOL-systems 3 (1) (1976) 75–84
- Čulik, II, K., H.A. Maurer and T. Ottmann, On two-symbol complete EOL forms 6 (1) (1978) 69–92
- Čulik, II, K., H.A. Maurer, T. Ottmann, K. Ruohonen and A. Salomaa, Isomorphism, form equivalence and sequence equivalence of PDOL forms 6 (2) (1978) 143–173
- Culik, II, K., *see* W. Bucher 14 (3) (1981) 227–246
- Culik, II, K. and T. Harju, Dominoes over a free monoid 18 (3) (1982) 279–300
- Culik, II, K. and A. Salomaa, On infinite words obtained by iterating morphisms 19 (1) (1982) 29–38
- Culik, II, K., J. Gruska and A. Salomaa, On a family of L languages resulting from systolic tree automata 23 (3) (1983) 231–242
- Culik, II, K., *see* W. Bucher 28 (3) (1984) 277–285
- Culik, II, K. and I. Fris, Topological transformations as a tool in the design of systolic networks 37 (2) (1985) 183–216
- Culik, II, K. and S. Yu, Real-time, pseudo real-time, and linear-time ITA 47 (1) (1986) 15–26
- Culik, II, K. and J. Karhumäki, The equivalence of finite valued transducers (on HDTOL languages) is decidable 47 (1) (1986) 71–84
- Culik, II, K., New techniques for proving the decidability of equivalence problems 71 (1) (1990) 29–45
- Culik, II, K. and S. Dube, An efficient solution of the firing mob problem 91 (1) (1991) 57–69
- Culik II, K. and S. Yu, Iterative tree automata 32 (3) (1984) 227–247
- Culik II, K. and S. Dube, Affine automata and related techniques for generation of complex images 116 (2) (1993) 373–398
- Curien, P.-L., *see* G. Berry 20 (3) (1982) 265–321
- Curien, P.-L., An abstract framework for environment machines 82 (2) (1991) 389–402
- Curien, P.-L., *see* M. Abadi 121 (1-2) (1993) 9–58
- Cypher, R., *see* J. Bruck 128 (1-2) (1994) 241–252
- Czech, Z.J., G. Havas and B.S. Majewski, Perfect hashing 182 (1-2) (1997) 1–143
- Czumaj, A. and A. Gibbons, Guthrie's problem: new equivalences and rapid reductions 154 (1) (1996) 3–22
- Dagum, P. and M. Luby, Approximating the permanent of graphs with large factors 102 (2) (1992) 283–305
- Dahlhaus, E. and I. Gaifman, Concerning two-adjacent context-free languages 41 (2-3) (1985) 169–184
- Dahlhaus, E. and M. Karpinski, Parallel construction of perfect matchings and Hamiltonian cycles on dense graphs 61 (2-3) (1988) 121–136
- Dahlhaus, E. and M. Karpinski, An efficient parallel algorithm for the minimal elimination ordering (MEO) of an arbitrary graph 134 (2) (1994) 493–528
- Dal Cin, M., *see* H. de Meer 128 (1-2) (1994) 179–210
- Daley, R., On the inference of optimal descriptions 4 (3) (1977) 301–319
- Daley, R.P., On the error correcting power of pluralism in BC-type inductive inference 24 (1) (1983) 95–104
- Dam, M., CTL* and ECTL* as fragments of the modal μ -calculus 126 (1) (1994) 77–96
- Dam, M., On the decidability of process equivalences for the π -calculus 183 (2) (1997) 215–228
- Damaschke, P., An optimal parallel algorithm for digital curve segmentation 178 (1-2) (1997) 225–236
- Dami, L., A lambda-calculus for dynamic binding 192 (2) (1998) 201–231
- Damm, C. and C. Meinel, Separating complexity classes related to Ω -decision trees 106 (2) (1992) 351–360
- Damm, W., The IO- and OI-hierarchies 20 (2) (1982) 95–207

- D'Amore, F., A. Marchetti-Spaccamela and U. Nanni, The weighted list update problem and the lazy adversary 108 (2) (1993) 371–384
- D'Amore, F. and V. Liberatore, The list update problem and the retrieval of sets 130 (1) (1994) 101–123
- Dams, D., *see* M. Codish 124 (1) (1994) 93–125
- Daňko, W., First-order approximation of algorithmic theories 48 (2-3) (1986) 257–272
- Dányi, G. and Z. Fülöp, Compositions with superlinear deterministic top-down tree transformations 194 (1-2) (1998) 57–85
- Dare, V.R., *see* R. Siromoney 24 (2) (1983) 195–205
- Dare, V.R., *see* R. Siromoney 33 (1) (1984) 3–11
- Dare, V.R., *see* R. Siromoney 39 (2-3) (1985) 281–295
- Dare, V.R. and R. Siromoney, Subword topology 47 (2) (1986) 159–168
- D'Argenio, P.R. and C. Verhoef, A general conservative extension theorem in process algebras with inequalities 177 (2) (1997) 351–380
- Darondeau, P., About fair asynchrony 37 (3) (1985) 305–336
- Darondeau, P., *see* E. Badouel 82 (2) (1991) 403–408
- Darondeau, P., D. Nolte, L. Priese and S. Yoccoz, Fairness, distances and degrees 97 (1) (1992) 131–142
- Darondeau, P. and P. Degano, Refinement of actions in event structures and causal trees 118 (1) (1993) 21–48
- Darondeau, P., *see* E. Badouel 186 (1-2) (1997) 107–134
- Das, G. and D. Joseph, Minimum vertex hulls for polyhedral domains 103 (1) (1992) 107–135
- Dassow, J., On the connectedness of pictures in chain code picture languages 81 (2) (1991) 289–294
- Dassow, J. and H. Jürgensen, Deterministic soliton automata with a single exterior node 84 (2) (1991) 281–292
- Dassow, J., *see* E. Csuhaj-Varjú 87 (2) (1991) 287–313
- Dassow, J., *see* M. Andraşiu 116 (2) (1993) 339–357
- Dassow, J. and V. Mitrană, Cooperation in context-free grammars 180 (1-2) (1997) 353–361
- D'Atri, A., *see* G. Ausiello 35 (2-3) (1985) 165–177
- Datta, B.N., *see* B. Codenotti 180 (1-2) (1997) 287–308
- Datta, K., *see* B. Codenotti 180 (1-2) (1997) 287–308
- Dattasharma, A. and S.S. Keerthi, An augmented Voronoi roadmap for 3D translational motion planning for a convex polyhedron moving amidst convex polyhedral obstacles 140 (2) (1995) 205–230
- Dauchet, M., *see* A. Arnold 20 (1) (1982) 33–93
- Dauchet, M., Simulation of Turing machines by a regular rewrite rule 103 (2) (1992) 409–420
- Dauchet, M., *see* Ph. Devienne 119 (1) (1993) 39–62
- Dauchet, M., *see* J.-L. Coquidé 127 (1) (1994) 69–98
- Daudé, H. and B. Vallée, An upper bound on the average number of iterations of the LLL algorithm 123 (1) (1994) 95–115
- David, R., The Inf function in the system F 135 (2) (1994) 423–431
- David, R. and K. Nour, A syntactical proof of the operational equivalence of two λ -terms 180 (1-2) (1997) 371–375
- Davies, J. and S. Schneider, A brief history of Timed CSP 138 (2) (1995) 243–271
- Daykin, J.W., C.S. Iliopoulos and W.F. Smyth, Parallel RAM algorithms for factorizing words 127 (1) (1994) 53–67
- De Agostino, S., P-complete problems in data compression 127 (1) (1994) 181–186
- De Amo, S., *see* N. Bidoit 190 (2) (1998) 115–149
- De Bakker, J., *see* P. America 60 (2) (1988) 109–176
- De Bakker, J.W., Least fixed points revisited 2 (2) (1976) 155–181
- De Bakker, J.W., J.-J.C. Meyer and J.I. Zucker, On infinite computations in denotational semantics 26 (1-2) (1983) 53–82
- De Bakker, J.W., J.-J.C. Meyer and J.I. Zucker, On infinite computations in denotational semantics (*Corrigendum*) 29 (1-2) (1984) 229–230
- De Bakker, J.W., J.A. Bergstra, J.W. Klop and J.-J.C. Meyer, Linear time and branching time semantics for recursion with merge 34 (1-2) (1984) 135–156
- De Bakker, J.W., J.-J.C. Meyer and E.-R. Olderog, Infinite streams and finite observations in the semantics of uniform concurrency 49 (2-3) (1987) 87–112
- De Bakker, J.W. and J.N. Kok, Comparative metric semantics for concurrent Prolog 75 (1-2) (1990) 15–43

- De Bakker, J.W. and J.H.A. Warmerdam, Four domains for concurrency 90 (1) (1991) 127–149
- Debart, F., P. Enjalbert and M. Lescot, Multimodal logic programming using equational and order-sorted logic 105 (1) (1992) 141–166
- De Berg, M., L. Guibas, D. Halperin, M. Overmars, O. Schwarzkopf, M. Sharir and M. Teillaud, Reaching a goal with directional uncertainty 140 (2) (1995) 301–317
- De Boer, F.S., J.J.M.M. Rutten, J.N. Kok and C. Palamidessi, Semantic models for concurrent logic languages 86 (1) (1991) 3–33
- De Boer, F.S., J.N. Kok, C. Palamidessi and J.J.M.M. Rutten, From failure to success: comparing a denotational and a declarative semantics for Horn clause logic 101 (2) (1992) 239–263
- De Boer, F.S., A. Di Pierro and C. Palamidessi, Nondeterminism and infinite computations in constraint programming 151 (1) (1995) 37–78
- De Boer, M.J.M., A. Lindenmayer and Z. Tuza, A periodic division pattern that cannot be generated by DOL systems 83 (2) (1991) 205–218
- De Bruijn, N.G., Some machines defined by directed graphs 32 (3) (1984) 309–319
- De Bruin, A. and S.-H. Nienhuys-Cheng, Linear dynamic Kahn networks are deterministic 195 (1) (1998) 3–32
- Dechter, R. and P. van Beek, Local and global relational consistency 173 (1) (1997) 283–308
- Décoste, H., Séries indicatrices et q -séries 117 (1-2) (1993) 169–186
- De Felice, C., Construction de codes factorisants 36 (1) (1985) 99–108
- De Felice, C., Finite biprefix sets of paths in a graph 58 (1-3) (1988) 103–128
- De Felice, C., Construction of a family of finite maximal codes 63 (2) (1989) 157–184
- De Felice, C., *see* V. Bruyère 148 (2) (1995) 227–260
- De Felice, C., An application of Hajós factorizations to variable-length codes 164 (1-2) (1996) 223–252
- De Figueiredo, C.M.H., J. Meidanis and C.P. de Mello, On edge-colouring indifference graphs 181 (1) (1997) 91–106
- Degano, P., R. De Nicola and U. Montanari, A partial ordering semantics for CCS 75 (3) (1990) 223–262
- Degano, P., R. De Nicola and U. Montanari, Universal axioms for bisimulations 114 (1) (1993) 63–91
- Degano, P., *see* P. Darondeau 118 (1) (1993) 21–48
- De Graaf, W.A., An algorithm for the decomposition of semisimple Lie algebras 187 (1-2) (1997) 117–122
- De Groote, H.F., On varieties of optimal algorithms for the computation of bilinear mappings I. The isotropy group of a bilinear mapping 7 (1) (1978) 1–24
- De Groote, H.F., On varieties of optimal algorithms for the computation of bilinear mappings II. Optimal algorithms for 2×2 -matrix multiplication 7 (2) (1978) 127–148
- De Groote, H.F., On varieties of optimal algorithms for the computation of bilinear mappings III. Optimal algorithms for the computation of xy and yx where $x, y \in M_2(K)^*$ 7 (3) (1978) 239–249
- Dejtyarev, A. and A. Voronkov, The undecidability of simultaneous rigid E -unification 166 (1-2) (1996) 291–300
- Dehornoy, P., A criterion for proving noetherianity of a relation 93 (2) (1992) 321–325
- Dehornoy, P., Problème de mots dans les gerbes fibres 94 (2) (1992) 199–213
- Dekking, F.M., On the probability of occurrence of labelled subtrees of a randomly labelled tree 65 (2) (1989) 149–152
- De la Clergerie, E.V. and F. Barthélemy, Information flow in tabular interpretations for generalized push-down automata 199 (1-2) (1998) 167–198
- Delahaye, J.-P. and V. Thibau, Programming in three-valued logic 78 (1) (1991) 189–216
- Delahaye, J.-P., *see* F. Denis 82 (2) (1991) 373–388
- Delahaye, J.-P., *see* Ph. Mathieu 131 (1) (1994) 197–218
- Delahaye, J.-P., *see* E. Rivals 200 (1-2) (1998) 261–287
- De la Higuera, C. and L. Nourine, Drawing and encoding two-dimensional posets 175 (2) (1997) 293–308
- Deleage, J.-L. and L. Pierre, The rational index of the Dyck language D_1^* 47 (3) (1986) 335–343
- Delest, M., Enumeration of polyominoes using Macsyma 79 (1) (1991) 209–226
- Delest, M.-P. and G. Viennot, Algebraic languages and polyominoes enumeration 34 (1-2) (1984) 169–206
- Delest, M.P. and J.M. Fedou, Attribute grammars are useful for combinatorics 98 (1) (1992) 65–76
- De'Liguoro, U., *see* M. Dezani-Ciancaglini 170 (1-2) (1996) 83–128
- Del Lungo, A., Polyominoes defined by two vectors 127 (1) (1994) 187–198
- Del Lungo, A., *see* E. Barcucci 155 (2) (1996) 321–347

- Del Lungo, A., *see* E. Barcucci 159 (1) (1996) 29–42
- Del Lungo, A., *see* E. Barcucci 159 (1) (1996) 129–136
- De Luca, A. and A. Restivo, On some properties of very pure codes 10 (2) (1980) 157–170
- De Luca, A., *see* J.M. Boë 12 (3) (1980) 325–332
- De Luca, A., A. Restivo and S. Salemi, On the centers of a language 24 (1) (1983) 21–34
- De Luca, A. and A. Restivo, Star-free sets of integers 43 (2-3) (1986) 265–275
- De Luca, A. and S. Varricchio, Some combinatorial properties of the Thue–Morse sequence and a problem in semigroups 63 (3) (1989) 333–348
- De Luca, A., *see* A. Carpi 72 (1) (1990) 39–53
- De Luca, A. and S. Varricchio, Finiteness and iteration conditions for semigroups 87 (2) (1991) 315–327
- De Luca, A. and S. Varricchio, On noncounting regular classes 100 (1) (1992) 67–104
- De Luca, A. and F. Mignosi, Some combinatorial properties of Sturmian words 136 (2) (1994) 361–385
- De Luca, A., *see* J. Berstel 178 (1-2) (1997) 171–203
- De Luca, A., Standard Sturmian morphisms 178 (1-2) (1997) 205–224
- De Luca, A., Sturmian words: structure, combinatorics, and their arithmetics 183 (1) (1997) 45–82
- Delyon, B. and O. Maler, On the effects of noise and speed on computations 129 (2) (1994) 279–291
- De Maindreville, C., *see* G. Gardarin 63 (3) (1989) 253–274
- Demange, M. and V.T. Paschos, On an approximation measure founded on the links between optimization and polynomial approximation theory 158 (1-2) (1996) 117–141
- De Meer, H., K.S. Trivedi and M. Dal Cin, Guarded repair of dependable systems 128 (1-2) (1994) 179–210
- Demel, I., M. Demlová and V. Koubek, Fast algorithms constructing minimal subalgebras, congruences, and ideals in a finite algebra 36 (2-3) (1985) 203–216
- De Mello, C.P., *see* C.M.H. de Figueiredo 181 (1) (1997) 91–106
- Demetrovics, J., *see* G. Burosch 78 (2) (1991) 377–381
- Demetrovics, J., G.O.H. Katona, D. Miklos, O. Seleznev and B. Thalheim, Asymptotic properties of keys and functional dependencies in random databases 190 (2) (1998) 151–166
- Demlová, M., *see* I. Demel 36 (2-3) (1985) 203–216
- Demolombe, R., An efficient strategy for non-Horn deductive databases 78 (1) (1991) 245–259
- Demri, S. and E. Orlowska, Logical analysis of demonic nondeterministic programs 166 (1-2) (1996) 173–202
- Demri, S., A class of decidable information logics 195 (1) (1998) 33–60
- Dendris, N.D., L.M. Kirusis and D.M. Thilikos, Fugitive-search games on graphs and related parameters 172 (1-2) (1997) 233–254
- Denecker, M. and D. De Schreye, On the duality of abduction and model generation in a framework for model generation with equality 122 (1-2) (1994) 225–262
- Denenberg, L. and H.R. Lewis, The complexity of the satisfiability problem for Krom formulas 30 (3) (1984) 319–341
- Deng, M., *see* J. Zhang 74 (3) (1990) 253–271
- De Nicola, R. and M.C.B. Hennessy, Testing equivalences for processes 34 (1-2) (1984) 83–133
- De Nicola, R., *see* P. Degano 75 (3) (1990) 223–262
- De Nicola, R., *see* P. Degano 114 (1) (1993) 63–91
- De Nicola, R. and R. Segala, A process algebraic view of input/output automata 138 (2) (1995) 391–423
- Denis, F. and J.-P. Delahaye, Is there an axiomatic semantics for standard pure Prolog 82 (2) (1991) 373–388
- Denise, A., Génération aléatoire uniforme de mots de langages rationnels 159 (1) (1996) 43–63
- De Prisco, R., G. Parlati and G. Persiano, Minimal path length of trees with known fringe 143 (1) (1995) 175–188
- De Prisco, R. and A. De Santis, New lower bounds on the cost of binary search trees 156 (1-2) (1996) 315–325
- Deransart, P., Proof methods of declarative properties of definite programs 118 (2) (1993) 99–166
- Derencourt, D., A three-word code which is not prefix–suffix composed 163 (1-2) (1996) 145–160
- Derencourt, D., *see* V. Bruyère 191 (1-2) (1998) 117–129
- De Rijke, M., *see* A. Montanari 183 (2) (1997) 187–214
- De Roeper, W.P., *see* J.J.M. Hooman 101 (2) (1992) 289–335
- De Rougemont, M., The functional dimension of inductive definitions 101 (2) (1992) 143–158
- De Rougemont, M., *see* D. Burago 157 (2) (1996) 161–183
- Dershowitz, N., Orderings for term-rewriting systems 17 (3) (1982) 279–301

- Dershowitz, N., *see* L. Bachmair 67 (2-3) (1989) 173–201
- Dershowitz, N. and M. Okada, A rationale for conditional equational programming 75 (1-2) (1990) 111–138
- Dershowitz, N., S. Kaplan and D.A. Plaisted, Rewrite, rewrite, rewrite, rewrite, rewrite, ... 83 (1) (1991) 71–96
- Dershowitz, N. and C. Hoot, Natural termination 142 (2) (1995) 179–207
- De Santis, A., G. Di Crescenzo and G. Persiano, The knowledge complexity of quadratic residuosity languages 132 (1-2) (1994) 291–317
- De Santis, A., *see* C. Blundo 154 (2) (1996) 283–306
- De Santis, A., *see* R. De Prisco 156 (1-2) (1996) 315–325
- De Santis, A., *see* C. Blundo 165 (2) (1996) 407–440
- Desbat, L., *see* L. Colombet 196 (1-2) (1998) 31–44
- De Schreye, D., *see* B. Martens 122 (1-2) (1994) 97–117
- De Schreye, D., *see* M. Denecker 122 (1-2) (1994) 225–262
- Desel, J., *see* E. Best 101 (2) (1992) 161–176
- Desel, J. and J. Esparza, Reachability in cyclic extended free-choice systems 114 (1) (1993) 93–118
- Desel, J., K.-P. Neuendorf and M.-D. Radola, Proving nonreachability by modulo-invariants 153 (1-2) (1996) 49–64
- Desharnais, J., A. Jaoua, F. Mili, N. Boudriga and A. Mili, A relational division operator: the conjugate kernel 114 (2) (1993) 247–272
- Desharnais, J., N. Belkhir, S.B.M. Sghaier, F. Tchier, A. Jaoua, A. Mili and N. Zaguia, Embedding a demonic semilattice in a relation algebra 149 (2) (1995) 333–360
- De Simone, R., On MEJE and SCCS: Infinite sum operators vs. non-guarded definitions 30 (1) (1984) 133–138
- De Simone, R., Langages infinitaires et produit de mixage 31 (1-2) (1984) 83–100
- De Simone, R., Higher-level synchronizing devices in MEJE-SCCS 37 (3) (1985) 245–267
- Dessmark, A., A. Lingas and A. Maheshwari, Multilist layering: Complexity and applications 141 (1-2) (1995) 337–350
- DeTurk, D., *see* A. Scedrov 146 (1-2) (1995) 1–3
- Deutz, A.H., A. Ehrenfeucht and G. Rozenberg, Hyperedge channels are abelian 127 (2) (1994) 387–393
- Deutz, A.H., A. Ehrenfeucht and G. Rozenberg, Clans and regions in 2-structures 129 (2) (1994) 207–262
- Devienne, P., Weighted graphs: a tool for studying the halting problem and time complexity in term rewriting systems and logic programming 75 (1-2) (1990) 157–215
- Devienne, Ph., P. Lebègue and M. Dauchet, Weighted systems of equations 119 (1) (1993) 39–62
- Devillers, O., An introduction to randomization in computational geometry 157 (1) (1996) 35–52
- Devillers, R., *see* R. Janicki 43 (2-3) (1986) 213–238
- Devillers, R., *see* E. Best 55 (1) (1987) 87–136
- Devillers, R., Maximality preserving bisimulation 102 (1) (1992) 165–183
- De Vink, E.P., *see* J.-J.C. Meyer 57 (2-3) (1988) 251–282
- Devolder, J. and I. Litovsky, Finitely generated $\text{bi}\omega$ -languages 85 (1) (1991) 33–52
- De Vries, F.J., *see* J.R. Kennaway 175 (1) (1997) 93–125
- Dezani-Ciancaglini, M., Characterization of normal forms possessing inverse in the λ - β - η -calculus 2 (3) (1976) 323–337
- Dezani-Ciancaglini, M., *see* C. Böhm 8 (3) (1979) 271–291
- Dezani-Ciancaglini, M. and I. Margaria, A characterization of F -complete type assignments 45 (2) (1986) 121–157
- Dezani-Ciancaglini, M. and J.R. Hindley, Intersection types for combinatory logic 100 (2) (1992) 303–324
- Dezani-Ciancaglini, M., U. de'Liguoro and A. Piperno, Filter models for conjunctive-disjunctive λ -calculi 170 (1-2) (1996) 83–128
- Dhagat, A., *see* J.A. Aslam 112 (2) (1993) 355–369
- Diamond, P., P. Kloeden, V. Kozyakin and A. Pokrovskii, On the fragmentary complexity of symbolic sequences 148 (1) (1995) 1–17
- Díaz, J., *see* X. Berenguer 21 (1) (1982) 99–103
- Díaz, J., *see* J.L. Balcázar 52 (3) (1987) 251–267
- Díaz, J., *see* R. Casas 117 (1-2) (1993) 99–112
- Díaz, J., A. Gibbons, G.E. Pantziou, M.J. Serna, P.G. Spirakis and J. Toran, Parallel algorithms for the minimum cut and the minimum length tree layout problems 181 (2) (1997) 267–287

- Di Battista, G. and R. Tamassia, Algorithms for plane representations of acyclic digraphs 61 (2-3) (1988) 175–198
- Dicky, A., An algebraic and algorithmic method for analysing transition systems 46 (2-3) (1986) 285–303
- Di Cosmo, R. and D. Kesner, Combining algebraic rewriting, extensional lambda calculi, and fixpoints 169 (2) (1996) 201–220
- Di Crescenzo, G., *see* A. De Santis 132 (1-2) (1994) 291–317
- Diekert, V., Complete semi-Thue systems for abelian groups 44 (2) (1986) 199–208
- Diekert, V., On some variants of the Ehrenfeucht Conjecture 46 (2-3) (1986) 313–318
- Diekert, V., Commutative monoids have complete presentations by free (non-commutative) monoids 46 (2-3) (1986) 319–327
- Diekert, V., On the Knuth–Bendix completion for concurrent processes 66 (2) (1989) 117–136
- Diekert, V., Word problems over traces which are solvable in linear time 74 (1) (1990) 3–18
- Diekert, V., Möbius functions and confluent semi-commutations 108 (1) (1993) 25–43
- Diekert, V., On the concatenation of infinite traces 113 (1) (1993) 35–54
- Diekert, V., A partial trace semantics for Petri nets 134 (1) (1994) 87–105
- Diestel, R. and I. Leader, Domination games on infinite graphs 132 (1-2) (1994) 337–345
- Dietzfelbinger, M., Lower bounds for sorting of sums 66 (2) (1989) 137–155
- Dietzfelbinger, M., W. Maass and G. Schnitger, The complexity of matrix transposition on one-tape off-line Turing machines 82 (1) (1991) 113–129
- Dietzfelbinger, M. and W. Maass, The complexity of matrix transposition on one-tape off-line Turing machines with output tape 108 (2) (1992) 271–290
- Dietzfelbinger, M., J. Hromkovič and G. Schnitger, A comparison of two lower-bound methods for communication complexity 168 (1) (1996) 39–51
- Di Ianni, M., Efficient delay routing 196 (1-2) (1998) 131–151
- Dikovsky, A. Ja., On computational complexity of Prolog programs 119 (1) (1993) 63–101
- Diks, K., Embeddings of binary trees in lines 36 (2-3) (1985) 319–331
- Diks, K. and W. Rytter, On optimal parallel computations for sequences of brackets 87 (2) (1991) 251–262
- Diks, K., E. Kranakis, A. Malinowski and A. Pelc, Anonymous wireless rings 145 (1-2) (1995) 95–109
- Diks, K. and A. Pelc, Reliable computations on faulty EREW PRAM 164 (1-2) (1996) 107–122
- Dill, D. L., *see* R. Alur 126 (2) (1994) 183–235
- Dillon, L. K., *see* Y. S. Ramakrishna 166 (1-2) (1996) 1–47
- Dillon, L. K., *see* Y. S. Ramakrishna 170 (1-2) (1996) 1–46
- Dimitrovici, C., *see* H. Ehrig 71 (3) (1990) 347–380
- Dimopoulos, Y. and A. Torres, Graph theoretical structures in logic programs and default theories 170 (1-2) (1996) 209–244
- Diop, S., Differential-algebraic decision methods and some applications to system theory 98 (1) (1992) 137–161
- Di Pierro, A., *see* F. S. de Boer 151 (1) (1995) 37–78
- Dobkin, D., *see* R. J. Lipton 3 (3) (1976) 349–357
- Dobkin, D. and J. I. Munro, Determining the mode 12 (3) (1980) 255–263
- Dobkin, D. P. and S. P. Reiss, The complexity of linear programming 11 (1) (1980) 1–18
- Dobkin, D. P. and D. G. Kirkpatrick, Fast detection of polyhedral intersection 27 (3) (1983) 241–253
- Doets, K., A slight strengthening of a theorem of Blair and Kunen 97 (1) (1992) 175–181
- Doets, K., Left termination turned into termination 124 (1) (1994) 180–187
- Doggaz, N. and C. Kirchner, Completion for unification 85 (2) (1991) 231–251
- Dolev, D., Commutation properties and generating sets characterize slices of various synchronization primitives 8 (3) (1979) 379–391
- Dolev, D., *see* J. Abello 182 (1-2) (1997) 159–170
- Dömösi, P., *see* Z. Ésik 47 (1) (1986) 1–14
- Dömösi, P. and Z. Ésik, Critical classes for the α_0 -product 61 (1) (1988) 17–24
- Dong, F. and L. V. S. Lakshmanan, Intuitionistic interpretation of deductive databases with incomplete information 133 (2) (1994) 267–306
- Dong, G. and S. Ginsburg, On the decomposition of datalog program mappings 76 (1) (1990) 143–177
- Dong, G. and S. Ginsburg, Localizable constraints for object histories 90 (2) (1991) 391–432

- Donini, F.M., *see* M. Cadoli 182 (1-2) (1997) 183–202
- Doornbos, H., R. Backhouse and J. van der Woude, A calculational approach to mathematical induction 179 (1-2) (1997) 103–135
- Dosch, W., On a generalized product for domains 119 (1) (1993) 103–125
- Dosen, K., Nonmodal classical linear predicate logic is a fragment of intuitionistic logic 102 (1) (1992) 207–214
- Doshi, K., *see* P. Varman 58 (1-3) (1988) 379–397
- Doshita, S., *see* S. Yamasaki 51 (3) (1987) 309–324
- Dougherty, D.J., Higher-order unification via combinators 114 (2) (1993) 273–298
- Dougherty, D.J. and P. Johann, A combinatory logic approach to higher-order *E*-unification 139 (1-2) (1995) 207–242
- Dougherty, D.J., *see* F. Otto 198 (1-2) (1998) 1–47
- Dowek, G., The undecidability of pattern matching in calculi where primitive recursive functions are representable 107 (2) (1993) 349–356
- Dowling, W.F. and J.H. Gallier, Continuation semantics for flowgraph equations 44 (3) (1986) 307–331
- Dowling, W.F. and R. Kline, The fixed points of logic programs with Herbrand base \mathbb{N} 77 (3) (1990) 309–319
- Downey, R., On computational complexity and honest polynomial degrees 78 (2) (1991) 305–317
- Downey, R.G. and M.R. Fellows, Fixed-parameter tractability and completeness II: On completeness for $W[1]$ 141 (1-2) (1995) 109–131
- Downey, R.G., *see* H. Bodlaender 147 (1-2) (1995) 31–54
- Downey, R.G., M.R. Fellows and K.W. Regan, Parameterized circuit complexity and the *W* hierarchy 191 (1-2) (1998) 97–115
- Drabent, W. and J. Małuszyński, Inductive assertion method for logic programs 59 (1-2) (1988) 133–155
- Dragan, F.F., *see* A. Brandstädt 172 (1-2) (1997) 209–232
- Drăghicescu, M. and S. Purushothaman, A uniform treatment of order of evaluation and aggregate update 118 (2) (1993) 231–262
- Drakengren, T., Uniqueness of Scott's reflexive domain in $P\omega$ 155 (1) (1996) 267–276
- Drakengren, T., A decidable canonical representation of the compact elements in Scott's reflexive domain in $P\omega$ 193 (1-2) (1998) 181–195
- Dress, A., *see* M. Clausen 84 (2) (1991) 151–164
- Drewes, F., Recognising *k*-connected hypergraphs in cubic time 109 (1-2) (1993) 83–122
- Drewes, F., A. Habel, H.-J. Kreowski and S. Taubenberger, Generating self-affine fractals by collage grammars 145 (1-2) (1995) 159–187
- Drmotá, M. and M. Soria, Marking in combinatorial constructions: Generating functions and limiting distributions 144 (1-2) (1995) 67–99
- Droste, M., Event structures and domains 68 (1) (1989) 37–47
- Droste, M. and R. Göbel, Non-deterministic information systems and their domains 75 (3) (1990) 289–309
- Droste, M., On stable domains 111 (1-2) (1993) 89–101
- Droste, M., *see* F. Bracho 135 (2) (1994) 289–318
- Droste, M., Recognizable languages in concurrency monoids 150 (1) (1995) 77–109
- Droste, M., *see* F. Bracho 174 (1-2) (1997) 67–96
- Drosten, K., *see* M. Gogolla 34 (3) (1984) 289–313
- Du, D. and M. Li, Foreword 181 (2) (1997) 227
- Du, D.-Z., *see* K.-I. Ko 47 (3) (1986) 263–276
- Du, D.-Z., *see* R.V. Book 61 (2-3) (1988) 103–119
- Du, D.-Z. and R.V. Book, On inefficient special cases of NP-complete problems 63 (3) (1989) 239–252
- Du, J., J.Y.-T. Leung and G.H. Young, Minimizing mean flow time with release time constraint 75 (3) (1990) 347–355
- Du, W., *see* M.A. Orgun 185 (2) (1997) 319–345
- Duba, B., *see* M. Felleisen 52 (3) (1987) 205–237
- Dube, S., *see* K. Culik II 91 (1) (1991) 57–69
- Dube, S., *see* K. Culik II 116 (2) (1993) 373–398
- Dubhashi, D., *see* S. Chaudhuri 181 (1) (1997) 45–56
- Dubhashi, D.P., G.E. Pantziou, P.G. Spirakis and C.D. Zaroliagis, The fourth moment in Luby's distribution 148 (1) (1995) 133–140

- Duboc, C., On some equations in free partially commutative monoids 46 (2-3) (1986) 159–174
- Duboc, C., Mixed product and asynchronous automata 48 (2-3) (1986) 183–199
- Dubois, D., *see* P. Bosc 171 (1-2) (1997) 281–302
- Dubois, O., Counting the number of solutions for instances of satisfiability 81 (1) (1991) 49–64
- Dubois, O. and J. Carlier, Probabilistic approach to the satisfiability problem 81 (1) (1991) 65–75
- Duchamp, G. and J.Y. Thibon, Théorèmes de transfert pour les polynômes partiellement commutatifs 57 (2-3) (1988) 239–249
- Duchamp, G., Orthogonal projection onto the free Lie algebra 79 (1) (1991) 227–239
- Duchamp, G. and D. Krob, On the partially commutative shuffle product 96 (2) (1992) 405–410
- Dulucq, S. and D. Gouyou-Beauchamps, Sur les facteurs des suites de Sturm 71 (3) (1990) 381–400
- Dulucq, S. and S. Gire, Complexité d'algorithmes et opérations sur les arbres 117 (1-2) (1993) 187–198
- Dumas, F., Skew power series rings with general commutation formula 98 (1) (1992) 99–114
- Dumas, P., *see* B. Litow 119 (2) (1993) 345–354
- Dumas, P., *see* P. Flajolet 144 (1-2) (1995) 3–58
- Dumitrescu, S., Nonreturning PC grammar systems can be simulated by returning systems 165 (2) (1996) 463–474
- Dumont, J.-M. and A. Thomas, Systèmes de numération et fonctions fractales relatifs aux substitutions 65 (2) (1989) 153–169
- Dung, P.M., On the relations between stable and well-founded semantics of logic programs 105 (1) (1992) 7–25
- Dunne, P.E., The complexity of central slice functions 44 (3) (1986) 247–257
- Dunne, P.E., On monotone simulations of nonmonotone networks 66 (1) (1989) 15–25
- Düntsch, I., A logic for rough sets 179 (1-2) (1997) 427–436
- Duprat, J., *see* M. Cosnard 67 (1) (1989) 115–120
- Durand, A. and S. Ranaivoson, First-order spectra with one binary predicate 160 (1-2) (1996) 305–320
- Durand, B., Inversion of 2D cellular automata: some complexity results 134 (2) (1994) 387–401
- Durand, B., A random NP-complete problem for inversion of 2D cellular automata 148 (1) (1995) 19–32
- Durieux, J.L., *see* A. Jaoua 79 (2) (1991) 323–339
- Đuriš, P. and Z. Galil, Fooling a two way automaton or one pushdown store is better than one counter for two way machines 21 (1) (1982) 39–53
- Đuriš, P. and J. Hromkovič, One-way simple multihead finite automata are not closed under concatenation 27 (1-2) (1983) 121–125
- Đuriš, P. and J.D.P. Rolim, A note on the density of oracle decreasing time–space complexity 132 (1-2) (1994) 422–431
- Duske, J. and R. Parchmann, Linear indexed languages 32 (1-2) (1984) 47–60
- Duske, J., *see* R. Parchmann 47 (2) (1986) 219–223
- Duske, J., *see* R. Parchmann 49 (1) (1987) 23–42
- Dutheillet, C., *see* G. Chiola 176 (1-2) (1997) 39–65
- Dutton, R.D. and R.C. Brigham, The complexity of a multiprocessor task assignment problem without deadlines 17 (2) (1982) 213–216
- Duval, D. and P. Sénéchaud, Sketches and parametrization 123 (1) (1994) 117–130
- Duval, J.-P., Périodes et répétitions des mots du monoïde libre 9 (1) (1979) 17–26
- Duval, J.-P., Génération d'une section des classes de conjugaison et arbre des mots de Lyndon de longueur bornée 60 (3) (1988) 255–283
- Dybjer, P., Some results on the deductive structure of join dependencies 33 (1) (1984) 95–105
- Dybjer, P., Representing inductively defined sets by wellorderings in Martin-Löf's type theory 170 (1-2) (1996) 245–276
- Dybkiær, H. and A. Melton, Comparing Hagino's categorical programming language and typed lambda-calculi 111 (1-2) (1993) 145–189
- Dymond, P.W., On nondeterminism in parallel computation 47 (2) (1986) 111–120
- Eades, P. and S. Whitesides, Drawing graphs in two layers 131 (2) (1994) 361–374
- Eades, P. and S. Whitesides, The logic engine and the realization problem for nearest neighbor graphs 169 (1) (1996) 23–37
- Ebinger, W. and A. Muscholl, Logical definability on infinite traces 154 (1) (1996) 67–84
- Echahed, R., On completeness of narrowing strategies 72 (2-3) (1990) 133–146

- Edalat, A. and M.B. Smyth, I-Categories as a framework for solving domain equations 115 (1) (1993) 77–106
- Edalat, A., Domain theory and integration 151 (1) (1995) 163–193
- Edalat, A. and R. Heckmann, A computational model for metric spaces 193 (1-2) (1998) 53–73
- Edelsbrunner, H. and H.A. Maurer, A space-optimal solution of general region location 16 (3) (1981) 329–336
- Edelsbrunner, H., Finding transversals for sets of simple geometric figures 35 (1) (1985) 55–69
- Edelsbrunner, H., G. Rote and E. Welzl, Testing the necklace condition for shortest tours and optimal factors in the plane 66 (2) (1989) 157–180
- Edelsbrunner, H., *see* B. Chazelle 84 (1) (1991) 77–105
- Edelsbrunner, H., L. Guibas, J. Pach, R. Pollack, R. Seidel and M. Sharir, Arrangements of curves in the plane – topology, combinatorics, and algorithms 92 (2) (1992) 319–336
- Edmonds, J., Removing Ramsey theory: Lower bounds with smaller domain size 172 (1-2) (1997) 1–41
- Edwards, K., The complexity of colouring problems on dense graphs 43 (2-3) (1986) 337–343
- Eğecioğlu, Ö. and Ç.K. Koç, Exponentiation using canonical recoding 129 (2) (1994) 407–417
- Egli, H. and R.L. Constable, Computability concepts for programming language semantics 2 (2) (1976) 133–145
- Egry, U., An answer to an open problem of Urquhart 198 (1-2) (1998) 201–209
- Ehrenfeucht, A., K.P. Lee and G. Rozenberg, Subword complexities of various classes of deterministic developmental languages without interactions 1 (1) (1976) 59–75
- Ehrenfeucht, A., G. Rozenberg and S. Skyum, A relationship between ETOL and EDTOL languages 1 (4) (1976) 325–330
- Ehrenfeucht, A. and G. Rozenberg, EOL languages are not codings of FPOL languages 6 (3) (1978) 327–341
- Ehrenfeucht, A. and G. Rozenberg, Elementary homomorphisms and a solution of the DOL sequence equivalence problem 7 (2) (1978) 169–183
- Ehrenfeucht, A. and G. Rozenberg, Every two equivalent DOL systems have a regular true envelope 10 (1) (1980) 45–52
- Ehrenfeucht, A. and G. Rozenberg, On ambiguity in EOL systems 12 (2) (1980) 127–134
- Ehrenfeucht, A. and G. Rozenberg, On a bound for the DOL sequence equivalence problem 12 (3) (1980) 339–342
- Ehrenfeucht, A. and G. Rozenberg, On the subword complexity of square-free DOL languages 16 (1) (1981) 25–32
- Ehrenfeucht, A. and G. Rozenberg, Representation theorems using DOS languages 21 (1) (1982) 75–90
- Ehrenfeucht, A., D. Haussler and G. Rozenberg, On regularity of context-free languages 27 (3) (1983) 311–332
- Ehrenfeucht, A., G. Rozenberg and R. Verraedt, On inherently ambiguous EOL languages 28 (1-2) (1984) 197–214
- Ehrenfeucht, A., M.G. Main and G. Rozenberg, Restrictions on NLC graph grammars 31 (1-2) (1984) 211–223
- Ehrenfeucht, A., H.C.M. Kleijn and G. Rozenberg, Adding global forbidding context to context-free grammars 37 (3) (1985) 337–360
- Ehrenfeucht, A., *see* A. Blumer 40 (1) (1985) 31–55
- Ehrenfeucht, A., *see* W. Bucher 40 (2-3) (1985) 131–148
- Ehrenfeucht, A., H.J. Hoogetboom and G. Rozenberg, On the active and full use of memory in right-boundary grammars and push-down automata 48 (2-3) (1986) 201–228
- Ehrenfeucht, A. and G. Rozenberg, Theory of 2-structures, Part I: clans, basic subclasses, and morphisms 70 (3) (1990) 277–303
- Ehrenfeucht, A. and G. Rozenberg, Theory of 2-structures, Part II: representation through labeled tree families 70 (3) (1990) 305–342
- Ehrenfeucht, A. and G. Rozenberg, Primitivity is hereditary for 2-structures 70 (3) (1990) 343–358
- Ehrenfeucht, A. and G. Rozenberg, Angular 2-structures 92 (2) (1992) 227–248
- Ehrenfeucht, A. and G. Rozenberg, T-Structures, T-functions, and texts 116 (2) (1993) 227–290
- Ehrenfeucht, A., *see* A. Apostolico 119 (2) (1993) 247–265
- Ehrenfeucht, A., P. ten Pas and G. Rozenberg, Properties of grammatical codes of trees 125 (2) (1994) 259–293
- Ehrenfeucht, A., *see* A.H. Deutz 127 (2) (1994) 387–393
- Ehrenfeucht, A., *see* A.H. Deutz 129 (2) (1994) 207–262
- Ehrenfeucht, A. and R. McConnell, A k -structure generalization of the theory of 2-structures 132 (1-2) (1994) 209–227

- Ehrenfeucht, A., P. ten Pas and G. Rozenberg, A note on binary grammatical codes of trees 155 (2) (1996) 425–438
- Ehrenfeucht, N., I. Karhumäki and G. Rozenberg, The (generalized) post correspondence problem with lists consisting of two words is decidable 21 (2) (1982) 119–144
- Ehrhard, T., *see* A. Bucciarelli 113 (2) (1993) 273–291
- Ehrich, H.-D. and U. Lipect, Algebraic domain equations 27 (1-2) (1983) 167–196
- Ehrich, H.-D., *see* M. Gogolla 34 (3) (1984) 289–313
- Ehrig, H. and B.K. Rosen, Parallelism and concurrency of graph manipulations 11 (3) (1980) 247–275
- Ehrig, H., H.-J. Kreowski, B. Mahr and P. Padawitz, Algebraic implementation of abstract data types 20 (3) (1982) 209–263
- Ehrig, H. and H.-J. Kreowski, Compatibility of parameter passing and implementation of parameterized data types 27 (3) (1983) 255–286
- Ehrig, H., H.-J. Kreowski, J. Thatcher, E. Wagner and J. Wright, Parameter passing in algebraic specification languages 28 (1-2) (1984) 45–81
- Ehrig, H., *see* E.G. Wagner 50 (3) (1987) 323–349
- Ehrig, H., F. Parisi-Presicce, P. Boehm, C. Rieckhoff, C. Dimitrovici and M. Grosse-Rhode, Combining data type and recursive process specifications using projection algebras 71 (3) (1990) 347–380
- Ehrig, H., W. Fey, H. Hansen, M. Löwe, D. Jacobs and F. Parisi-Presicce, Compatibility problems in the development of algebraic module specifications 77 (1-2) (1990) 27–71
- Ehrig, H. and M. Löwe, The ESPRIT Basic Research Working Group COMPUGRAPH “Computing by Graph Transformation”: a survey 109 (1-2) (1993) 3–6
- Ehrig, H. and M. Löwe, Parallel and distributed derivations in the single-pushout approach 109 (1-2) (1993) 123–143
- Ehrig, H. and M. Große-Rhode, Functorial theory of parameterized specifications in a general specification framework 135 (2) (1994) 221–266
- Ehrig, H., *see* F. Orejas 173 (2) (1997) 485–511
- Eilam-Tzoref, T. and U. Vishkin, Matching patterns in strings subject to multi-linear transformations 60 (3) (1988) 231–254
- Eisman, G.S., On depth in EDTOL languages 23 (2) (1983) 155–169
- Eisman, G.S., On the ratio of growth functions in EDTOL languages 29 (3) (1984) 325–349
- Eiter, T. and G. Gottlob, Propositional circumscription and extended closed-world reasoning are Π_2^P -complete 114 (2) (1993) 231–245
- Eiter, T. and G. Gottlob, Propositional circumscription and extended closed-world reasoning are Π_2^P -complete [Theoretical Computer Science 114 (2) (21 June 1993) 231–245] 118 (2) (1993) 315
- Eiter, T., *see* P.A. Bonatti 160 (1-2) (1996) 321–363
- Eiter, T., G. Gottlob and N. Leone, Abduction from logic programs: Semantics and complexity 189 (1-2) (1997) 129–177
- Ekanadham, K., *see* K. Pingali 81 (2) (1991) 201–221
- Ekhad, S.B., A short, elementary, and easy, WZ proof of the Askey–Gasper inequality that was used by de Branges in his proof of the Bieberbach conjecture 117 (1-2) (1993) 199–202
- Ekin, O., P.L. Hammer and U.N. Peled, Horn functions and submodular Boolean functions 175 (2) (1997) 257–270
- Elbaz, M. and J.-C. Spehner, Construction of Voronoi diagrams in the plane by using maps 77 (3) (1990) 331–343
- Elbl, B., *see* R. Berghammer 146 (1-2) (1995) 185–197
- Elgot, C.C. and L. Snyder, On the many facets of lists 5 (3) (1977) 275–305
- Elgot, C.C. and J.C. Shepherdson, A semantically meaningful characterization of reducible flowchart schemes 8 (3) (1979) 325–357
- El Hamidi, A. and M. Garbey, Using MAPLE for the analysis of bifurcation phenomena in gas combustion 187 (1-2) (1997) 249–262
- Elihai, Y. and Y. Yomdin, Flexible high-order discretization of geometric data for global motion planning 157 (1) (1996) 53–77
- Eloranta, J., M. Tienari and A. Valmari, Essential transitions to bisimulation equivalences 179 (1-2) (1997) 397–419

- Elrad, T. and N. Francez, A weakest precondition semantics for communicating processes 29 (3) (1984) 231–250
- El-Taha, M. and S. Stidham Jr., Deterministic analysis of queuing systems with heterogeneous servers 106 (2) (1992) 243–264
- Elvang-Gøransson, M. and O. Owe, A simple sequent calculus for partial functions 114 (2) (1993) 317–330
- Emerson, E.A., Alternative semantics for temporal logics 26 (1-2) (1983) 121–130
- Emerson, T., Relativizations of the $P=?NP$ question over the reals (and other ordered rings) 133 (1) (1994) 15–22
- Ene, C., *see* F.L. Tiplea 134 (2) (1994) 365–385
- Engeler, E., Generalized Galois theory and its application to complexity 13 (3) (1981) 271–293
- Engeler, E., Combinatory differential fields 72 (2-3) (1990) 119–131
- Engelfriet, J., Surface tree languages and parallel derivation trees 2 (1) (1976) 9–27
- Engelfriet, J., Iterating iterated substitution 5 (1) (1977) 85–100
- Engelfriet, J., Determinacy \rightarrow (Observation equivalence = trace equivalence) 36 (1) (1985) 21–25
- Engelfriet, J. and H. Vogler, Pushdown machines for the macro tree transducer 42 (3) (1986) 251–368
- Engelfriet, J. and H. Vogler, Pushdown machines for the macro tree transducer (*Corrigendum*) 48 (2-3) (1986) 339
- Engelfriet, J. and G. Leih, Nonterminal bounded NLC graph grammars 59 (3) (1988) 309–315
- Engelfriet, J. and H. Vogler, Modular tree transducers 78 (2) (1991) 267–303
- Engelfriet, J., G. Leih and G. Rozenberg, Nonterminal separation in graph grammars 82 (1) (1991) 95–111
- Engelfriet, J., A regular characterization of graph languages definable in monadic second-order logic 88 (1) (1991) 139–150
- Engelfriet, J. and H.J. Hoogeboom, X -automata on ω -words 110 (1) (1993) 1–51
- Engelfriet, J., A multiset semantics for the π -calculus with replication 153 (1-2) (1996) 65–94
- Engelfriet, J., T. Harju, A. Proskurowski and G. Rozenberg, Characterization and complexity of uniformly nonprimitive labeled 2-structures 154 (2) (1996) 247–282
- Enjalbert, P. and L. Fariñas del Cerro, Modal resolution in clausal form 65 (1) (1989) 1–33
- Enjalbert, P., *see* F. Debart 105 (1) (1992) 141–166
- Eppstein, D., *see* M. Chrobak 86 (2) (1991) 243–266
- Erdogmus, H., R. Johnston and M. Ferguson, On the operational semantics of nondeterminism and divergence 159 (2) (1996) 271–317
- Erdős, P. and D.F. Hsu, Distributed loop network with minimum transmission delay 100 (1) (1992) 223–241
- Eriksson, G., H. Eriksson and K. Eriksson, Moving a food trolley around a corner 191 (1-2) (1998) 193–203
- Eriksson, H., *see* G. Eriksson 191 (1-2) (1998) 193–203
- Eriksson, K., Reachability is decidable in the numbers game 131 (2) (1994) 431–439
- Eriksson, K., *see* G. Eriksson 191 (1-2) (1998) 193–203
- Ershov, A.P., Mixed computation: potential applications and problems for study 18 (1) (1982) 41–67
- Ershov, Y.L., The bounded-complete hull of an α -space 175 (1) (1997) 3–13
- Esbelin, H.-A. and M. More, Rudimentary relations and primitive recursion: A toolbox 193 (1-2) (1998) 129–148
- Escardó, M.H., PCF extended with real numbers 162 (1) (1996) 79–115
- Ésik, Z. and P. Dömösi, Complete classes of automata for the α_0 -product 47 (1) (1986) 1–14
- Ésik, Z. and F. Gécseg, On α_0 -products and α_2 -products 48 (1) (1986) 1–8
- Ésik, Z. and F. Gécseg, On a representation of tree automata 53 (2-3) (1987) 243–255
- Ésik, Z., *see* P. Dömösi 61 (1) (1988) 17–24
- Ésik, Z., *see* S.L. Bloom 63 (3) (1989) 303–331
- Ésik, Z., Results on homomorphic realization of automata by α_0 -products 87 (2) (1991) 229–249
- Ésik, Z. and L. Bernátsky, Equational properties of Kleene algebras of relations with conversion 137 (2) (1995) 237–251
- Ésik, Z., *see* S.L. Bloom 155 (1) (1996) 1–38
- Ésik, Z., *see* S.L. Bloom 163 (1-2) (1996) 55–98
- Ésik, Z., Completeness of Park induction 177 (1) (1997) 217–283
- Ésik, Z., *see* S.L. Bloom 179 (1-2) (1997) 1–60

- Ésik, Z. and A. Labella, Equational properties of iteration in algebraically complete categories 195 (1) (1998) 61–89
- Esparza, J., *see* E. Best 101 (2) (1992) 161–176
- Esparza, J. and M. Silva, A polynomial-time algorithm to decide liveness of bounded free choice nets 102 (1) (1992) 185–205
- Esparza, J., *see* J. Desel 114 (1) (1993) 93–118
- Esparza, J., *see* A. Cheng 147 (1-2) (1995) 117–136
- Esparza, J. and G. Bruns, Trapping mutual exclusion in the box calculus 153 (1-2) (1996) 95–128
- Esparza, J., Reachability in live and safe free-choice Petri nets is NP-complete 198 (1-2) (1998) 211–224
- Etalle, S. and M. Gabbriellini, Transformations of CLP modules 166 (1-2) (1996) 101–146
- Etessami, K. and N. Immerman, Reachability and the power of local ordering 148 (2) (1995) 261–279
- Etzion, T. and M. Yoeli, Super-nets and their hierarchy 23 (3) (1983) 243–272
- Etzion, T., An algorithm for generating shift-register cycles 44 (2) (1986) 209–224
- Etzion, T., *see* R. Bar Yehuda 108 (2) (1993) 311–329
- Etzion-Petruschka, Y., D. Harel and D. Myers, On the solvability of domino snake problems 131 (2) (1994) 243–269
- Even, S. and R.E. Tarjan, Computing an *st*-numbering 2 (3) (1976) 339–344
- Even, S. and R.E. Tarjan, Computing an *st*-numbering (*Corrigendum*) 4 (1) (1977) 123
- Even, S. and D.A. Schmidt, Category-sorted algebra-based action semantics 77 (1-2) (1990) 73–95
- Ewacha, K., I. Rival and N. Zaguia, Approximating the number of linear extensions 175 (2) (1997) 271–282
- Fabre, E., *see* A. Benveniste 152 (2) (1995) 171–217
- Fabre, S., *see* F. Blanchard 123 (1) (1994) 55–60
- Fabre, S., Substitutions et β -systèmes de numération 137 (2) (1995) 219–236
- Fabre, S., Dépendance de systèmes de numération associés à des puissances d'un nombre de Pisot 158 (1-2) (1996) 65–79
- Fabris, M., *see* A. Bossi 124 (2) (1994) 297–328
- Fachini, E. and M. Napoli, Hierarchies of primitive recursive wordsequence functions: comparisons and decision problems 29 (1-2) (1984) 185–227
- Fachini, E. and M. Napoli, C-tree systolic automata 56 (2) (1988) 155–186
- Fachini, E., A.M. Schettini, G. Resta and D. Sangiorgi, Nonacceptability criteria and closure properties for the class of languages accepted by binary systolic tree automata 83 (2) (1991) 249–260
- Fages, F. and G. Huet, Complete sets of unifiers and matchers in equational theories 43 (2-3) (1986) 189–200
- Fages, F., *see* L. Albert 113 (1) (1993) 3–34
- Fages, F., *see* P. Ruet 171 (1-2) (1997) 61–75
- Fagin, R., *see* J.L. Carter 16 (2) (1981) 231–235
- Fagin, R., M.M. Klawe, N.J. Pippenger and L. Stockmeyer, Bounded-depth, polynomial-size circuits for symmetric functions 36 (2-3) (1985) 239–250
- Fagin, R., Finite-model theory – a personal perspective 116 (1) (1993) 3–31
- Fagin, R., *see* S. Arora 174 (1-2) (1997) 97–121
- Fagnot, I., Sur les facteurs des mots automatiques 172 (1-2) (1997) 67–89
- Fahmy, H.M.A., Analysis of Petri nets by partitioning: splitting transitions 77 (3) (1990) 321–330
- Fakler, W., On second order homogeneous linear differential equations with Liouvillian solutions 187 (1-2) (1997) 27–48
- Falaschi, M., G. Levi, C. Palamidessi and M. Martelli, Declarative modeling of the operational behavior of logic languages 69 (3) (1989) 289–318
- Falaschi, M. and G. Levi, Finite failures and partial computations in concurrent logic languages 75 (1-2) (1990) 45–66
- Falaschi, M., *see* M. Alpuente 142 (1) (1995) 27–57
- Falaschi, M., *see* M. Alpuente 165 (1) (1996) 133–169
- Falaschi, M., M. Gabbriellini, K. Marriott and C. Palamidessi, Confluence in concurrent constraint programming 183 (2) (1997) 281–315
- Fariñas del Cerro, L. and E. Orłowska, DAL – a logic for data analysis 36 (2-3) (1985) 251–264
- Fariñas del Cerro, L. and E. Orłowska, DAL – a logic for data analysis (*Corrigendum*) 47 (3) (1986) 345
- Fariñas del Cerro, L., *see* P. Enjalbert 65 (1) (1989) 1–33

- Farinone, J.-M., *see* L. Pierre 57 (2-3) (1988) 185–204
- Farmer, W.M., Simple second-order languages for which unification is undecidable 87 (1) (1991) 25–41
- Farr, G. and C. McDiarmid, The complexity of counting homeomorphs 36 (2-3) (1985) 345–348
- Farrell, C.A. and D.H. Kieronska, Formal specification of parallel SIMD execution 169 (1) (1996) 39–65
- Fauconnier, H., Sémantique asynchrone et comportements infinis en CSP 54 (2-3) (1987) 277–298
- Faure, H., Méthodes quasi-Monte-Carlo multidimensionnelles 123 (1) (1994) 131–137
- Favati, P., G. Lotti and L. Margara, Additive one-dimensional cellular automata are chaotic according to Devaney's definition of chaos 174 (1-2) (1997) 157–170
- Fedou, J.M., *see* M.P. Delest 98 (1) (1992) 65–76
- Fehr, E., Expressive power of typed and type-free programming languages 33 (2-3) (1984) 195–238
- Feige, U., A fast randomized LOGSPACE algorithm for graph connectivity 169 (2) (1996) 147–160
- Fekete, A., N. Lynch and W.E. Weihl, Hybrid atomicity for nested transactions 149 (1) (1995) 151–178
- Feldmann, A., J. Sgall and S.-H. Teng, Dynamic scheduling on parallel machines 130 (1) (1994) 49–72
- Felleisen, M., D.P. Friedman, E. Kohlbecker and B. Duba, A syntactic theory of sequential control 52 (3) (1987) 205–237
- Felleisen, M. and D.P. Friedman, A syntactic theory of sequential state 69 (3) (1989) 243–287
- Felleisen, M. and R. Hieb, The revised report on the syntactic theories of sequential control and state 103 (2) (1992) 235–271
- Fellner, W.D., On minimal graphs 17 (1) (1982) 103–110
- Fellows, M.R., *see* R.G. Downey 141 (1-2) (1995) 109–131
- Fellows, M.R., *see* H. Bodlaender 147 (1-2) (1995) 31–54
- Fellows, M.R., *see* R.G. Downey 191 (1-2) (1998) 97–115
- Felsner, S., On-line chain partitions of orders 175 (2) (1997) 283–292
- Fenton, N.E., R.W. Whitty and A.A. Kaposi, A generalized mathematical theory of structured programming 36 (2-3) (1985) 145–171
- Ferenczi, S., Tiling the Morse sequence 94 (2) (1992) 215–221
- Ferenczi, S., Tiling and local rank properties of the Morse sequence 129 (2) (1994) 369–383
- Ferguson, M., *see* H. Erdogmus 159 (2) (1996) 271–317
- Ferguson, T.S., Mate with bishop and knight in kriegspiel 96 (2) (1992) 389–403
- Ferguson, T.S., Some chip transfer games 191 (1-2) (1998) 157–171
- Fernández, C. and P.S. Thiagarajan, *D*-continuous causal nets: A model of non-sequential processes 28 (1-2) (1984) 171–196
- Fernández, M., *see* F. Barbanera 170 (1-2) (1996) 173–207
- Fernández, M. and I. Mackie, Interaction nets and term-rewriting systems 190 (1) (1998) 3–39
- Fernández-Baca, D. and G. Slutzki, Linear-time algorithms for parametric minimum spanning tree problems on planar graphs 181 (1) (1997) 57–74
- Fernández-Camacho, M.-I., *see* R. Casas 74 (3) (1990) 273–298
- Fernandez de la Vega, W., *see* J. Blot 147 (1-2) (1995) 267–298
- Fernau, H., Valuations of languages, with applications to fractal geometry 137 (2) (1995) 177–217
- Fernau, H. and D. Wätjen, Remarks on regulated limited ETOL systems and regulated context-free grammars 194 (1-2) (1998) 35–55
- Ferrante, J. and J.R. Geiser, An efficient decision procedure for the theory of rational order 4 (2) (1977) 227–233
- Ferrari, A., *see* M. Coppo 121 (1-2) (1993) 113–143
- Ferrari, G.-L., U. Montanari and P. Quaglia, A π -calculus with explicit substitutions 168 (1) (1996) 53–103
- Ferreira, A., *see* M. Cosnard 67 (1) (1989) 115–120
- Ferreira, A., On space-efficient algorithms for certain NP-complete problems 120 (2) (1993) 311–315
- Ferreira, A. and M. Grammatikakis, Randomized routing on generalized hypercubes 158 (1-2) (1996) 53–64
- Ferreira, A.G., *see* S.G. Akl 95 (2) (1992) 323–337
- Feuerstein, E. and A. Marchetti-Spaccamela, Dynamic algorithms for shortest paths in planar graphs 116 (2) (1993) 359–371
- Feuerstein, E., Paging more than one page 181 (1) (1997) 75–90
- Fey, W., *see* H. Ehrig 77 (1-2) (1990) 27–71
- Fiat, A. and M. Ricklin, Competitive algorithms for the weighted server problem 130 (1) (1994) 85–99
- Fich, F.E., *see* E.A. Ashcroft 9 (2) (1979) 243–256

- Fich, F.E., *see* A. Borodin 58 (1-3) (1988) 57–68
- Fiech, A. and M. Huth, Algebraic domains of natural transformations 136 (1) (1994) 57–78
- Filé, G., Classical and incremental attribute evaluation by means of recursive procedures 53 (1) (1987) 25–65
- Filé, G., *see* A. Cortesi 107 (2) (1993) 277–303
- Filippenko, I. and F.L. Morris, Domains for logic programming 94 (1) (1992) 63–99
- Fill, J.A., Limits and rates of convergence for the distribution of search cost under the move-to-front rule 164 (1-2) (1996) 185–206
- Finkel, A., *see* G. Memmi 35 (2-3) (1985) 191–214
- Finkel, A., Une généralisation des théorèmes de Higman et de Simon aux mots infinis 38 (1) (1985) 137–142
- Finkel, A. and I. Tellier, A polynomial algorithm for the membership problem with categorial grammars 164 (1-2) (1996) 207–221
- Finkel, A. and P. McKenzie, Verifying identical communicating processes is undecidable 174 (1-2) (1997) 217–230
- Finkel, D., *see* E. Gelenbe 52 (3) (1987) 269–280
- Finn, J. and K. Lieberherr, Primality testing and factoring 23 (2) (1983) 211–215
- Finta, L., Z. Liu, I. Milis and E. Bampis, Scheduling UET-UCT series-parallel graphs on two processors 162 (2) (1996) 323–340
- Fiorio, C. and J. Gustedt, Two linear time Union-Find strategies for image processing 154 (2) (1996) 165–181
- Fischer, M.J., *see* N.A. Lynch 13 (1) (1981) 17–43
- Fischer, M.J., *see* G. Galbiati 16 (2) (1981) 177–185
- Fischer, P., K.-U. Höffgen and H. Lefmann, PAC-learning from general examples 172 (1-2) (1997) 43–65
- Fischer, P.C., J.H. Jou and D.-M. Tsou, Succinctness in dependency systems 24 (3) (1983) 323–329
- Fitting, M., Partial models and logic programming 48 (2-3) (1986) 229–255
- Fix, L., N. Francez and O. Grumberg, Program composition via unification 131 (1) (1994) 139–179
- Flagg, B. and R. Kopperman, Continuity spaces: Reconciling domains and metric spaces 177 (1) (1997) 111–138
- Flajolet, P., J.C. Raoult and J. Vuillemin, The number of registers required for evaluating arithmetic expressions 9 (1) (1979) 99–125
- Flajolet, P., Analytic models and ambiguity of context-free languages 49 (2-3) (1987) 283–309
- Flajolet, P., B. Salvy and P. Zimmermann, Automatic average-case analysis of algorithms 79 (1) (1991) 37–109
- Flajolet, P., X. Gourdon and P. Dumas, Mellin transforms and asymptotics: harmonic sums 144 (1-2) (1995) 3–58
- Flajolet, P. and R. Sedgewick, Mellin transforms and asymptotics: Finite differences and Rice's integrals 144 (1-2) (1995) 101–124
- Flajolet, P. and B. Vallée, Continued fraction algorithms, functional operators, and structure constants 194 (1-2) (1998) 1–34
- Flajolet, Ph., P. Grabner, P. Kirschenhofer, H. Prodinger and R.F. Tichy, Mellin transforms and asymptotics: digital sums 123 (2) (1994) 291–314
- Flajolet, Ph., P. Zimmerman and B. Van Cutsem, A calculus for the random generation of labelled combinatorial structures 132 (1-2) (1994) 1–35
- Flammini, M. and G. Gambosi, On devising Boolean Routing Schemes 186 (1-2) (1997) 171–198
- Flatto, L., *see* E.G. Coffman, Jr. 125 (1) (1994) 3–16
- Flé, M.P. and G. Roucairol, Maximal serializability of iterated transactions 38 (1) (1985) 1–16
- Fleischhack, H., *see* K. Ambos-Spies 51 (1-2) (1987) 177–204
- Flocchini, P., *see* G. Braga 145 (1-2) (1995) 1–26
- Flynn, M.J., *see* S.F. Oberman 196 (1-2) (1998) 201–214
- Fogelman-Soulié, F., Parallel and sequential computation on Boolean networks 40 (2-3) (1985) 275–300
- Fokkinga, M.M., *see* H. Balsters 87 (1) (1991) 81–96
- Fokink, W. and H. Zantema, Termination modulo equations by abstract commutation with an application to iteration 177 (2) (1997) 407–423
- Foldes, S., *see* C. Benzaken 15 (3) (1981) 321–328
- Formisano, M.R., *see* R. Cori 81 (1) (1991) 147–153
- Forster, T., A semantic characterization of the well-typed formulae of λ -calculus 110 (2) (1993) 405–418
- Forti, M. and F. Honsell, A general construction of hyperuniverses 156 (1-2) (1996) 203–215

- Fortnow, L. and C. Lund, Interactive proof systems and alternating time-space complexity 113 (1) (1993) 55–73
- Fortnow, L., J. Rompel and M. Sipser, On the power of multi-prover interactive protocols 134 (2) (1994) 545–557
- Fortnow, L. and M. Kummer, On resource-bounded instance complexity 161 (1-2) (1996) 123–140
- Fortnow, L., R. Freivalds, W.I. Gasarch, M. Kummer, S.A. Kurtz, C.H. Smith and F. Stephan, On the relative sizes of learnable sets 197 (1-2) (1998) 139–156
- Fortune, S., J. Hopcroft and J. Wyllie, The directed subgraph homeomorphism problem 10 (2) (1980) 111–121
- Fouks, J.-D., Tseitin's formulas revisited 99 (2) (1992) 315–326
- Fouks, J.-D. and J.-C. Spehner, Meta-resolution: An algorithmic formalisation 166 (1-2) (1996) 147–172
- Fourneau, J.-M., *see* J.C. Bermond 64 (2) (1989) 191–201
- Fourneau, J.-M., E. Gelenbe and R. Suros, G-networks with multiple classes of negative and positive customers 155 (1) (1996) 141–156
- Fournier, J.C., Pavage des figures planes sans trous par des dominos: Fondement graphique de l'algorithme de Thurston, parallélisation, unicité et décomposition 159 (1) (1996) 105–128
- Fournier, R. and G. Von Bochmann, The equivalence in the DCP model 87 (1) (1991) 97–114
- Fraenkel, A.S., Wythoff games, continued fractions, cedar trees and Fibonacci searches 29 (1-2) (1984) 49–73
- Fraenkel, A.S., *see* U. Blass 75 (3) (1990) 311–333
- Fraenkel, A.S. and S. Simonson, Geography 110 (1) (1993) 197–214
- Fraenkel, A.S., E.R. Scheinerman and D. Ullman, Undirected edge geography 112 (2) (1993) 371–382
- Fraenkel, A.S., A. Jaffray, A. Kotzig and G. Sabidussi, Modular Nim 143 (2) (1995) 319–333
- Fraigniaud, P., On XRAM and PRAM models, and on data-movement-intensive problems 194 (1-2) (1998) 225–237
- Franceschinis, G., *see* G. Chiola 176 (1-2) (1997) 39–65
- Francez, N., *see* T. Elrad 29 (3) (1984) 231–250
- Francez, N., D. Lehmann and A. Pnueli, A linear-history semantics for languages for distributed programming 32 (1-2) (1984) 25–46
- Francez, N., *see* L. Fix 131 (1) (1994) 139–179
- Francez, N., *see* M. Kaminski 134 (2) (1994) 329–363
- Franchi-Zannettacci, P., *see* B. Vauquelin 11 (2) (1980) 221–225
- Franchi-Zannettacci, P., *see* B. Courcelle 17 (2) (1982) 163–191
- Franchi-Zannettacci, P., *see* B. Courcelle 17 (3) (1982) 235–257
- Françon, J., On the analysis of algorithms for trees 4 (2) (1977) 155–169
- Françon, J., *see* D. Arques 58 (1-3) (1988) 3–16
- Françon, J., B. Randrianarimanana and R. Schott, Analysis of dynamic algorithms in Knuth's model 72 (2-3) (1990) 147–167
- Françon, J., Sur la topologie d'un plan arithmétique 156 (1-2) (1996) 159–176
- Frandsen, G., *see* J. Boyar 93 (2) (1992) 303–319
- Frandsen, G.S., *see* C. Sturttivant 112 (2) (1993) 291–309
- Fraser, C., Consistent subsequences and supersequences 165 (2) (1996) 233–246
- Frederickson, G.N. and J. Jájá, On the relationship between the biconnectivity augmentation and traveling salesman problems 19 (2) (1982) 189–201
- Frederickson, G.N., Recursively rotated orders and implicit data structures: a lower bound 29 (1-2) (1984) 75–85
- Fredholm, D., Intensional aspects of function definitions 152 (1) (1995) 1–66
- Fredholm, D., Computing minimum with primitive recursion over lists 163 (1-2) (1996) 269–276
- Fredlund, L.-Å., J. Friso Groote and H. Korver, Formal verification of a leader election protocol in process algebra 177 (2) (1997) 459–486
- Fredman, M.L., How good is the information theory bound in sorting 1 (4) (1976) 355–361
- Fredman, M.L., *see* W.A. Burkhard 16 (3) (1981) 279–290
- Fredman, M.L., *see* D.M. Cohen 154 (1) (1996) 57–65
- Freivalds, R., *see* R. Wiehagen 28 (1-2) (1984) 111–133
- Freivalds, R., E.B. Kinber and R. Wiehagen, On the power of inductive inference from good examples 110 (1) (1993) 131–144
- Freivalds, R. and S. Jain, Kolmogorov numberings and minimal identification 188 (1-2) (1997) 175–194

- Freivalds, R., *see* L. Fortnow 197 (1-2) (1998) 139–156
- Freund, R., Real functions and numbers defined by Turing machines 23 (3) (1983) 287–304
- Freyd, P., Structural polymorphism 115 (1) (1993) 107–129
- Freyd, P.J., *see* E.S. Bainbridge 70 (1) (1990) 35–64
- Freyd, P.J., *see* E.S. Bainbridge 71 (3) (1990)
- Fribourg, L., A superposition oriented theorem prover 35 (2-3) (1985) 129–164
- Friedman, D.P., *see* M. Felleisen 52 (3) (1987) 205–237
- Friedman, D.P., *see* M. Felleisen 69 (3) (1989) 243–287
- Friedman, E.P., The inclusion problem for simple languages 1 (4) (1976) 297–316
- Friedman, E.P., A note on non-singular deterministic pushdown automata 7 (3) (1978) 333–339
- Friedman, H., *see* K.-I. Ko 20 (3) (1982) 323–352
- Fris, I., *see* K. Culik. II 37 (2) (1985) 183–216
- Friso Groote, J., *see* L.-Å. Fredlund 177 (2) (1997) 459–486
- Froidevaux, C., *see* N. Bidoit 78 (1) (1991) 85–112
- Froidevaux, C., *see* P. Chatalic 171 (1-2) (1997) 247–280
- Frota Mattos, L.A., *see* C. Blundo 200 (1-2) (1998) 313–334
- Frougny, C., Context-free grammars with cancellation properties 39 (1) (1985) 3–13
- Frougny, C., Systèmes de numération linéaires et θ -représentations 94 (2) (1992) 223–236
- Frougny, C., Confluent linear numeration systems 106 (2) (1992) 183–219
- Frougny, C. and J. Sakarovitch, Synchronisation déterministe des automates à délai borné 191 (1-2) (1998) 61–77
- Frougny, Ch. and J. Sakarovitch, Synchronized rational relations of finite and infinite words 108 (1) (1993) 45–82
- Frutos Escrig, D., A characterization of Plotkin's order in powerdomains, and some of its properties 31 (1-2) (1984) 73–82
- Frutos Escrig, D., Probabilistic Ianov's schemes 53 (1) (1987) 67–97
- Fu, B., *see* S. Tang 115 (2) (1993) 371–381
- Fu, B. and H. Li, On symmetric differences of NP-hard sets with weakly P-selective sets 120 (2) (1993) 279–291
- Fueloep, Z., F. Herrman, S. Vágvolgyi and H. Vogler, Tree transducers with external functions 108 (2) (1992) 185–236
- Fuh, Y.-C. and P. Mishra, Type inference with subtypes 73 (2) (1990) 155–175
- Fujii, M., *see* H. Seki 88 (2) (1991) 191–229
- Fujii, R.H., *see* L.M. Schmitt 200 (1-2) (1998) 101–134
- Fulk, M. and S. Jain, Learning in the presence of inaccurate information 161 (1-2) (1996) 235–261
- Fülöp, Z. and S. Vágvolgyi, A complete classification of deterministic root-to-frontier tree transformation classes 81 (1) (1991) 1–15
- Fülöp, Z., A complete description for a monoid of deterministic bottom-up tree transformation classes 88 (2) (1991) 253–268
- Fülöp, Z., Undecidable properties of deterministic top-down tree transducers 134 (2) (1994) 311–328
- Fülöp, Z., *see* G. Dányi 194 (1-2) (1998) 57–85
- Fürer, M., The complexity of Presburger arithmetic with bounded quantifier alternation depth 18 (1) (1982) 105–111
- Fussell, D. and R. Thurimella, Successive approximation in parallel graph algorithms 74 (1) (1990) 19–35
- Futamura, Y., K. Nogi and A. Takano, Essence of generalized partial computation 90 (1) (1991) 61–79
- Gabarró, J., *see* J.L. Balcázar 52 (3) (1987) 251–267
- Gabarró, J., C. Martínez and X. Messegue, A design of a parallel dictionary using skip lists 158 (1-2) (1996) 1–33
- Gabbrielli, M. and G. Levi, Unfolding and fixpoint semantics of concurrent constraint logic programs 105 (1) (1992) 85–128
- Gabbrielli, M., *see* A. Bossi 122 (1-2) (1994) 3–47
- Gabbrielli, M., *see* S. Etalle 166 (1-2) (1996) 101–146
- Gabbrielli, M., *see* M. Falaschi 183 (2) (1997) 281–315
- Gács, P., On the relation between descriptonal complexity and algorithmic probability 22 (1-2) (1983) 71–93

- Gafni, E., *see* J.M. Marberg 52 (3) (1987) 193–203
- Gafni, E., J. Naor and P. Ragde, On separating the EREW and CREW PRAM models 68 (3) (1989) 343–346
- Gaifman, H., *see* E. Dahlhaus 41 (2-3) (1985) 169–184
- Gaissaryan, S.S., *see* A.L. Lastovetsky 135 (2) (1994) 267–288
- Galbavý, R., *see* M. Hermann 176 (1-2) (1997) 111–158
- Galbiati, G. and M.J. Fischer, On the complexity of 2-output Boolean networks 16 (2) (1981) 177–185
- Galbiati, G., A. Morzenti and F. Maffioli, On the approximability of some Maximum Spanning Tree Problems 181 (1) (1997) 107–118
- Galil, Z., On the complexity of regular resolution and the Davis–Putnam procedure 4 (1) (1977) 23–46
- Galil, Z. and N. Megiddo, Cyclic ordering is NP-complete 5 (2) (1977) 179–182
- Galil, Z. and J. Seiferas, Linear-time string-matching using only a fixed number of local storage locations 13 (3) (1981) 331–336
- Galil, Z., On the theoretical efficiency of various network flow algorithms 14 (1) (1981) 103–111
- Galil, Z., *see* P. Āuriš 21 (1) (1982) 39–53
- Galil, Z., G.M. Landau and M.M. Yung, Distributed algorithms in synchronous broadcasting networks 49 (2-3) (1987) 171–184
- Galil, Z. and R. Giancarlo, Parallel string matching with k mismatches 51 (3) (1987) 341–348
- Galil, Z., *see* A. Averbuch 58 (1-3) (1988) 17–56
- Galil, Z. and R. Giancarlo, Speeding up dynamic programming with applications to molecular biology 64 (1) (1989) 107–118
- Galil, Z., *see* A. Averbuch 86 (2) (1991) 143–203
- Galil, Z. and K. Park, Dynamic programming with convexity, concavity and sparsity 92 (1) (1992) 49–76
- Galil, Z., *see* Y. Rabani 95 (2) (1992) 231–244
- Galil, Z., *see* A. Apostolico 141 (1-2) (1995) 163–173
- Gallier, J., *see* V. Breazu-Tannen 83 (1) (1991) 3–28
- Gallier, J., Constructive logics Part I: A tutorial on proof systems and typed λ -calculi 110 (2) (1993) 249–339
- Gallier, J., Proving properties of typed λ -terms using realizability, covers, and sheaves 142 (2) (1995) 299–368
- Gallier, J.H., Nondeterministic flowchart programs with recursive procedures: Semantics and correctness I 13 (2) (1981) 193–223
- Gallier, J.H., Nondeterministic flowchart programs with recursive procedures: Semantics and correctness II 13 (3) (1981) 239–270
- Gallier, J.H., DPDA's in 'atomic normal form' and applications to equivalence problems 14 (2) (1981) 155–186
- Gallier, J.H., DPDA's in 'atomic normal form' and applications to equivalence problems (*Corrigendum*) 17 (1) (1982) 111
- Gallier, J.H., DPDA's in 'atomic normal form' and applications to equivalence problems (*Corrigendum*) 19 (2) (1982) 229
- Gallier, J.H. and R.V. Book, Reductions in tree replacement systems 37 (2) (1985) 123–150
- Gallier, J.H., *see* W.F. Dowling 44 (3) (1986) 307–331
- Gallier, J.H., *see* A. Pelin 53 (1) (1987) 125–150
- Gallier, J.H. and W. Snyder, Complete sets of transformations for general E -unification 67 (2-3) (1989) 203–260
- Galmiche, D., Constructive system for automatic program synthesis 71 (2) (1990) 227–239
- Galmiche, D., Program development in constructive type theory 94 (2) (1992) 237–259
- Galmiche, D. and G. Perrier, On proof normalization in linear logic 135 (1) (1994) 67–110
- Gambosi, G., G.F. Italiano and M. Talamo, Worst-case analysis of the set-union problem with extended backtracking 68 (1) (1989) 57–70
- Gambosi, G., J. Nešetřil and M. Talamo, On locally presented posets 70 (2) (1990) 251–260
- Gambosi, G., E. Nardelli and M. Talamo, A pointer-free data structure for merging heaps and min-max heaps 84 (1) (1991) 107–126
- Gambosi, G., *see* M. Flammini 186 (1-2) (1997) 171–198
- Ganesan, K., One-way functions and the isomorphism conjecture 129 (2) (1994) 309–321
- Gannett, E., S.C. Kothari and H.-C. Yen, On optimal parallelization of sorting networks 76 (2-3) (1990) 331–341
- Ganzinger, H., Order sorted completion: the many-sorted way 89 (1) (1991) 3–32

- Gao, B. and F.K. Hwang, Wide-sense nonblocking for multirate 3-stage Clos networks 182 (1-2) (1997) 171–182
- Garbey, M., *see* A. El Hamidi 187 (1-2) (1997) 249–262
- García, M.A., Massively parallel approximation of irregular triangular meshes of arbitrary topology with smooth parametric surfaces 162 (2) (1996) 351–369
- Gardarin, G., I. Guessarian and C. De Maindreville, Translation of logic programs into functional fixpoint equations 63 (3) (1989) 253–274
- Gardiner, P. and C. Morgan, Data refinement of predicate transformers 87 (1) (1991) 143–162
- Gardiner, P.H.B., Algebraic proofs of consistency and completeness 150 (1) (1995) 161–191
- Gardy, D., Méthode de col et lois limites en analyse combinatoire 94 (2) (1992) 261–280
- Gardy, D., Join sizes, urn models and normal limiting distributions 131 (2) (1994) 375–414
- Gardy, D. and G. Louchard, Dynamic analysis of some relational databases parameters 144 (1-2) (1995) 125–159
- Garel, E., Séparateurs dans les mots infinis engendrés par morphismes 180 (1-2) (1997) 81–113
- Garey, M.R., D.S. Johnson and L. Stockmeyer, Some simplified *NP*-complete graph problems 1 (3) (1976) 237–267
- Garg, V.K. and M.T. Ragunath, Concurrent regular expressions and their relationship to Petri nets 96 (2) (1992) 285–304
- Garg, V.K., *see* R. Kumar 148 (1) (1995) 67–92
- Gargano, L., *see* R.M. Capocelli 86 (2) (1991) 365–375
- Gargano, L., *see* R.M. Capocelli 134 (1) (1994) 63–78
- Gargano, L., *see* C. Blundo 154 (2) (1996) 283–306
- Gargov, G. and S. Passy, Determinism and looping in combinatory PDL 61 (2-3) (1988) 259–277
- Garofalakis, J., P. Spirakis, B. Tampakas and S. Rajsbaum, Tentative and definite distributed computations: an optimistic approach to network synchronization 128 (1-2) (1994) 63–74
- Garrigue, J., *see* H. Ait-Kaci 151 (2) (1995) 353–383
- Garzon, M., Cyclic automata 53 (2-3) (1987) 307–317
- Garzon, M. and Y. Zalcstein, The complexity of Grigorchuk groups with application to cryptography 88 (1) (1991) 83–98
- Garzon, M., Cayley automata 108 (1) (1993) 83–102
- Garzon, M., *see* P. Koiran 132 (1-2) (1994) 113–128
- Garzon, M., *see* F. Botelho 134 (1) (1994) 51–61
- Garzon, M., *see* F. Botelho 182 (1-2) (1997) 257
- Gasarch, B., *see* R. Beigel 191 (1-2) (1998) 245–248
- Gasarch, W., *see* R. Beigel 163 (1-2) (1996) 177–192
- Gasarch, W.I., *see* D. Angluin 66 (3) (1989) 255–272
- Gasarch, W.I. and K.S. Guimarães, Binary search and recursive graph problems 181 (1) (1997) 119–139
- Gasarch, W.I., *see* L. Fortnow 197 (1-2) (1998) 139–156
- Gasieniec, L., W. Plandowski and W. Rytter, The zooming method: a recursive approach to time-space efficient string-matching 147 (1-2) (1995) 19–30
- Gasperoni, F. and U. Schwiegelshohn, List scheduling in the presence of branches. A theoretical evaluation 196 (1-2) (1998) 347–363
- Gastaldo, M., *see* M.A. Bender 143 (1) (1995) 73–91
- Gastin, P., Un modèle asynchrone pour les systèmes distribués 74 (2) (1990) 121–162
- Gastin, P. and B. Rozoy, The poset of infinitary traces 120 (1) (1993) 101–121
- Gastin, P., A. Petit and W. Zielonka, An extension of Kleene's and Ochmański's theorems to infinite traces 125 (2) (1994) 167–204
- Gati, G., Some elements of a Galois theory of the structure and complexity of the tree automorphism problem 14 (1) (1981) 1–17
- Gavaldà, R. and J.L. Balcázar, Strong and robustly strong polynomial-time reducibilities to sparse sets 88 (1) (1991) 1–14
- Gavilanes-Franco, A. and F. Lucio-Carrasco, A first order logic for partial functions 74 (1) (1990) 37–69
- Gécseg, F., *see* Z. Ésik 48 (1) (1986) 1–8
- Gécseg, F., *see* Z. Ésik 53 (2-3) (1987) 243–255

- Gécseg, F. and H. Jürgensen, Automata represented by products of soliton automata 74 (2) (1990) 163–181
- Gécseg, F. and H. Jürgensen, On α_0 - ν_1 -products of automata 80 (1) (1991) 35–51
- Geffert, V., A representation of recursively enumerable languages by two homomorphisms and a quotient 62 (3) (1988) 235–249
- Geffert, V., A speed-up theorem without tape compression 118 (1) (1993) 49–65
- Geffert, V., A communication hierarchy of parallel computations 198 (1-2) (1998) 99–130
- Geiselman, W. and F. Ulmer, Constructing a third-order linear differential equation 187 (1-2) (1997) 3–6
- Geiser, J.R., *see* J. Ferrante 4 (2) (1977) 227–233
- Gelenbe, E., Stationary deterministic flows in discrete systems I 23 (2) (1983) 107–127
- Gelenbe, E. and D. Finkel, Stationary deterministic flows: II. The single-server queue 52 (3) (1987) 269–280
- Gelenbe, E. and M. Hernández, Virus tests to maximize availability of software systems 125 (1) (1994) 131–147
- Gelenbe, E., *see* J.-M. Fournneau 155 (1) (1996) 141–156
- Geller, M.M., H.B. Hunt, III, T.G. Szymanski and J.D. Ullman, Economy of description by parsers, DPDA's, and PDA's 4 (2) (1977) 143–153
- Geller, M.M. and M.A. Harrison, On LR(k) grammars and languages 4 (3) (1977) 245–276
- Genrich, H.J. and K. Lautenbach, System modelling with high-level Petri nets 13 (1) (1981) 109–136
- Genrich, H.J. and P.S. Thiagarajan, A theory of bipolar synchronization schemes 30 (3) (1984) 241–318
- Gerhard, J.A. and M. Petrich, Unification in free distributive lattices 126 (2) (1994) 237–257
- German, S.M., Semantics and reasoning with free procedures 97 (1) (1992) 67–81
- Germano, G. and A. Maggiolo-Schettini, Sequence recursiveness without cylindrification and limited register machines 15 (2) (1981) 213–221
- Germano, G.M. and S. Mazzanti, Closure functions and general iterates as reflectors 82 (2) (1991) 215–252
- Geva, S., *see* S. Brookes 101 (2) (1992) 177–221
- Ghelli, G., Divergence of F_{\leq} type checking 139 (1-2) (1995) 131–162
- Ghelli, G. and B. Pierce, Bounded existentials and minimal typing 193 (1-2) (1998) 75–96
- Giaccio, R., *see* G. Ausiello 171 (1-2) (1997) 3–24
- Giakoumakis, V. and J.-M. Vanherpe, On extended P_4 -reducible and extended P_4 -sparse graphs 180 (1-2) (1997) 269–286
- Giancarlo, R., *see* Z. Galil 51 (3) (1987) 341–348
- Giancarlo, R., *see* W. Rytter 53 (2-3) (1987) 295–306
- Giancarlo, R., *see* Z. Galil 64 (1) (1989) 107–118
- Gibbons, A. and W. Rytter, On the decidability of some problems about rational subsets of free partially commutative monoids 48 (2-3) (1986) 329–337
- Gibbons, A. and W. Rytter, Optimally edge-colouring outerplanar graphs is in NC 71 (3) (1990) 401–411
- Gibbons, A., *see* A. Czumaj 154 (1) (1996) 3–22
- Gibbons, A., *see* J. Díaz 181 (2) (1997) 267–287
- Gibbons, J., Computing downwards accumulations on trees quickly 169 (1) (1996) 67–80
- Gibbons, P.B., Y. Matias and V. Ramachandran, The queue-read queue-write asynchronous PRAM model 196 (1-2) (1998) 3–29
- Giegerich, R., Code selection by inversion of order-sorted derivors 73 (2) (1990) 177–211
- Gil, B., Complete extension of general logic programs 94 (2) (1992) 281–294
- Gill, J., J. Hunt and J. Simon, Deterministic simulation of tape-bounded probabilistic Turing machine transducers 12 (3) (1980) 333–338
- Gill, J., *see* R. Beigel 103 (1) (1992) 3–23
- Gilleron, R., *see* J.-L. Coquidé 127 (1) (1994) 69–98
- Gilman, R.H., A shrinking lemma for indexed languages 163 (1-2) (1996) 277–281
- Gilmore, P.C. and G.K. Tsiknis, A logic for category theory 111 (1-2) (1993) 211–252
- Gilmore, P.C. and G.K. Tsiknis, Logical foundations for programming semantics 111 (1-2) (1993) 253–290
- Ginsburg, S., J. Goldstine and S. Greibach, Some uniformly erasable families of languages 2 (1) (1976) 29–44
- Ginsburg, S. and E.H. Spanier, Pushdown acceptor forms 5 (3) (1977) 307–320
- Ginsburg, S., *see* M. Blattner 17 (1) (1982) 1–27
- Ginsburg, S. and R. Hull, Characterizations for functional dependency and Boyce–Codd normal form families 26 (3) (1983) 243–286
- Ginsburg, S. and R. Hull, Order dependency in the relational model 26 (1-2) (1983) 149–195

- Ginsburg, S. and E.H. Spanier, On completing tables to satisfy functional dependencies 39 (2-3) (1985) 309–317
- Ginsburg, S. and C.-J. Tang, Projection of object histories 48 (2-3) (1986) 297–328
- Ginsburg, S. and C.-J. Tang, Canonical forms for interval functions 54 (2-3) (1987) 299–313
- Ginsburg, S. and C.-J. Tang, Cohesion of object histories 63 (1) (1989) 63–90
- Ginsburg, S., *see* G. Dong 76 (1) (1990) 143–177
- Ginsburg, S., *see* G. Dong 90 (2) (1991) 391–432
- Ginsburg, S. and K. Tanaka, Interval queries on object histories 145 (1-2) (1995) 291–316
- Ginzburg, A. and M. Yoeli, Reducibility of synchronization structures 40 (2-3) (1985) 301–314
- Giordano, L., A. Martelli and G. Rossi, Extending Horn clause logic with implication goals 95 (1) (1992) 43–74
- Giovannetti, E., *see* P.G. Bosco 59 (1-2) (1988) 3–23
- Giovini, A., *see* E. Astesiano 96 (1) (1992) 249–283
- Girard, J.-Y., The system F of variable types, fifteen years later 45 (2) (1986) 159–192
- Girard, J.-Y., Linear logic 50 (1) (1987) 1–102
- Girard, J.-Y., A. Scedrov and P.J. Scott, Bounded linear logic: a modular approach to polynomial-time computability 97 (1) (1992) 1–66
- Girault-Beauquier, D., Bilimites de langages reconnaissables 33 (2-3) (1984) 335–342
- Gire, F., *see* J. Beauquier 51 (1-2) (1987) 117–127
- Gire, F. and M. Nivat, Langages algébriques de mots biinfinis 86 (2) (1991) 277–323
- Gire, S., *see* S. Dulucq 117 (1-2) (1993) 187–198
- Girodias, P., E. Cerny and W.J. Older, Solving linear, min and max constraint systems using CLP based on relational interval arithmetic 173 (1) (1997) 253–281
- Gischer, J.L., The equational theory of pomsets 61 (2-3) (1988) 199–224
- Globerman, N. and D. Harel, Complexity results for two-way and multi-pebble automata and their logics 169 (2) (1996) 161–184
- Gloor, O., *see* B. Amrhein 187 (1-2) (1997) 179–202
- Gnaedig, I., C. Kirchner and H. Kirchner, Equational completion in order-sorted algebras 72 (2-3) (1990) 169–202
- Göbel, R., *see* M. Droste 75 (3) (1990) 289–309
- Godin, R. and R. Missaoui, An incremental concept formation approach for learning from databases 133 (2) (1994) 387–419
- Goerdt, A., Unrestricted resolution versus N-resolution 93 (1) (1992) 159–167
- Goerdt, A., Characterizing complexity classes by higher type primitive recursive definitions 100 (1) (1992) 45–66
- Gogolla, M., K. Drosten, U. Lipeck and H.-D. Ehrich, Algebraic and operational semantics of specifications allowing exceptions and errors 34 (3) (1984) 289–313
- Goguen, J.A. and R.M. Burstall, Some fundamental algebraic tools for the semantics of computation. Part 2: Signed and abstract theories 31 (3) (1984) 263–295
- Goguen, J.A. and R.M. Burstall, Some fundamental algebraic tools for the semantics of computation. Part 1: Comma categories, colimits, signatures and theories 31 (1-2) (1984) 175–209
- Goguen, J.A., *see* A. Tarlecki 91 (2) (1991) 239–264
- Goguen, J.A., *see* L.S. Moss 100 (2) (1992) 267–302
- Goguen, J.A. and J. Meseguer, Order-sorted algebra I: equational deduction for multiple inheritance, overloading, exceptions and partial operations 105 (2) (1992) 217–273
- Gohon, P., An algorithm to decide whether a rational subset of \mathbb{N}^k is recognizable 41 (1) (1985) 51–59
- Gold, A., *see* R. Cohen 10 (3) (1980) 249–272
- Gold, A.Y., *see* R.S. Cohen 6 (1) (1978) 1–23
- Goldblatt, R., Enlargements of functional algebras for the lambda calculus 198 (1-2) (1998) 177–200
- Goldfarb, W.D., The undecidability of the second-order unification problem 13 (2) (1981) 225–230
- Goldreich, O. and B. Meyer, Computational indistinguishability: algorithms vs. circuits 191 (1-2) (1998) 215–218
- Goldschlager, L.M., R.A. Shaw and J. Staples, The maximum flow problem is log space complete for P 21 (1) (1982) 105–111

- Goldschlager, L.M. and I. Parberry, On the construction of parallel computers from various bases of Boolean functions 43 (1) (1986) 43–58
- Goldstein, A.S. and E.M. Reingold, The complexity of pursuit on a graph 143 (1) (1995) 93–112
- Goldstine, J., *see* S. Ginsburg 2 (1) (1976) 29–44
- Goldstine, J., J.K. Price and D. Wotschke, A pushdown automaton or a context-free grammar – which is more economical 18 (1) (1982) 33–40
- Goldwurm, M., *see* A. Bertoni 79 (1) (1991) 25–35
- Goldwurm, M., *see* A. Bertoni 86 (2) (1991) 325–342
- Goldwurm, M., Probabilistic estimation of the number of prefixes of a trace 92 (2) (1992) 249–268
- Golen, Ch.E., Dynamics of positive automata networks 41 (1) (1985) 19–32
- Goles, E., *see* J. Bitar 92 (2) (1992) 291–300
- Goles, E., A. Maass and S. Martinez, On the limit set of some universal cellular automata 110 (1) (1993) 53–78
- Goles, E. and M.A. Kiwi, Games on line graphs and sand piles 115 (2) (1993) 321–349
- Goles, E., Lyapunov operators to study the convergence of extremal automata 125 (2) (1994) 329–337
- Goles, E., *see* M.A. Kiwi 136 (2) (1994) 527–532
- Goles, E. and M. Matamala, Symmetric discrete universal neural networks 168 (2) (1996) 405–416
- Goles, E. and M. Margenstern, Universality of the chip-firing game 172 (1-2) (1997) 121–134
- Goles, E., *see* R. Baeza-Yates 181 (1) (1997) 1–2
- Goles, E. and I. Rapaport, Complexity of tile rotation problems 188 (1-2) (1997) 129–159
- Goltz, U. and A. Rensink, Finite Petri nets as models for recursive causal behaviour 124 (1) (1994) 169–179
- Gonczarowski, J. and M.K. Warmuth, Applications of scheduling theory to formal language theory 37 (2) (1985) 217–243
- Gonczarowski, J. and M.K. Warmuth, Manipulating derivation forests by scheduling techniques 45 (1) (1986) 87–119
- Gonthier, G., Algebraic calculi of processes and net expressions 40 (2-3) (1985) 329–337
- Gonzalez, D., *see* M. Clerbout 123 (2) (1994) 259–272
- Gonzalez, T.F., Clustering to minimize the maximum intercluster distance 38 (2-3) (1985) 293–306
- Gordon, D. and E. Shamir, Computation of recursive functionals using minimal initial segments 23 (3) (1983) 305–315
- Gorrieri, R., S. Marchetti and U. Montanari, A²CCS: atomic actions for CCS 72 (2-3) (1990) 203–223
- Gorrieri, R., M. Roccetti and E. Stancampiano, A theory of processes with durational Actions 140 (1) (1995) 73–94
- Gorrieri, R. and U. Montanari, On the implementation of concurrent calculi in net calculi: two case studies 141 (1-2) (1995) 195–252
- Gorrieri, R., *see* N. Busi 192 (2) (1998) 167–199
- Goto, S., Proof normalization with nonstandard objects 85 (2) (1991) 333–351
- Gottlob, G., *see* T. Eiter 114 (2) (1993) 231–245
- Gottlob, G., *see* T. Eiter 118 (2) (1993) 315
- Gottlob, G., S. Marcus, A. Nerode, G. Salzer and V.S. Subrahmanian, A non-ground realization of the stable and well-founded semantics 166 (1-2) (1996) 221–262
- Gottlob, G., *see* T. Eiter 189 (1-2) (1997) 129–177
- Gouëssier d'Argence, P.L., Affine scheduling on bounded convex polyhedric domains is asymptotically optimal 196 (1-2) (1998) 395–415
- Gourdon, X., *see* P. Flajolet 144 (1-2) (1995) 3–58
- Gouyou-Beauchamps, D., *see* S. Dulucq 71 (3) (1990) 381–400
- Gouyou-Beauchamps, D., *see* S.H. Choi 117 (1-2) (1993) 137–151
- Grabmeier, J., *see* M. Clausen 84 (2) (1991) 151–164
- Grabner, P., *see* Ph. Flajolet 123 (2) (1994) 291–314
- Grabowski, M., On the status of proving program properties in effective interpretations 120 (1) (1993) 69–81
- Grädel, E., Subclasses of Presburger arithmetic and the polynomial-time hierarchy 56 (3) (1988) 289–301
- Graedel, E., Capturing complexity classes by fragments of second-order logic 101 (1) (1992) 35–57
- Grahne, G., *see* S. Abiteboul 78 (1) (1991) 159–187
- Gramlich, B., On termination and confluence properties of disjoint and constructor-sharing conditional rewrite systems 165 (1) (1996) 97–131

- Grammatikakis, M., *see* A. Ferreira 158 (1-2) (1996) 53–64
- Grange, O., *see* D. Arquès 147 (1-2) (1995) 211–248
- Grant, J. and J. Minker, Inferences for numerical dependencies 41 (2-3) (1985) 271–287
- Grant, P.W., Some more independence results in complexity theory 12 (2) (1980) 119–126
- Gray, J.W., Categorical aspects of data type constructors 50 (2) (1987) 103–135
- Grefenstette, J.J., Stability in L systems 24 (1) (1983) 53–71
- Grefenstette, J.J., Stability in L systems (*Corrigendum*) 28 (3) (1984) 347
- Greibach, S., *see* S. Ginsburg 2 (1) (1976) 29–44
- Greibach, S.A., Remarks on the complexity of nondeterministic counter languages 1 (4) (1976) 269–288
- Greibach, S.A., One way finite visit automata 6 (2) (1978) 175–221
- Greibach, S.A., Remarks on blind and partially blind one-way multicounter machines 7 (3) (1978) 311–324
- Griesser, B., Lower bounds for the approximative complexity 46 (2-3) (1986) 329–338
- Grigor'ev, D.Y., Additive complexity in directed computations 19 (1) (1982) 39–67
- Grigoriev, D., NC solving of a system of linear ordinary differential equations in several unknowns 157 (1) (1996) 79–90
- Grigoriev, D. and M. Karpinski, Computability of the additive complexity of algebraic circuits with root extracting 157 (1) (1996) 91–99
- Grigoriev, D. and N. Vorobjov, Complexity lower bounds for computation trees with elementary transcendental function gates 157 (2) (1996) 185–214
- Grigoriev, D., Testing shift-equivalence of polynomials by deterministic, probabilistic and quantum machines 180 (1-2) (1997) 217–228
- Grigoriev, D.Yu., Deviation theorems for solutions of differential equations and applications to lower bounds on parallel complexity of sigmoids 133 (1) (1994) 23–33
- Gritzner, T.F. and R. Berghammer, A relation algebraic model of robust correctness 159 (2) (1996) 245–270
- Grolmusz, V., On the power of circuits with gates of low L_1 norms 188 (1-2) (1997) 117–128
- Groote, J.F., Transition system specifications with negative premises 118 (2) (1993) 263–299
- Groote, J.F. and M.P.A. Sellink, Confluence for process verification 170 (1-2) (1996) 47–81
- Große-Rhode, M., *see* H. Ehrig 135 (2) (1994) 221–266
- Grosse-Rhode, M., *see* H. Ehrig 71 (3) (1990) 347–380
- Grossi, R., On finding common subtrees 108 (2) (1993) 345–356
- Grossman, J.W. and R.S. Zeitman, An inherently iterative computation of Ackermann's function 57 (2-3) (1988) 327–330
- Grossman, R.L. and R.G. Larson, An algebraic approach to hybrid systems 138 (1) (1995) 101–112
- Gruau, F., J.-Y. Ratajszczak and G. Wiber, A neural compiler 141 (1-2) (1995) 1–52
- Grue, K., Map theory 102 (1) (1992) 1–134
- Grue, K., *see* C. Berline 179 (1-2) (1997) 137–202
- Grumbach, S. and C. Tollu, On the expressive power of counting 149 (1) (1995) 67–99
- Grumbach, S. and J. Su, Queries with arithmetical constraints 173 (1) (1997) 151–181
- Grumberg, O., *see* M.C. Browne 59 (1-2) (1988) 115–131
- Grumberg, O., *see* L. Fix 131 (1) (1994) 139–179
- Gruska, J., *see* K. Culik, II 23 (3) (1983) 231–242
- Gruska, J., Synthesis, structure and power of systolic computations 71 (1) (1990) 47–77
- Gruska, J., A. Montii, M. Napoli and D. Parente, Succinctness of descriptions of SBTA-languages 179 (1-2) (1997) 251–271
- Grzymala-Busse, J.W. and Z. Bavel, Characterization of state-independent automata 43 (1) (1986) 1–10
- Gu, X. and Y. Zhu, Optimal heapsort algorithm 163 (1-2) (1996) 239–243
- Guaiana, G., A. Restivo and S. Salemi, Star-free trace languages 97 (2) (1992) 301–311
- Guaiana, G., *see* V. Bruyère 148 (2) (1995) 227–260
- Gubaš, X., J. Hromkovič and J. Waczulík, A nonlinear lower bound on the practical combinational complexity 143 (2) (1995) 335–342
- Guerra, C., *see* A. Apostolico 92 (1) (1992) 3–17
- Guessarian, I., Program transformations and algebraic semantics 9 (1) (1979) 39–65
- Guessarian, I., *see* G. Gardarin 63 (3) (1989) 253–274
- Guibas, L., *see* H. Edelsbrunner 92 (2) (1992) 319–336

- Guibas, L., *see* M. de Berg 140 (2) (1995) 301–317
- Guibas, L.J., J. Stolfi and K.L. Clarkson, Solving related two- and three-dimensional linear programming problems in logarithmic time 49 (1) (1987) 81–84
- Guibas, L.J., *see* B. Chazelle 84 (1) (1991) 77–105
- Guichet, M.T., *see* D. Arques 58 (1-3) (1988) 3–16
- Guichet, P., *see* D. Arques 58 (1-3) (1988) 3–16
- Guimarães, K.S., *see* W.I. Gasarch 181 (1) (1997) 119–139
- Gunawardena, J., Causal automata 101 (2) (1992) 265–288
- Gunter, C.A., The mixed powerdomain 103 (2) (1992) 311–334
- Guo, Y.Q., G.W. Xu and G. Thierrin, Disjunctive decomposition of languages 46 (1) (1986) 47–51
- Gupta, A. and N. Nishimura, The complexity of subgraph isomorphism for classes of partial k -trees 164 (1-2) (1996) 287–298
- Gupta, U.I., D.T. Lee, J.Y.-T. Leung, J.W. Pruitt and C.K. Wong, Record allocation for minimizing seek delay 16 (3) (1981) 307–319
- Gurari, E.M. and O.H. Ibarra, The complexity of the equivalence problem for two characterizations of Presburger sets 13 (3) (1981) 295–314
- Gurari, E.M. and O.H. Ibarra, Some simplified undecidable and NP-hard problems for simple programs 17 (1) (1982) 55–73
- Gurevich, Y. and J.K. Huggins, Equivalence is in the eye of the beholder 179 (1-2) (1997) 353–380
- Gustedt, J., *see* C. Fiorio 154 (2) (1996) 165–181
- Gutbrod, R., A transformation system for generating description languages of chain code pictures 68 (3) (1989) 239–252
- Guyadec, Y.L., *see* L. Bougé 189 (1-2) (1997) 71–107
- Gyenezse, P. and S. Vágvölgyi, Compositions of deterministic bottom-up, top-down, and regular look-ahead tree transformations 156 (1-2) (1996) 71–97
- Gyenezse, P. and S. Vágvölgyi, Linear generalized semi-monadic rewrite systems effectively preserve recognizability 194 (1-2) (1998) 87–122
- Gyssens, M. and D. Van Gucht, A comparison between algebraic query languages for flat and nested databases 87 (2) (1991) 263–286
- Gyssens, M., *see* C. Tuijn 160 (1-2) (1996) 217–239
- Gyuris, V., A short proof of representability of fork algebras 188 (1-2) (1997) 211–220
- Habbas, Z., A complete modal proof system for HAL: the Herbrand agent language 119 (1) (1993) 127–143
- Habel, A. and H.-J. Kreowski, Characteristics of graph languages generated by edge replacement 51 (1-2) (1987) 81–115
- Habel, A., H.-J. Kreowski and W. Vogler, Decidable boundedness problems for sets of graphs generated by hyperedge-replacement 89 (1) (1991) 33–62
- Habel, A., H.-J. Kreowski and C. Lautemann, A comparison of compatible, finite, and inductive graph properties 110 (1) (1993) 145–168
- Habel, A., *see* F. Drewes 145 (1-2) (1995) 159–187
- Habib, M. and L. Nourine, Tree structure for distributive lattices and its applications 165 (2) (1996) 391–405
- Habib, M., *see* V. Bouchitté 175 (2) (1997) 223
- Hack, M., The equality problem for vector addition systems is undecidable 2 (1) (1976) 77–95
- Hackstadt, S.T. and A.D. Malony, DAQV: Distributed Array Query and Visualization Framework 196 (1-2) (1998) 289–317
- Haddad, S., *see* G. Chiola 176 (1-2) (1997) 39–65
- Haddawy, P., *see* L. Ngo 171 (1-2) (1997) 147–177
- Hadjiat, M., Penelope's graph: a hard minimum cost tension instance 194 (1-2) (1998) 207–218
- Haegemans, A., *see* J. Verschelde 133 (1) (1994) 165–185
- Hagauer, J., On form-equivalence of deterministic pure grammar forms 18 (1) (1982) 69–87
- Hagauer, J., *see* W. Bucher 26 (1-2) (1983) 233–241
- Hagiya, M., Generalization from partial parametrization in higher-order type theory 63 (2) (1989) 113–139
- Hagiya, M., A typed λ -calculus for proving-by-example and bottom-up generalization procedure 137 (1) (1995) 3–23
- Hájek, P., Arithmetical hierarchy and complexity of computation 8 (2) (1979) 227–237

- Hájek, P., A simple dynamic logic 46 (2-3) (1986) 239–259
- Haken, A., The intractability of resolution 39 (2-3) (1985) 297–308
- Halbwachs, N., *see* R. Alur 138 (1) (1995) 3–34
- Hall, T.E., Bifix codes, inverse semigroups and syntactic monoids of injective automata 32 (1-2) (1984) 201–213
- Halldórsson, M.M. and M. Szegedy, Lower bounds for on-line graph coloring 130 (1) (1994) 163–174
- Hallnäs, L., An intensional characterization of the largest bisimulation 53 (2-3) (1987) 335–343
- Hallnäs, L., Partial inductive definitions 87 (1) (1991) 115–142
- Halpenny, L. and C.J. Smyth, A classification of minimal standard-path 2×2 switching networks 102 (2) (1992) 329–354
- Halperin, D., *see* M. de Berg 140 (2) (1995) 301–317
- Halpern, J.Y. and J.H. Reif, The propositional dynamic logic of deterministic, well-structured programs 27 (1-2) (1983) 127–165
- Hamaguchi, K., H. Hiraishi and S. Yajima, ∞ -Regular temporal logic and its model checking problem 103 (2) (1992) 191–204
- Hammer, P.L., *see* O. Ekin 175 (2) (1997) 257–270
- Han, J., Towards efficient induction mechanisms in database systems 133 (2) (1994) 361–385
- Han, K., *see* R. Sridhar 140 (2) (1995) 291–300
- Handley, W.G., Deterministic summation modulo \mathcal{B}_n , the semigroup of binary relations on $0, 1 \dots n - 1$ 172 (1-2) (1997) 135–174
- Hanen, C., *see* A. Munier 178 (1-2) (1997) 119–127
- Hankin, C., G. Burn and S. Peyton Jones, A safe approach to parallel combinator reduction 56 (1) (1988) 17–36
- Hankin, C., D. Le Métayer and D. Sands, Refining multiset transformers 192 (2) (1998) 233–258
- Hansel, G., Une démonstration simple du théorème de Skolem–Mahler–Lech 43 (1) (1986) 91–98
- Hansel, G., *see* F. Blanchard 44 (1) (1986) 17–49
- Hansel, G. and D. Perrin, Rational probability measures 65 (2) (1989) 171–188
- Hansel, G., *see* V. Bruyère 181 (1) (1997) 17–43
- Hansen, E.R., *see* B.J. Oommen 74 (2) (1990) 183–197
- Hansen, H., *see* H. Ehrig 77 (1-2) (1990) 27–71
- Hansen, M.R., P.K. Pandya and Z. Chaochen, Finite divergence 138 (1) (1995) 113–139
- Hanus, M., Horn clause programs with polymorphic types: semantics and resolution 89 (1) (1991) 63–106
- Harary, F., Graph theoretic models 11 (2) (1980) 117–121
- Hardin, T. and A. Laville, Proof of termination of the rewriting system SUBST on CCL 46 (2-3) (1986) 305–312
- Hardin, T., Confluence results for the pure Strong Categorical Logic CCL. λ -calculi as subsystems of CCL 65 (3) (1989) 291–342
- Harel, D., Proving the correctness of regular deterministic programs: A unifying survey using dynamic logic 12 (1) (1980) 61–81
- Harel, D., On the total correctness of nondeterministic programs 13 (2) (1981) 175–192
- Harel, D. and D. Peleg, Process logic with regular formulas 38 (2-3) (1985) 307–322
- Harel, D., *see* Y. Etzion-Petruschka 131 (2) (1994) 243–269
- Harel, D., *see* N. Globberman 169 (2) (1996) 161–184
- Harju, T., *see* K. Culik, II 18 (3) (1982) 279–300
- Harju, T. and M. Linna, The equations $h(w) = w^n$ in binary alphabets 33 (2-3) (1984) 327–329
- Harju, T. and J. Karhumäki, The equivalence problem of multitape finite automata 78 (2) (1991) 347–355
- Harju, T., H.C.M. Kleijn, M. Latteux and A. Terlutte, Representation of rational functions with prefix and suffix codings 134 (2) (1994) 403–413
- Harju, T., *see* J. Engelfriet 154 (2) (1996) 247–282
- Harju, T., M. Lipponen and A. Mateescu, Flatwords and Post Correspondence Problem 161 (1-2) (1996) 93–108
- Harju, T., *see* C. Choffrut 183 (1) (1997) 83–92
- Harju, T. and L. Ilie, On quasi orders of words and the confluence property 200 (1-2) (1998) 205–224
- Harper, L.H., W.N. Hsieh and J.E. Savage, A class of Boolean functions with linear combinational complexity 1 (2) (1976) 161–183
- Harper, L.H., *see* X. Berenguer 21 (1) (1982) 99–103
- Harper, R. and R. Pollack, Type checking with universes 89 (1) (1991) 107–136

- Harrison, J., Morphic congruences and D0L languages 134 (2) (1994) 537–544
- Harrison, J., Dynamical properties of PWD0L systems 143 (2) (1995) 269–284
- Harrison, J., On almost cylindrical languages and the decidability of the D0L and PWD0L primitivity problems 164 (1-2) (1996) 29–40
- Harrison, M.A., *see* M.M. Geller 4 (3) (1977) 245–276
- Harrison, M.A., I.M. Havel and A. Yehudai, On equivalence of grammars through transformation trees 9 (2) (1979) 173–205
- Harrison, P.G. and H. Khoshnevisan, A new approach to recursion removal 93 (1) (1992) 91–113
- Hartmanis, J. and L. Berman, On tape bounds for single letter alphabet language processing 3 (2) (1976) 213–224
- Hartmanis, J., On log-tape isomorphisms of complete sets 7 (3) (1978) 273–286
- Hartmanis, J., Relations between diagonalization, proof systems, and complexity gaps 8 (2) (1979) 239–253
- Hartmanis, J., A note on natural complete sets and Gödel numberings 17 (1) (1982) 75–89
- Hartmanis, J., On Gödel speed-up and succinctness of language representations 26 (3) (1983) 335–342
- Hartmanis, J. and Y. Yesha, Computation times of NP sets of different densities 34 (1-2) (1984) 17–32
- Hartmanis, J. and L.A. Hemachandra, Complexity classes without machines: On complete languages for UP 58 (1-3) (1988) 129–142
- Hartmanis, J., New developments in structural complexity theory 71 (1) (1990) 79–93
- Hartmanis, J. and L.A. Hemachandra, Robust machines accept easy sets 74 (2) (1990) 217–225
- Hartmanis, J., *see* D. Ranjan 80 (2) (1991) 289–302
- Hartmanis, J. and L.A. Hemachandra, One-way functions and the nonisomorphism of NP-complete sets 81 (1) (1991) 155–163
- Hartmann, W. and P. Schuster, Multiplicative complexity of some rational functions 10 (1) (1980) 53–61
- Hartonas, C., Semantics for finite delay 176 (1-2) (1997) 205–234
- Hartonas, C., A fixpoint approach to finite delay and fairness 198 (1-2) (1998) 131–158
- Hasegawa, S., H. Imai and M. Ishiguro, ε -approximations of k -label spaces 137 (1) (1995) 145–157
- Hashiguchi, K., A decision procedure for the order of regular events 8 (1) (1979) 69–72
- Hashiguchi, K., Notes on finitely generated semigroups and pumping conditions for regular languages 46 (1) (1986) 53–66
- Hashiguchi, K., Notes on congruence relations and factor pumping conditions for rational languages 57 (2-3) (1988) 303–316
- Hashiguchi, K., Improved limitedness theorems on finite automata with distance functions 72 (1) (1990) 27–38
- Hashiguchi, K. and H. Yoo, Extended regular expressions of star degree at most two 76 (2-3) (1990) 273–284
- Hashiguchi, K., Recognizable closures and submonoids of free partially commutative monoids 86 (2) (1991) 233–241
- Hashiguchi, K., *see* H. Yoo 88 (2) (1991) 351–363
- Hashiguchi, K., Algorithms for determining relative inclusion star height and inclusion star height 91 (1) (1991) 85–100
- Hashiguchi, K. and K. Yamada, Two recognizable string-matching problems over free partially commutative monoids 92 (1) (1992) 77–86
- Hashiguchi, K., *see* H. Yoo 97 (2) (1992) 217–231
- Hasse-Ye, H., *see* R. Vingralek 190 (2) (1998) 363–396
- Håstad, J., A. Razborov and A. Yao, On the shrinkage exponent for read-once formulae 141 (1-2) (1995) 269–282
- Hausen-Tropper, E., A framework for a theory of automated learning 163 (1-2) (1996) 161–176
- Hausser, R., Complexity in left-associative grammar 106 (2) (1992) 283–308
- Haussler, D., *see* A. Ehrenfeucht 27 (3) (1983) 311–332
- Haussler, D., *see* A. Blumer 40 (1) (1985) 31–55
- Haussler, D., *see* W. Bucher 40 (2-3) (1985) 131–148
- Haussler, D., *see* M.G. Main 49 (2-3) (1987) 113–119
- Havas, G., *see* Z.J. Czech 182 (1-2) (1997) 1–143
- Havel, I.M., *see* M.A. Harrison 9 (2) (1979) 173–205
- Havel, I.M., On branching and looping. Part I 10 (2) (1980) 187–220
- Havel, I.M., On branching and looping. Part II 10 (3) (1980) 273–295

- Haxthausen, A.E., Order-sorted algebraic specifications with higher-order functions 183 (2) (1997) 157–185
- Hayashi, S., Adjunction of semifunctors: Categorical structures in nonextensional lambda calculus 41 (1) (1985) 95–104
- Hayashi, T., *see* S. Miyano 32 (3) (1984) 321–330
- He, X., A nearly optimal parallel algorithm for constructing maximal independent set in planar graphs 61 (1) (1988) 33–47
- He, X., An efficient algorithm for edge colouring planar graphs with Δ colours 74 (3) (1990) 299–312
- He, X., *see* R. Sarnath 76 (2-3) (1990) 343–351
- He, X., *see* G. Kant 172 (1-2) (1997) 175–193
- Head, T. and J. Wilkinson, Finite D0L languages and codes 21 (3) (1982) 357–361
- Head, T., G. Thierrin and J. Wilkinson, D0L schemes and the periodicity of string embeddings 23 (1) (1983) 83–89
- Head, T., Adherences of D0L languages 31 (1-2) (1984) 139–149
- Head, T. and J. Wilkinson, Code properties and homomorphisms of D0L systems 35 (2-3) (1985) 295–312
- Head, T. and B. Lando, Periodic D0L languages 46 (1) (1986) 83–89
- Head, T. and B. Lando, Regularity of sets of initial strings of periodic D0L-systems 48 (1) (1986) 101–108
- Head, T. and B. Lando, Bounded D0L languages 51 (3) (1987) 255–264
- Head, T., The set of strings mapped into a submonoid by iterates of a morphism 73 (3) (1990) 329–333
- Hebisch, U. and H.J. Weinert, Generalized semigroup semirings which are zero-divisor-free or multiplicatively left-cancellative 92 (2) (1992) 269–289
- Hebrard, J.-J., An algorithm for distinguishing efficiently bit-strings by their subsequences 82 (1) (1991) 35–49
- Hébrard, J.-J., A linear algorithm for renaming a set of clauses as a Horn set 124 (2) (1994) 343–350
- Heckmann, R., Power domains and second-order predicates 111 (1-2) (1993) 59–88
- Heckmann, R., Stable power domains 136 (1) (1994) 21–56
- Heckmann, R., *see* A. Edalat 193 (1-2) (1998) 53–73
- Heen, O., Linear speed-up for cellular automata synchronizers and applications 188 (1-2) (1997) 45–57
- Heering, J., Partial evaluation and ω -completeness of algebraic specifications 43 (2-3) (1986) 149–167
- Heering, J., *see* J.A. Bergstra 124 (1) (1994) 149–168
- Hegner, E.C.R. and C.A.R. Hoare, A more complete model of communicating processes 26 (1-2) (1983) 105–120
- Heibig, A.G., Control machines: A new model of parallelism for compositional specifications and their effective compilation 87 (1) (1991) 43–80
- Heilbrunner, S., A parsing automata approach to LR theory 15 (2) (1981) 117–157
- Heilbrunner, S., A metatheorem for undecidable properties of formal languages and its application to LRR and LLR grammars and languages 23 (1) (1983) 49–68
- Heilbrunner, S. and L. Schmitz, An efficient recognizer for the Boolean closure of context-free languages 80 (1) (1991) 53–75
- Heiman, R., I. Newman and A. Wigderson, On read-once threshold formulae and their randomized decision tree complexity 107 (1) (1992) 63–76
- Hein, J., Completions of perpetual logic programs 99 (1) (1992) 65–78
- Heintz, J. and M. Sieveking, Lower bounds for polynomials with algebraic coefficients 11 (3) (1980) 321–330
- Heintz, J., Definability and fast quantifier elimination in algebraically closed fields 24 (3) (1983) 239–277
- Heintz, J., Definability and fast quantifier elimination in algebraically closed fields (*Corrigendum*) 39 (2-3) (1985) 343
- Heintz, J., On polynomials with symmetric Galois group which are easy to compute 47 (1) (1986) 99–105
- Helfrich, B., Algorithms to construct Minkowski reduced and Hermite reduced lattice bases 41 (2-3) (1985) 125–139
- Hellekalek, P. and G. Larcher, On Weyl sums and skew products over irrational rotations 65 (2) (1989) 189–196
- Hemachandra, L.A., *see* J. Hartmanis 58 (1-3) (1988) 129–142
- Hemachandra, L.A., *see* J. Hartmanis 74 (2) (1990) 217–225
- Hemachandra, L.A., A. Hoene, D. Siefkes and P. Young, On sets polynomially enumerable by iteration 80 (2) (1991) 203–225
- Hemachandra, L.A., *see* J. Hartmanis 81 (1) (1991) 155–163

- Hemachandra, L.A. and G. Wechsung, Kolmogorov characterizations of complexity classes 83 (2) (1991) 313–322
- Hemachandra, L.A. and R.S. Rubinfeld, Separating complexity classes with tally oracles 92 (2) (1992) 309–318
- Hemaspaandra, E. and L.A. Hemaspaandra, Quasi-injective reductions 123 (2) (1994) 407–413
- Hemaspaandra, L.A., *see* E. Hemaspaandra 123 (2) (1994) 407–413
- Hemaspaandra, L.A. and Z. Jiang, P-selectivity: Intersections and indices 145 (1-2) (1995) 371–380
- Hemaspaandra, L.A. and L. Torenvliet, Optimal advice 154 (2) (1996) 367–377
- Hemaspaandra, L.A., A. Hoene and M. Ogihara, Reducibility classes of P-selective sets 155 (2) (1996) 447–457
- Hennessy, M., An algebraic theory of fair asynchronous communicating processes 49 (2-3) (1987) 121–143
- Hennessy, M., *see* G. Boudol 114 (1) (1993) 31–61
- Hennessy, M. and H. Lin, Symbolic bisimulations 138 (2) (1995) 353–389
- Hennessy, M. and J. Rathke, Bisimulations for a calculus of broadcasting systems 200 (1-2) (1998) 225–260
- Hennessy, M.C.B. and E.A. Ashcroft, A mathematical semantics for a nondeterministic typed λ -calculus 11 (3) (1980) 227–245
- Hennessy, M.C.B., *see* R. De Nicola 34 (1-2) (1984) 83–133
- Hennicker, R., A semi-algorithm for algebraic implementation proofs 104 (1) (1992) 53–87
- Hennicker, R., *see* M. Bidoit 165 (1) (1996) 3–55
- Hennicker, R., M. Wirsing and M. Bidoit, Proof systems for structured specifications with observability operators 173 (2) (1997) 393–443
- Henriques, P., *see* J.C. Ramalho 199 (1-2) (1998) 231–247
- Henzinger, T.A., *see* R. Alur 138 (1) (1995) 3–34
- Herbst, T., On a kind of Fatou property of context-free groups 93 (2) (1992) 327–331
- Herbst, T. and R.M. Thomas, Group presentations, formal languages and characterizations of one-counter groups 112 (2) (1993) 187–214
- Herman, G.T. and A. Walker, On the stability of some biological schemes with cellular interactions 2 (1) (1976) 115–130
- Hermann, M. and R. Galbavý, Unification of infinite sets of terms schematized by primal grammars 176 (1-2) (1997) 111–158
- Hernández, H.J., *see* E.P.F. Chan 62 (1-2) (1988) 67–104
- Hernández, M., *see* E. Gelenbe 125 (1) (1994) 131–147
- Herrman, F., *see* Z. Fucloep 108 (2) (1992) 185–236
- Hershberger, J., M. Rauch and S. Suri, Data structures for two-edge connectivity in planar graphs 130 (1) (1994) 139–161
- Herrtrampf, U., Relations among mod-classes 74 (3) (1990) 325–328
- Herrtrampf, U., *see* E. Allender 115 (2) (1993) 225–241
- Herzog, C., Pushdown automata with bounded nondeterminism and bounded ambiguity 181 (1) (1997) 141–157
- Hespe, C. and G. Jacob, Approximation of nonlinear dynamic systems by rational series 79 (1) (1991) 151–162
- Hesselink, W.H., Interpretations of recursion under unbounded nondeterminacy 59 (3) (1988) 211–234
- Hesselink, W.H., Deadlock and fairness in morphisms of transition systems 59 (3) (1988) 235–257
- Hesselink, W.H., Processes and formalisms for unbounded choice 99 (1) (1992) 105–119
- Hesselink, W.H., Nondeterminacy and recursion via stacks and games 124 (2) (1994) 273–295
- Hibbard, T.N., *see* A.B. Cremers 5 (2) (1977) 113–128
- Hieb, R., *see* M. Felleisen 103 (2) (1992) 235–271
- Higgins, P.M., A proof of Simon's theorem on piecewise testable languages 178 (1-2) (1997) 257–264
- Hilken, B.P., Towards a proof theory of rewriting: The simply typed 2 λ -calculus 170 (1-2) (1996) 407–444
- Hindley, J.R., Coppo-Dezani types do not correspond to propositional logic 28 (1-2) (1984) 235–236
- Hindley, J.R., BCK-combinators and linear λ -terms have types 64 (1) (1989) 97–105
- Hindley, J.R., *see* M. Dezani-Ciancaglini 100 (2) (1992) 303–324
- Hindley, J.R., *see* P. Trigg 135 (2) (1994) 405–422
- Hindley, J.R., *see* M.W. Bunder 155 (1) (1996) 265–266
- Hindley, J.R., *see* N. Çağman 198 (1-2) (1998) 239–247
- Hindley, R., The discrimination theorem holds for combinatory weak reduction 8 (3) (1979) 393–394
- Hindley, R., The completeness theorem for typing λ -terms 22 (1-2) (1983) 1–17

- Hindley, R., Curry's type-rules are complete with respect to the F -semantics too 22 (1-2) (1983) 127–133
- Hiraishi, H., *see* K. Hamaguchi 103 (2) (1992) 191–204
- Hiraishi, K. and A. Ichikawa, On structural conditions for weak persistency and semilinearity of Petri nets 93 (2) (1992) 185–199
- Hiraishi, K., Some complexity results on transition systems and elementary net systems 135 (2) (1994) 361–376
- Hirokawa, S., Complexity of the combinator reduction machine 41 (2-3) (1985) 289–303
- Hirokawa, S., *see* S. Sekimoto 56 (2) (1988) 223–231
- Hirokawa, S., Principal types of BCK-lambda-terms 107 (2) (1993) 253–276
- Hirose, S., S. Okawa and M. Yoneda, A homomorphic characterization of recursively enumerable languages 35 (2-3) (1985) 261–269
- Hirose, S. and M. Yoneda, On the Chomsky and Stanley's homomorphic characterization of context-free languages 36 (1) (1985) 109–112
- Hirose, S., *see* S. Okawa 44 (2) (1986) 225–228
- Hirschberg, D.S., *see* A.K. Chandra 3 (3) (1976) 293–304
- Hirshfeld, Y., M. Jerrum and F. Møller, A polynomial algorithm for deciding bisimilarity of normed context-free processes 158 (1-2) (1996) 143–159
- Ho, C.-T., *see* J. Bruck 128 (1-2) (1994) 241–252
- Ho, P.-H., *see* R. Alur 138 (1) (1995) 3–34
- Hoàng, C.T., A parallel algorithm for minimum weighted colouring of triangulated graphs 99 (2) (1992) 335–344
- Hoare, C.A.R., *see* E.C.R. Hehner 26 (1-2) (1983) 105–120
- Hoare, C.A.R., *see* A.W. Roscoe 60 (2) (1988) 177–229
- Hoare, C.A.R., A theory for the derivation of combinational C-mos circuit designs 90 (1) (1991) 235–251
- Hodel, A.S. and M.C. Loui, Optimal dynamic embedding of X-trees into arrays 59 (3) (1988) 259–276
- Hodges, W., The meaning of specifications I: Domains and initial models 152 (1) (1995) 67–89
- Hodgson, B.R., On direct products of automaton decidable theories 19 (3) (1982) 331–335
- Hodgson, B.R., *see* C.F. Kent 21 (3) (1982) 255–267
- Hodkinson, I., On Gabbay's temporal fixed point operator 139 (1-2) (1995) 1–25
- Hoene, A., *see* L.A. Hemachandra 80 (2) (1991) 203–225
- Hoene, A., *see* L.A. Hemaspaandra 155 (2) (1996) 447–457
- Hofbauer, D., Termination proofs by multiset path orderings imply primitive recursive derivation lengths 105 (1) (1992) 129–140
- Hofer, G., Left ideals and reachability in machines 68 (1) (1989) 49–56
- Hofer, G., Experiments and stability in group automata 80 (1) (1991) 117–120
- Höfgen, K.-U., *see* P. Fischer 172 (1-2) (1997) 43–65
- Hoffmann, J. and M.G. Main, Results on NLC grammars with one-letter terminal alphabets 73 (3) (1990) 279–294
- Hofmann, M. and D. Sannella, On behavioural abstraction and behavioural satisfaction in higher-order logic 167 (1-2) (1996) 3–45
- Hofri, M. and Y. Kogan, Asymptotic analysis of product-form distributions related to large interconnection networks 125 (1) (1994) 61–90
- Hohl, J.-C., Massively parallel factorizations of polynomials with many non-commuting variables 172 (1-2) (1997) 255–263
- Holcombe, M., On the holonomy decomposition of transformation semigroups 19 (1) (1982) 99–104
- Holden, M., Weak logic theory 79 (2) (1991) 295–321
- Holenderski, L., *see* A. Szalas 57 (2-3) (1988) 317–325
- Hölldobler, S., Conditional equational theories and complete sets of transformations 75 (1-2) (1990) 85–110
- Hollingsworth, J.K. and B.P. Miller, Using cost to control instrumentation overhead 196 (1-2) (1998) 241–258
- Holte, R., L. Rosier, I. Tulchinsky and D. Varvel, Pinwheel scheduling with two distinct numbers 100 (1) (1992) 105–135
- Homann, K., *see* J. Calmet 187 (1-2) (1997) 221–230
- Homer, S. and W. Maass, Oracle-dependent properties of the lattice of NP sets 24 (3) (1983) 279–289
- Homer, S., On simple and creative sets in NP 47 (2) (1986) 169–180
- Homer, S. and T.J. Long, Honest polynomial degrees and $P = NP$ 51 (3) (1987) 265–280

- Homer, S., *see* E. Allender 115 (2) (1993) 225–241
- Homer, S., S. Kurtz and J. Royer, On 1-truth-table-hard languages 115 (2) (1993) 383–389
- Homer, S., *see* K. Ambos-Spies 132 (1-2) (1994) 229–241
- Homer, S., *see* Z. Chen 180 (1-2) (1997) 155–168
- Honda, K. and N. Yoshida, On reduction-based process semantics 151 (2) (1995) 437–486
- Honda, N., *see* Y. Nishitani 14 (1) (1981) 39–61
- Hong, J.-W., A tradeoff theorem for space and reversal 32 (1-2) (1984) 221–224
- Hong, J.W. and Q. Zuo, Lower bounds on communication overlap of networks 47 (3) (1986) 323–328
- Honkala, J., Bases and ambiguity of number systems 31 (1-2) (1984) 61–71
- Honkala, J., A necessary condition for the rationality of the zeta function of a regular language 66 (3) (1989) 341–347
- Honkala, J., On algebraic generalized zeta functions of formal power series 79 (1) (1991) 263–273
- Honkala, J., On DOL systems with immigration 120 (2) (1993) 229–245
- Honkala, J., On generalized DTOL systems and their fixed points 127 (2) (1994) 269–286
- Honkala, J. and W. Kuich, On Lindenmayerian algebraic power series 183 (1) (1997) 113–142
- Honkala, J., On Lindenmayerian algebraic sequences 183 (1) (1997) 143–154
- Honsell, F., *see* M. Forti 156 (1-2) (1996) 203–215
- Hoofman, R., Weakly expressive models for Hoare logic 82 (2) (1991) 409–418
- Hoofman, R., Comparing models of the intensional typed λ -calculus 166 (1-2) (1996) 83–99
- Hoogetboom, H.J., *see* A. Ehrenfeucht 48 (2-3) (1986) 201–228
- Hoogetboom, H.J., *see* J. Engelfriet 110 (1) (1993) 1–51
- Hoogetboom, H.J. and A. Muscholl, The code problem for traces – improving the boundaries 172 (1-2) (1997) 309–321
- Hoogers, P.W., H.C.M. Kleijn and P.S. Thiagarajan, An event structure semantics for general Petri nets 153 (1-2) (1996) 129–170
- Hooman, J., *see* H. Schäpers 128 (1-2) (1994) 127–157
- Hooman, J., *see* Y. Lakhneche 138 (1) (1995) 169–199
- Hooman, J.J.M., S. Ramesh and W.P. de Roever, A compositional axiomatization of Statecharts 101 (2) (1992) 289–335
- Hoot, C., *see* N. Dershowitz 142 (2) (1995) 179–207
- Hoover, D.N., Limiting semantics of numerical programs 176 (1-2) (1997) 89–110
- Hopcroft, J. and J.-J. Pansiot, On the reachability problem for 5-dimensional vector addition systems 8 (2) (1979) 135–159
- Hopcroft, J., *see* S. Fortune 10 (2) (1980) 111–121
- Hortalá-González, M.T. and M. Rodríguez-Artalejo, Hoare's logic for nondeterministic regular programs: a nonstandard approach 68 (3) (1989) 277–302
- Horváth, T., *see* B. Martens 122 (1-2) (1994) 97–117
- Horwitz, S., Adding relational query facilities to software development environments 73 (2) (1990) 213–230
- Horwitz, S., *see* M. Sagiv 167 (1-2) (1996) 131–170
- Hosaka, K., Y. Takenaga, T. Kaneda and S. Yajima, Size of ordered binary decision diagrams representing threshold functions 180 (1-2) (1997) 47–60
- Hosono, C. and M. Sato, The retracts in $P\omega$ do not form a continuous lattice – a solution to Scott's problem 4 (2) (1977) 137–142
- Hosono, C. and Y. Ikeda, A formal derivation of the decidability of the theory SA 127 (1) (1994) 1–23
- Hotz, G., Schranken für balanced trees bei ausgewogenen Verteilungen 3 (1) (1976) 51–59
- Hotz, G., Eine neue Invariante für kontextfreie Sprachen 11 (1) (1980) 107–116
- Hotz, G. and G. Pitsch, On parsing coupled-context-free languages 161 (1-2) (1996) 205–233
- Howe, S.E., *see* R.D. Bourgin 112 (2) (1993) 215–253
- Howell, R.R., L.E. Rosier, D.T. Huynh and H.-C. Yen, Some complexity bounds for problems concerning finite and 2-dimensional vector addition systems with states 46 (2-3) (1986) 107–140
- Howell, R.R. and L.E. Rosier, Problems concerning fairness and temporal logic for conflict-free Petri nets 64 (3) (1989) 305–329
- Howell, R.R., L.E. Rosier and H.-C. Yen, Global and local views of state fairness 80 (1) (1991) 77–104

- Howell, R.R., L.E. Rosier and H.-C. Yen, A taxonomy of fairness and temporal logic problems for Petri nets 82 (2) (1991) 341–372
- Howell, R.R., *see* S.K. Baruah 118 (1) (1993) 3–20
- Hromkovič, J., *see* P. Ďuriš 27 (1-2) (1983) 121–125
- Hromkovič, J., Communication complexity hierarchy 48 (1) (1986) 109–115
- Hromkovič, J., Reversal-bounded nondeterministic multicounter machines and complementation 51 (3) (1987) 325–330
- Hromkovič, J., The advantages of a new approach to defining the communication complexity for VLSI 57 (1) (1988) 97–111
- Hromkovič, J., Tradeoffs for language recognition on alternating machines 63 (2) (1989) 203–221
- Hromkovič, J., *see* K. Inoue 67 (1) (1989) 99–110
- Hromkovič, J., S.A. Ložkin, A.I. Rybko, A.A. Sapozhenko and N.A. Škalikova, Lower bounds on the area complexity of Boolean circuits 97 (2) (1992) 285–300
- Hromkovič, J. and K. Inoue, A note on realtime one-way synchronized alternating one-counter automata 108 (2) (1993) 393–400
- Hromkovič, J., J. Kari and L. Kari, Some hierarchies for the communication complexity measures of cooperating grammar systems 127 (1) (1994) 123–147
- Hromkovič, J., C.-D. Jeschke and B. Monien, Note on optimal gossiping in some weak-connected graphs 127 (2) (1994) 395–402
- Hromkovič, J., B. Rován and A. Slobodová, Deterministic versus nondeterministic space in terms of synchronized alternating machines 132 (1-2) (1994) 319–336
- Hromkovič, J., *see* X. Gubáš 143 (2) (1995) 335–342
- Hromkovič, J., *see* M. Dietzfelbinger 168 (1) (1996) 39–51
- Hsiang, J. and M. Srivas, Automatic inductive theorem proving using PROLOG 54 (1) (1987) 3–28
- Hsiang, J., *see* M.P. Bonacina 146 (1-2) (1995) 199–242
- Hsiang, J., Foreword 192 (1) (1998) 1
- Hsieh, W.N., *see* L.H. Harper 1 (2) (1976) 161–183
- Hsu, D.F., *see* P. Erdős 100 (1) (1992) 223–241
- Hsu, T. and V. Ramachandran, Efficient massively parallel implementation of some combinatorial algorithms 162 (2) (1996) 297–322
- Huang, C.-H. and C. Lengauer, The automated proof of a trace transformation for a bitonic sort 46 (2-3) (1986) 261–284
- Huang, M.-D.A. and K.J. Lieberherr, Implications of forbidden for extremal algorithmic problems 40 (2-3) (1985) 195–210
- Huang, S.-H.S., H. Liu and V. Viswanathan, A sublinear parallel algorithm for some dynamic programming problems 106 (2) (1992) 361–371
- Huber, P., A.M. Jensen, L.O. Jepsen and K. Jensen, Reachability trees for high-level Petri nets 45 (3) (1986) 261–292
- Hubert, E., Detecting degenerate behaviors in first order algebraic differential equations 187 (1-2) (1997) 7–25
- Hubert, P., Propriétés combinatoires des suites définies par le billard dans les triangles pavants 164 (1-2) (1996) 165–183
- Huckenbeck, U., Euclidian geometry in terms of automata theory 68 (1) (1989) 71–87
- Huckenbeck, U., A result about the power of geometric oracle machines 88 (2) (1991) 231–251
- Huet, G., *see* F. Fages 43 (2-3) (1986) 189–200
- Huet, G., An analysis of Böhm's theorem 121 (1-2) (1993) 145–167
- Huet, G.P., A unification algorithm for typed λ -calculus 1 (1) (1976) 27–57
- Huggins, J.K., *see* Y. Gurevich 179 (1-2) (1997) 353–380
- Hughes, C.E. and S.M. Selkow, The finite power property for context-free languages 15 (1) (1981) 111–114
- Hühne, M., On the power of several queues 113 (1) (1993) 75–91
- Hull, R., *see* S. Ginsburg 26 (3) (1983) 243–286
- Hull, R., *see* S. Ginsburg 26 (1-2) (1983) 149–195
- Hull, R., Non-finite specifiability of projections of functional dependency families 39 (2-3) (1985) 239–265
- Hull, R., *see* S. Abiteboul 62 (1-2) (1988) 3–38
- Hung, D.V. and E. Knuth, Semi-commutations and Petri nets 64 (1) (1989) 67–81

- Hunt, J., *see* J. Gill 12 (3) (1980) 333–338
- Hunt, III, H.B., D.J. Rosenkrantz and T.G. Szymanski, The covering problem for linear context-free grammars 2 (3) (1976) 361–382
- Hunt, III, H.B., *see* M.M. Geller 4 (2) (1977) 143–153
- Hunt, III, H.B. and D.J. Rosenkrantz, The complexity of monadic recursion schemes: executability problems, nesting depth, and applications 27 (1-2) (1983) 3–38
- Hunt, III, H.B., *see* D.J. Rosenkrantz 38 (2-3) (1985) 323–341
- Hunt III, H., *see* Y. Breitbart 145 (1-2) (1995) 45–69
- Hunt III, H.B., *see* M.V. Marathe 174 (1-2) (1997) 23–65
- Huou, M., *see* J. Perraud 97 (1) (1992) 83–103
- Huth, M., *see* A. Fiech 136 (1) (1994) 57–78
- Hüttel, H., *SnS* can be modally characterized 74 (2) (1990) 239–248
- Huwig, H., *see* K. Ambos-Spies 51 (1-2) (1987) 177–204
- Huwig, H. and A. Poigné, A note on inconsistencies caused by fixpoints in a cartesian closed category 73 (1) (1990) 101–112
- Huy, P.T., *see* D.L. Van 98 (2) (1992) 321–337
- Huynh, D.T., Deciding the inequivalence of context-free grammars with 1-letter terminal alphabet is Σ_2^P -complete 33 (2-3) (1984) 305–326
- Huynh, D.T., *see* R.R. Howell 46 (2-3) (1986) 107–140
- Huynh, D.T., *see* S. Cho 88 (1) (1991) 99–116
- Huynh, D.T., Nonuniform complexity and the randomness of certain complete languages 96 (2) (1992) 305–324
- Huynh, D.T. and L. Tian, Deciding bisimilarity of normed context-free processes is in Σ_2^P 123 (2) (1994) 183–197
- Huynh, D.T. and L. Tian, A note on the complexity of deciding bisimilarity of normed unary processes 131 (2) (1994) 441–448
- Hwang, F.K., *see* B. Gao 182 (1-2) (1997) 171–182
- Ibarra, O.H., S.K. Sahni and C.E. Kim, Finite automata with multiplication 2 (3) (1976) 271–294
- Ibarra, O.H., On two-way sequential transductions of full semi-AFL's 7 (3) (1978) 287–309
- Ibarra, O.H., *see* E.M. Gurari 13 (3) (1981) 295–314
- Ibarra, O.H., *see* E.M. Gurari 17 (1) (1982) 55–73
- Ibarra, O.H., B.S. Leininger and S. Moran, On the complexity of simple arithmetic expressions 19 (1) (1982) 17–28
- Ibarra, O.H., 2DST mappings on languages and related problems 19 (2) (1982) 219–227
- Ibarra, O.H., *see* T.-H. Chan 23 (1) (1983) 95–101
- Ibarra, O.H., S. Moran and L.E. Rosier, On the control power of integer division 24 (1) (1983) 35–52
- Ibarra, O.H., On some decision questions concerning pushdown machines 24 (3) (1983) 313–322
- Ibarra, O.H. and L.E. Rosier, Simple programming languages and restricted classes of Turing machines 26 (1-2) (1983) 197–220
- Ibarra, O.H. and S.M. Kim, Characterizations and computational complexity of systolic trellis automata 29 (1-2) (1984) 123–153
- Ibarra, O.H., M.A. Palis and J.H. Chang, On efficient recognition of transductions and relations 39 (2-3) (1985) 89–106
- Ibarra, O.H., M.A. Palis and S.M. Kim, Fast parallel language recognition by cellular automata 41 (2-3) (1985) 231–246
- Ibarra, O.H., *see* J.H. Chang 44 (1) (1986) 111–121
- Ibarra, O.H. and M.A. Palis, Two-dimensional iterative arrays: characterizations and applications 57 (1) (1988) 47–86
- Ibarra, O.H. and T. Jiang, Relating the power of cellular arrays to their closure properties 57 (2-3) (1988) 225–238
- Ibarra, O.H., *see* J.H. Chang 68 (1) (1989) 19–36
- Ibarra, O.H., T. Jiang and H. Wang, Parallel parsing on a one-way linear array of finite-state machines 85 (1) (1991) 53–74
- Ibarra, O.H. and N.Q. Trân, On space-bounded synchronized alternating Turing machines 99 (2) (1992) 243–264

- Ibarra, O.H., T. Jiang and H. Wang, A characterization of exponential-time languages by alternating context-free grammars 99 (2) (1992) 301–313
- Ibarra, O.H. and N.Q. Trân, A note on simple programs with two variables 112 (2) (1993) 391–397
- Ibarra, O.H. and N.Q. Trân, Synchronized finite automata and 2DFA reductions 115 (2) (1993) 261–275
- Ibarra, O.H., *see* T. Jiang 125 (2) (1994) 243–257
- Ibarra, O.H., N.Q. Trân and T. Yang, On the parallel complexity of loops 179 (1-2) (1997) 381–395
- Ichikawa, A., *see* K. Hiraishi 93 (2) (1992) 185–199
- Ida, T., *see* A. Middeldorp 167 (1-2) (1996) 95–130
- Idury, R.M. and A.A. Schäffer, Dynamic dictionary matching with failure functions 131 (2) (1994) 295–310
- Idury, R.M. and A.A. Schäffer, Multiple matching of parameterized patterns 154 (2) (1996) 203–224
- Igarashi, Y., A pumping lemma for real-time deterministic context-free languages 36 (1) (1985) 89–97
- Igarashi, Y., *see* K. Sado 54 (2-3) (1987) 315–324
- Ikeda, Y., *see* C. Hosono 127 (1) (1994) 1–23
- Ilie, L., On a conjecture about slender context-free languages 132 (1-2) (1994) 414–421
- Ilie, L., On computational complexity of contextual languages 183 (1) (1997) 33–44
- Ilie, L., *see* T. Harju 200 (1-2) (1998) 205–224
- Iliopoulos, C.S., Computing in general abelian groups is hard 41 (1) (1985) 81–93
- Iliopoulos, C.S., On the computational complexity of the abelian permutation group structure, membership and intersection problems 56 (2) (1988) 211–222
- Iliopoulos, C.S. and W.F. Smyth, Optimal algorithms for computing the canonical form of a circular string 92 (1) (1992) 87–105
- Iliopoulos, C.S., *see* J.W. Daykin 127 (1) (1994) 53–67
- Iliopoulos, C.S. and K. Park, A work-time optimal algorithm for computing all string covers 164 (1-2) (1996) 299–310
- Iliopoulos, C.S., D. Moore and W.F. Smyth, A characterization of the squares in a Fibonacci string 172 (1-2) (1997) 281–291
- Imai, H., *see* S. Hasegawa 137 (1) (1995) 145–157
- Imai, K. and K. Morita, Firing squad synchronization problem in reversible cellular automata 165 (2) (1996) 475–482
- Imai, K., *see* K. Morita 168 (2) (1996) 337–366
- Immerman, N. and S.R. Mahaney, Relativizing relativized computations 68 (3) (1989) 267–276
- Immerman, N., *see* K. Etessami 148 (2) (1995) 261–279
- Immerman, N., S. Patnaik and D. Stemple, The expressiveness of a family of finite set languages 155 (1) (1996) 111–140
- Imori, M. and H. Yamada, Periodic character sequences where identifying two characters strictly reduces the period 38 (2-3) (1985) 167–192
- Indermark, K., On rational definitions in complete algebras without rank 21 (3) (1982) 281–313
- Ingólfssdóttir, A., Late and early semantics coincide for testing 146 (1-2) (1995) 341–349
- Inoue, K., I. Takanami, A. Nakamura and T. Ae, One-way simple multihead finite automata 9 (3) (1979) 311–328
- Inoue, K., *see* M. Toda 24 (2) (1983) 179–194
- Inoue, K., I. Takanami and H. Taniguchi, A relationship between two-dimensional finite automata and three-way tape-bounded two-dimensional Turing machines 24 (3) (1983) 331–336
- Inoue, K., I. Takanami and H. Taniguchi, Two-dimensional alternating Turing machines 27 (1-2) (1983) 61–83
- Inoue, K., *see* H. Matsuno 36 (2-3) (1985) 291–308
- Inoue, K., I. Takanami and R. Vollmar, Alternating on-line Turing machines with only universal states and small space bounds 41 (2-3) (1985) 331–339
- Inoue, K., *see* A. Ito 66 (3) (1989) 273–287
- Inoue, K., I. Takanami and J. Hromkovič, A leaf-size hierarchy of two-dimensional alternating Turing machines 67 (1) (1989) 99–110
- Inoue, K., A. Ito and I. Takanami, A note on real-time one-way alternating multicounter machines 88 (2) (1991) 287–296
- Inoue, K., *see* J. Hromkovič 108 (2) (1993) 393–400

- Inoue, K., A. Ito and I. Takanami, On 1-inkdot alternating Turing machines with small space 127 (1) (1994) 171–179
- Inoue, K., *see* A. Ito 143 (1) (1995) 123–135
- Intrigila, B., *see* A. Berarducci 121 (1-2) (1993) 71–88
- Inverardi, P. and M. Nesi, Deciding observational congruence of finite-state CCS expressions by rewriting 139 (1-2) (1995) 315–354
- Inverardi, P. and M. Nesi, Infinite normal forms for non-linear term rewriting systems 152 (2) (1995) 285–303
- Ionescu, C.M., *see* F.L. Tiplea 134 (2) (1994) 365–385
- Irani, S. and S. Seiden, Randomized algorithms for metrical task systems 194 (1-2) (1998) 163–182
- Ishiguro, M., *see* S. Hasegawa 137 (1) (1995) 145–157
- Ishizaka, H., *see* H. Arimura 185 (1) (1997) 47–62
- Istrail, S., Generalization of the Ginsburg–Rice Schützenberger fixed-point theorem for context-sensitive and recursive-enumerable languages 18 (3) (1982) 333–341
- Istrail, S., Some remarks on non-algebraic adherences 21 (3) (1982) 341–349
- Istrail, S. and C. Masalagiu, Nivat's processing systems: Decision problems related to protection and synchronization 26 (1-2) (1983) 83–103
- Istrate, G., *see* C. Calude 82 (1) (1991) 151–155
- Itai, A., *see* G.M. Benedek 86 (2) (1991) 377–390
- Italiano, G.F., Amortized efficiency of a path retrieval data structure 48 (2-3) (1986) 273–281
- Italiano, G.F., *see* G. Gambosi 68 (1) (1989) 57–70
- Italiano, G.F., *see* G. Ausiello 72 (2-3) (1990) 97–117
- Italiano, G.F., *see* G. Ausiello 95 (2) (1992) 245–261
- Itkin, V.E., An algebra of mixed computation 90 (1) (1991) 81–93
- Ito, A., K. Inoue and I. Takanami, Deterministic two-dimensional on-line tessellation acceptors are equivalent to two-way two-dimensional alternating finite automata through 180° -rotation 66 (3) (1989) 273–287
- Ito, A., *see* K. Inoue 88 (2) (1991) 287–296
- Ito, A., *see* K. Inoue 127 (1) (1994) 171–179
- Ito, A., K. Inoue, I. Takanami and Y. Wang, Optimal simulation of two-dimensional alternating finite automata by three-way nondeterministic Turing machines 143 (1) (1995) 123–135
- Ito, M., K. Taniguchi and T. Kasami, Membership problem for embedded multivalued dependencies under some restricted conditions 22 (1-2) (1983) 175–194
- Ito, M., M. Iwasaki, K. Taniguchi and T. Kasami, Membership problems for data dependencies in relational expressions 34 (3) (1984) 315–335
- Ito, M., H. Jürgensen, H.J. Shyr and G. Thierrin, Languages whose n -element subsets are codes 96 (2) (1992) 325–344
- Ito, M. and G. Thierrin, Congruences, infix and cohesive prefix codes 136 (2) (1994) 471–485
- Ito, M., L. Kari and G. Thierrin, Insertion and deletion closure of languages 183 (1) (1997) 3–19
- Ito, T. and Y. Nishitani, On universality of concurrent expressions with synchronization primitives 19 (1) (1982) 105–115
- Itzhaik, Y. and A. Yehudai, New families of non real time dpda's and their decidability results 34 (3) (1984) 255–274
- Iwama, K., C. Iwamoto and M. Morshed, Time lower bounds do not exist for CRCW PRAMs 155 (2) (1996) 411–424
- Iwamoto, C., *see* K. Iwama 155 (2) (1996) 411–424
- Iwanowski, S., Testing approximate symmetry in the plane is NP-hard 80 (2) (1991) 227–262
- Iwasaki, M., *see* M. Ito 34 (3) (1984) 315–335
- Iwata, S. and T. Kasai, Simultaneous (poly-time, log-space) lower bounds 54 (2-3) (1987) 325–329
- Iwata, S. and T. Kasai, The Othello game on an $n \times n$ board is PSPACE-complete 123 (2) (1994) 329–340
- Iyengar, S.S., *see* N.S.V. Rao 62 (3) (1988) 251–266
- Iyengar, S.S., *see* L. Prasad 102 (2) (1992) 355–365
- Iyengar, S.S., *see* R. Subbiah 120 (2) (1993) 261–278
- Iyengar, S.S., *see* L. Prasad 140 (2) (1995) 249–263
- Jacob, G., Un algorithme calculant le cardinal, fini ou infini, des demi-groupes de matrices 5 (2) (1977) 183–204
- Jacob, G. and C. Reutenauer, On formal power series defined by infinite linear systems 32 (3) (1984) 339–340

- Jacob, G., *see* C. Hespel 79 (1) (1991) 151–162
- Jacobs, B., I. Margaria and M. Zacchi, Filter models with polymorphic types 95 (1) (1992) 143–158
- Jacobs, B., Comprehension categories and the semantics of type dependency 107 (2) (1993) 169–207
- Jacobs, B., *see* M.M. Bonsangue 151 (1) (1995) 79–124
- Jacobs, D., *see* H. Ehrig 77 (1-2) (1990) 27–71
- Jacopini, G. and P. Mentrasti, Generation of invertible functions 66 (3) (1989) 289–297
- Jacopini, G. and G. Sontacchi, Reversible parallel computation: an evolving space-model 73 (1) (1990) 1–46
- Jacopini, G. and G. Sontacchi, General recursive functions in a very simply interpretable typed λ -calculus 121 (1-2) (1993) 169–178
- Jacques, I., *see* D. Arques 117 (1-2) (1993) 45–65
- Jacquet, P. and W. Szpankowski, Asymptotic behavior of the Lempel–Ziv parsing scheme and digital search trees 144 (1-2) (1995) 161–197
- Jaffar, J. and P.J. Stuckey, Semantics of infinite tree logic programming 46 (2-3) (1986) 141–158
- Jaffe, J.M., Efficient scheduling of tasks without full use of processor resources 12 (1) (1980) 1–17
- Jaffray, A., *see* A.S. Fraenkel 143 (2) (1995) 319–333
- Jain, S. and A. Sharma, Program size restrictions in computational learning 127 (2) (1994) 351–386
- Jain, S. and A. Sharma, On aggregating teams of learning machines 137 (1) (1995) 85–108
- Jain, S., *see* M. Fulk 161 (1-2) (1996) 235–261
- Jain, S., *see* J. Case 164 (1-2) (1996) 13–28
- Jain, S., *see* R. Freivalds 188 (1-2) (1997) 175–194
- Jájá, J., *see* G.N. Frederickson 19 (2) (1982) 189–201
- Jájá, J.F. and K.W. Ryu, An efficient parallel algorithm for the single function coarsest partition problem 129 (2) (1994) 293–307
- Jájá, J.F., K.W. Ryu and U. Vishkin, Sorting strings and constructing digital search trees in parallel 154 (2) (1996) 225–245
- Jamison, B. and S. Olariu, A linear-time recognition algorithm for P_4 -reducible graphs 145 (1-2) (1995) 329–344
- Jančar, P., Decidability of a temporal logic problem for Petri nets 74 (1) (1990) 71–93
- Jančar, P., Undecidability of bisimilarity for Petri nets and some related problems 148 (2) (1995) 281–301
- Janicki, R., Nets, sequential components and concurrency relations 29 (1-2) (1984) 87–121
- Janicki, R., Transforming sequential systems into concurrent systems 36 (1) (1985) 27–58
- Janicki, R., P.E. Lauer, M. Koutny and R. Devillers, Concurrent and maximally concurrent evolution of nonsequential systems 43 (2-3) (1986) 213–238
- Janicki, R. and T. Müldner, Transformations of sequential specifications into concurrent specifications by synchronization guards 77 (1-2) (1990) 97–129
- Janicki, R. and M. Koutny, Structure of concurrency 112 (1) (1993) 5–52
- Jankowski, A. and C. Rauszer, Logical foundation approach to users’ domain restriction in data bases 23 (1) (1983) 11–36
- Jansen, K., Processor optimization for flow graphs 104 (2) (1992) 285–298
- Jansen, K. and H. Müller, The minimum broadcast time problem for several processor networks 147 (1-2) (1995) 69–85
- Jansen, K., *see* H.L. Bodlaender 148 (1) (1995) 93–109
- Janssen, T.M.V., Algebraic translations, correctness and algebraic compiler construction 199 (1-2) (1998) 25–56
- Janssens, D. and G. Rozenberg, Graph grammars with neighbourhood-controlled embedding 21 (1) (1982) 55–74
- Janssens, D., Equivalence of computations in actor grammars 109 (1-2) (1993) 145–180
- Jantke, K.P. and S. Lange, Case-based representation and learning of pattern languages 137 (1) (1995) 25–51
- Jantzen, M., The power of synchronizing operations on strings 14 (2) (1981) 127–154
- Jantzen, M., On a special monoid with a single defining relation 16 (1) (1981) 61–73
- Jantzen, M., *see* R.V. Book 19 (3) (1982) 231–251
- Jantzen, M. and M. Kudlek, Homomorphic images of sentential form languages defined by semi-Thue systems 33 (1) (1984) 13–43
- Jantzen, M., Extending regular expressions with iterated shuffle 38 (2-3) (1985) 223–247

- Jantzen, M. and H. Petersen, Cancellation in context-free languages: enrichment by reduction 127 (1) (1994) 149–170
- Jaoua, A., A. Mili, N. Boudriga and J.L. Durieux, Regularity of relations: A measure of uniformity 79 (2) (1991) 323–339
- Jaoua, A., *see* J. Desharnais 114 (2) (1993) 247–272
- Jaoua, A., *see* J. Desharnais 149 (2) (1995) 333–360
- Jard, C., *see* T. Jérón 113 (1) (1993) 93–117
- Jaromczyk, J.W. and G. Świątek, A theory of even functionals and their algorithmic applications 154 (1) (1996) 41–56
- Jarominek, S., *see* J. Karhumäki 116 (2) (1993) 305–316
- Jarzembski, G., Programs in partial algebras 115 (1) (1993) 131–149
- Jategaonkar, L. and A.R. Meyer, Deciding true concurrency equivalences on safe, finite nets 154 (1) (1996) 107–143
- Jay, B. and J. Staples, Preface 169 (1) (1996) 1
- Jay, C.B., Tail recursion through universal invariants 115 (1) (1993) 151–189
- Jay, C.B., Covariant types 185 (2) (1997) 237–258
- Jeavons, J.S., *see* D. Albrecht 185 (2) (1997) 217–235
- Jeavons, P., On the algebraic structure of combinatorial problems 200 (1-2) (1998) 185–204
- Jeffrey, A., *see* L. Aceto 152 (2) (1995) 251–268
- Jenner, B. and C. Alvarez, A very hard log-space counting class 107 (1) (1992) 3–30
- Jenner, B. and J. Torán, Computing functions with parallel queries to NP 141 (1-2) (1995) 175–193
- Jenner, B., *see* C. Álvarez 148 (2) (1995) 183–205
- Jensen, A.M., *see* P. Huber 45 (3) (1986) 261–292
- Jensen, D.C. and T. Pietrzykowski, Mechanizing ω -order type theory through unification 3 (2) (1976) 123–171
- Jensen, F.V. and K.G. Larsen, Recursively defined domains and their induction principles 54 (1) (1987) 29–51
- Jensen, K., Coloured Petri nets and the invariant-method 14 (3) (1981) 317–336
- Jensen, K., *see* P. Huber 45 (3) (1986) 261–292
- Jepsen, L.O., *see* P. Huber 45 (3) (1986) 261–292
- Jéron, T. and C. Jard, Testing for unboundedness of fifo channels 113 (1) (1993) 93–117
- Jerrum, M. and A. Sinclair, Fast uniform generation of regular graphs 73 (1) (1990) 91–100
- Jerrum, M., *see* Y. Hirshfeld 158 (1-2) (1996) 143–159
- Jerrum, M.R., The complexity of finding minimum-length generator sequences 36 (2-3) (1985) 265–289
- Jerrum, M.R., L.G. Valiant and V.V. Vazirani, Random generation of combinatorial structures from a uniform distribution 43 (2-3) (1986) 169–188
- Jeschke, C.-D., *see* J. Hromkovič 127 (2) (1994) 395–402
- Jha, S., *see* A. Browne 178 (1-2) (1997) 237–255
- Jian, S.-T., *see* H.-C. Yen 170 (1-2) (1996) 445–464
- Jiang, T., *see* O.H. Ibarra 57 (2-3) (1988) 225–238
- Jiang, T., On the complexity of 1-tape ATMs and off-line 1-tape ATMs running in constant reversals 76 (2-3) (1990) 323–330
- Jiang, T., *see* O.H. Ibarra 85 (1) (1991) 53–74
- Jiang, T., *see* O.H. Ibarra 99 (2) (1992) 301–313
- Jiang, T. and M. Li, On the complexity of learning strings and sequences 119 (2) (1993) 363–371
- Jiang, T., O.H. Ibarra and H. Wang, Some results concerning 2-D on-line tessellation acceptors and 2-D alternating finite automata 125 (2) (1994) 243–257
- Jiang, T. and M. Li, Approximating shortest superstrings with constraints 134 (2) (1994) 473–491
- Jiang, T. and V.G. Timkovsky, Shortest consistent superstrings computable in polynomial time 143 (1) (1995) 113–122
- Jiang, T., L. Wang and K. Zhang, Alignment of trees – an alternative to tree edit 143 (1) (1995) 137–148
- Jiang, Z., *see* L.A. Hemaspaandra 145 (1-2) (1995) 371–380
- Jifeng, H., *see* D. Scholefield 131 (1) (1994) 219–241
- Johann, P., *see* D.J. Dougherty 139 (1-2) (1995) 207–242
- Johansen, P., The generating function of the number of subpatterns of a DOL sequence 8 (1) (1979) 57–68
- Johansen, P., On-line string matching with feedback 141 (1-2) (1995) 53–67

- Johnson, D.B., A simple proof of a time-space trade-off for sorting with linear comparisons 43 (2-3) (1986) 345–350
- Johnson, D.S., *see* M.R. Garey 1 (3) (1976) 237–267
- Johnson, D.S. and F.P. Preparata, The densest hemisphere problem 6 (1) (1978) 93–107
- Johnson, J.H., Rational equivalence relations 47 (1) (1986) 39–60
- Johnson, J.H., A unified framework for disambiguating finite transductions 63 (1) (1989) 91–111
- Johnston, R., *see* H. Erdogmus 159 (2) (1996) 271–317
- Johnstone, P.T., Variations on the bagdomain theme 136 (1) (1994) 3–20
- Jojczyk, K., J. Konieczny and T. Kuzak, On interleaving behaviour of PT-nets 64 (1) (1989) 25–38
- Jones, J.S., *see* T. Rus 199 (1-2) (1998) 199–229
- Jones, N.D. and W.T. Laaser, Complete problems for deterministic polynomial time 3 (1) (1976) 105–117
- Jones, N.D., L.H. Landweber and Y.E. Lien, Complexity of some problems in Petri nets 4 (3) (1977) 277–299
- Jones, N.D., Static semantics, types, and binding time analysis 90 (1) (1991) 95–118
- Jonoska, N., Sofic shifts with synchronizing presentations 158 (1-2) (1996) 81–115
- Jonsson, B. and Y.-K. Tsay, Assumption/guarantee specifications in linear-time temporal logic 167 (1-2) (1996) 47–72
- Joseph, D. and P. Young, Some remarks on witness functions for nonpolynomial and noncomplete sets in NP 39 (2-3) (1985) 225–237
- Joseph, D., *see* G. Das 103 (1) (1992) 107–135
- Joseph, M., *see* D. Peled 128 (1-2) (1994) 99–125
- Josephs, M.B., The semantics of lazy functional languages 68 (1) (1989) 105–111
- Joshi, A.K., L.S. Levy and K. Yueh, Local constraints in programming languages Part I: Syntax 12 (3) (1980) 265–290
- Jou, J.H., *see* P.C. Fischer 24 (3) (1983) 323–329
- Jouannaud, J.-P. and C. Marché, Termination and completion modulo associativity, commutativity and identity 104 (1) (1992) 29–51
- Jouannaud, J.-P. and M. Okada, Abstract data type systems 173 (2) (1997) 349–391
- Juedes, D.W., J.I. Lathrop and J.H. Lutz, Computational depth and reducibility 132 (1-2) (1994) 37–70
- Juedes, D.W. and J.H. Lutz, Weak completeness in E and E_2 143 (1) (1995) 149–158
- Jukna, S.P., Entropy of contact circuits and lower bounds on their complexity 57 (1) (1988) 113–129
- Jung, A., Cartesian closed categories of algebraic cpos 70 (2) (1990) 233–250
- Jung, A., The dependent product construction in various categories of domains 79 (2) (1991) 359–363
- Jung, A., *see* P. Buneman 91 (1) (1991) 23–55
- Jürgensen, H., *see* F. Gécseg 74 (2) (1990) 163–181
- Jürgensen, H., *see* F. Gécseg 80 (1) (1991) 35–51
- Jürgensen, H., *see* J. Dassow 84 (2) (1991) 281–292
- Jürgensen, H., *see* M. Ito 96 (2) (1992) 325–344
- Jürgensen, H., K. Salomaa and S. Yu, Transducers and the decidability of independence in free monoids 134 (1) (1994) 107–117
- Justin, J. and G. Pirillo, On a question about factorization forests 141 (1-2) (1995) 351–355
- Justin, J. and G. Pirillo, On a combinatorial property of Sturmian words 154 (2) (1996) 387–394
- Kafura, D., *see* M. Mukherji 192 (2) (1998) 287–314
- Kagan, V., A. Nerode and V.S. Subrahmanian, Computing minimal models by partial instantiation 155 (1) (1996) 157–177
- Kagimasa, T., *see* T. Araki 15 (1) (1981) 51–75
- Kahn, G. and G.D. Plotkin, Concrete domains 121 (1-2) (1993) 187–277
- Kahrs, S., D. Sannella and A. Tarlecki, The definition of Extended ML: A gentle introduction 173 (2) (1997) 445–484
- Kaivola, R., Axiomatizing extended computation tree logic 190 (1) (1998) 41–60
- Kajitani, Y., *see* A. Takahashi 137 (2) (1995) 253–268
- Kalai, G., *see* N. Alon 130 (1) (1994) 175–201
- Kalorkoti, K., The trace invariant and matrix inversion 59 (3) (1988) 277–286
- Kalyanasundaram, B., *see* V. Bafna 125 (2) (1994) 345–353

- Kalyanasundaram, B. and K.R. Pruhs, Constructing competitive tours from local information 130 (1) (1994) 125–138
- Kamareddine, F. and R. Nederpelt, A unified approach to type theory through a refined λ -calculus 136 (1) (1994) 183–216
- Kamareddine, F. and R. Nederpelt, A useful λ -notation 155 (1) (1996) 85–109
- Kamimura, T. and A. Tang, Kleene chain completeness and fixedpoint properties 23 (3) (1983) 317–331
- Kamimura, T. and A. Tang, Algebraic relations and presentations 27 (1-2) (1983) 39–60
- Kamimura, T. and A. Tang, Effectively given spaces 29 (1-2) (1984) 155–166
- Kamimura, T. and A. Tang, Total objects of domains 34 (3) (1984) 275–288
- Kaminski, M., A classification of ω -regular languages 36 (2-3) (1985) 217–229
- Kaminski, M., A lower bound for polynomial multiplication 40 (2-3) (1985) 319–322
- Kaminski, M. and N. Francez, Finite-memory automata 134 (2) (1994) 329–363
- Kaminski, M. and C.K. Wong, The power of the “always” operator in first-order temporal logic 160 (1-2) (1996) 271–281
- Kämper, J., Nonuniform proof systems: A new framework to describe nonuniform and probabilistic complexity classes 85 (2) (1991) 305–331
- Kanamori, T., *see* T. Kawamura 75 (1-2) (1990) 139–156
- Kanaoka, T. and S. Tomita, The decomposition of stochastic systems 28 (1-2) (1984) 223–233
- Kanaoka, T. and S. Tomita, Homogeneous decomposition of stochastic systems 40 (2-3) (1985) 245–255
- Kanchanasut, K. and .P.J. Stuckey, Transforming normal logic programs to constraint logic programs 105 (1) (1992) 27–56
- Kaneda, T., *see* K. Hosaka 180 (1-2) (1997) 47–60
- Kanellakis, P., *see* S. Abiteboul 78 (1) (1991) 159–187
- Kann, V., *see* E. Amaldi 147 (1-2) (1995) 181–210
- Kannan, R., Solving systems of linear equations over polynomials 39 (1) (1985) 69–88
- Kant, G. and X. He, Regular edge labeling of 4-connected plane graphs and its applications in graph drawing problems 172 (1-2) (1997) 175–193
- Kapitonova, J.V., *see* A.A. Letichevsky 119 (1) (1993) 145–171
- Kaplan, S., Conditional rewrite rules 33 (2-3) (1984) 175–193
- Kaplan, S., Rewriting with a nondeterministic choice operator 56 (1) (1988) 37–57
- Kaplan, S., *see* C. Choppy 67 (2-3) (1989) 261–282
- Kaplan, S., Algebraic specification of concurrent systems 69 (1) (1989) 69–115
- Kaplan, S., *see* N. Dershowitz 83 (1) (1991) 71–96
- Kaposi, A.A., *see* N.E. Fenton 36 (2-3) (1985) 145–171
- Kapur, D., M.S. Krishnamoorthy, R. McNaughton and P. Narendran, An $O(|T|^3)$ algorithm for testing the Church–Rosser property of Thue systems 35 (1) (1985) 109–114
- Kapur, D. and P. Narendran, A finite Thue system with decidable word problem and without equivalent finite canonical system 35 (2-3) (1985) 337–344
- Kapur, D., P. Narendran, M.S. Krishnamoorthy and R. McNaughton, The Church–Rosser property and special Thue systems 39 (2-3) (1985) 123–133
- Kapur, D., D. Musser, P. Narendran and J. Stillman, Semi-unification 81 (2) (1991) 169–187
- Kapur, D., X. Nie and D.R. Musser, An overview of the Tecton proof system 133 (2) (1994) 307–340
- Kapur, S. and G. Bilardi, Language learning without overgeneralization 141 (1-2) (1995) 151–162
- Kapur, S., *see* S. Lange 155 (2) (1996) 365–410
- Karabeg, D. and V. Vianu, Parallel update transactions 76 (1) (1990) 93–114
- Karchmer, M., Two time–space tradeoffs for element distinctness 47 (3) (1986) 237–246
- Karczmarszuk, J., Generating power of lazy semantics 187 (1-2) (1997) 203–219
- Karhumäki, I., *see* N. Ehrenfeucht 21 (2) (1982) 119–144
- Karhumäki, J., Two theorems concerning recognizable N -subsets of σ^* 1 (4) (1976) 317–323
- Karhumäki, J., Remarks on commutative N -rational series 5 (2) (1977) 211–217
- Karhumäki, J., On commutative DTOL systems 9 (2) (1979) 207–220
- Karhumäki, J., The Ehrenfeucht conjecture: A compactness claim for finitely generated free monoids 29 (3) (1984) 285–308
- Karhumäki, J., On three-element codes 40 (1) (1985) 3–11

- Karhumäki, J., A property of three-element codes 41 (2-3) (1985) 215–222
- Karhumäki, J., *see* K. Culik, II 47 (1) (1986) 71–84
- Karhumäki, J., *see* T. Harju 78 (2) (1991) 347–355
- Karhumäki, J., Multiplicities: A deterministic view of nondeterminism 98 (1) (1992) 15–25
- Karhumäki, J., Equations over finite sets of words and equivalence problems in automata theory 108 (1) (1993) 103–118
- Karhumäki, J., W. Rytter and S. Jarominek, Efficient constructions of test sets for regular and context-free languages 116 (2) (1993) 305–316
- Karhumäki, J. and W. Plandowski, On the size of independent systems of equations in semigroups 168 (1) (1996) 105–119
- Karhumäki, J., *see* C. Choffrut 183 (1) (1997) 83–92
- Kari, J., Observations concerning a public-key cryptosystem based on iterated morphisms 66 (1) (1989) 45–53
- Kari, J., *see* L. Santean 98 (2) (1992) 249–262
- Kari, J., *see* J. Hromkovič 127 (1) (1994) 123–147
- Kari, J., Rice's theorem for the limit sets of cellular automata 127 (2) (1994) 229–254
- Kari, L., *see* J. Hromkovič 127 (1) (1994) 123–147
- Kari, L., On language equations with invertible operations 132 (1-2) (1994) 129–150
- Kari, L., A. Mateescu, Gh. Păun and A. Salomaa, Multi-pattern languages 141 (1-2) (1995) 253–268
- Kari, L., *see* M. Ito 183 (1) (1997) 3–19
- Karlin, A.R., *see* Y. Azar 130 (1) (1994) 73–84
- Karloff, H.J., An NC algorithm for Brooks' Theorem 68 (1) (1989) 89–103
- Karloff, H.J., *see* M.W. Bern 106 (2) (1992) 265–281
- Karner, G., Nivat's theorem for pushdown transducers 97 (2) (1992) 245–262
- Karner, G., On transductions of formal power series over complete semirings 98 (1) (1992) 27–39
- Karnick, H., *see* K.S.H.S.R. Bhatta 81 (2) (1991) 223–235
- Karpinski, M., Decidability of "Skolem matrix emptiness problem" entails constructability of exact regular expression 17 (1) (1982) 99–102
- Karpinski, M., *see* E. Dahlhaus 61 (2-3) (1988) 121–136
- Karpinski, M., *see* M. Clausen 84 (2) (1991) 151–164
- Karpinski, M., *see* E. Dahlhaus 134 (2) (1994) 493–528
- Karpinski, M. and R. Verbeek, On randomized versus deterministic computation 154 (1) (1996) 23–39
- Karpinski, M., *see* D. Grigoriev 157 (1) (1996) 91–99
- Karpinski, M. and I. Shparlinski, On some approximation problems concerning sparse polynomials over finite fields 157 (2) (1996) 259–266
- Karpinski, M., L.L. Larmore and W. Rytter, Correctness of constructing optimal alphabetic trees revisited 180 (1-2) (1997) 309–324
- Karzanov, A.V., How to tidy up a symmetric set-system by use of uncrossing operations 157 (2) (1996) 215–225
- Kasai, T., *see* S. Iwata 54 (2-3) (1987) 325–329
- Kasai, T., *see* S. Iwata 123 (2) (1994) 329–340
- Kasami, T., *see* T. Araki 3 (1) (1976) 85–104
- Kasami, T., *see* T. Araki 4 (1) (1977) 99–119
- Kasami, T., *see* M. Ito 22 (1-2) (1983) 175–194
- Kasami, T., *see* M. Ito 34 (3) (1984) 315–335
- Kasami, T., *see* I. Suzuki 43 (2-3) (1986) 277–291
- Kasami, T., *see* H. Seki 88 (2) (1991) 191–229
- Kashyap, R.L., *see* N.S.V. Rao 62 (3) (1988) 251–266
- Kashyap, R.L., *see* R. Subbiah 120 (2) (1993) 261–278
- Kasyanov, V., Transformational approach to program concretization 90 (1) (1991) 37–46
- Katona, G.O.H., *see* G. Burosch 78 (2) (1991) 377–381
- Katona, G.O.H., *see* J. Demetrovics 190 (2) (1998) 151–166
- Katseff, H.P. and M. Sipser, Several results in program size complexity 15 (3) (1981) 291–309
- Katsura, M. and G. Tanaka, Groups of finite elementary codes 108 (1) (1993) 119–149
- Katsura, M. and Y. Kobayashi, The shuffle algebra and its derivations 115 (2) (1993) 359–369
- Katz, S. and D. Peled, Interleaving set temporal logic 75 (3) (1990) 263–287

- Katz, S. and D. Peled, Defining conditional independence using collapses 101 (2) (1992) 337–359
- Kautz, S.M., An improved zero-one law for algorithmically random sequences 191 (1-2) (1998) 185–192
- Kavvadias, D.J., G.E. Pantziou, P.G. Spirakis and C.D. Zaroliagis, Hammock-on-ears decomposition: A technique for the efficient parallel solution of shortest paths and other problems 168 (1) (1996) 121–154
- Kawabata, S., *see* S. Takasu 16 (1) (1981) 43–60
- Kawahara, Y., Pushout-complements and basic concepts of grammars in toposes 77 (3) (1990) 267–289
- Kawahara, Y., *see* Y. Mizoguchi 141 (1-2) (1995) 311–328
- Kawamura, T. and T. Kanamori, Preservation of stronger equivalence in unfold/fold logic program transformation 75 (1-2) (1990) 139–156
- Kawamura, T., Logic program synthesis from first-order logic specifications 122 (1-2) (1994) 69–96
- Kearney, P. and J. Staples, An extensional fixed-point semantics for nondeterministic data flow 91 (2) (1991) 129–179
- Kececioğlu, J., M. Li and J. Tromp, Inferring a DNA sequence from erroneous copies 185 (1) (1997) 3–13
- Kedem, Z.M. and K.V. Palem, Optimal parallel algorithms for forest and term matching 93 (2) (1992) 245–264
- Keerthi, S.S., *see* A. Dattasharma 140 (2) (1995) 205–230
- Keesmaat, N.W. and H.C.M. Kleijn, Restrictions and representations of vector controlled concurrent system behaviours 179 (1-2) (1997) 61–102
- Kelemen, J., *see* E. Csuhaj-Varjú 81 (2) (1991) 305–310
- Kelemenová, A., Complexity of normal form grammars 28 (3) (1984) 299–314
- Kelemenová, A., *see* E. Csuhaj-Varjú 112 (2) (1993) 277–289
- Kelemenová, A. and E. Csuhaj-Varjú, Languages of colonies 134 (1) (1994) 119–130
- Keller, J., Fast rehashing in PRAM emulations 155 (2) (1996) 349–363
- Keller-Gehrig, W., Fast algorithms for the characteristic polynomial 36 (2-3) (1985) 309–317
- Kelley, D., *see* P.-J. Wan 181 (2) (1997) 347–356
- Kelly, F., *see* G. Louth 125 (1) (1994) 45–59
- Kemp, D.B., D. Srivastava and P.J. Stuckey, Bottom-up evaluation and query optimization of well-founded models 146 (1-2) (1995) 145–184
- Kemp, R., Binary search trees constructed from nondistinct keys with/without specified probabilities 156 (1-2) (1996) 39–70
- Kennaway, J.R., J.W. Klop, M.R. Sleep and F.J. de Vries, Infinitary lambda calculus 175 (1) (1997) 93–125
- Kennaway, R., On “On graph rewritings” 52 (1-2) (1987) 37–58
- Kennaway, R., On “On graph rewritings” (*Corrigendum*) 61 (2-3) (1988) 317–320
- Kennaway, R., Implementing term rewrite languages in Dactl 72 (2-3) (1990) 225–249
- Kent, C.F. and B.R. Hodgson, An arithmetical characterization of NP 21 (3) (1982) 255–267
- Kerisit, J.-M., A relational approach to logic programming: the extended Alexander method 69 (1) (1989) 55–68
- Kesner, D., *see* R. Di Cosmo 169 (2) (1996) 201–220
- Ketonen, J. and R. Weyhrauch, A decidable fragment of predicate calculus 32 (3) (1984) 297–307
- Ketonen, J., *see* G. Bellin 95 (1) (1992) 115–142
- Kfoury, A.J., Definability by programs in first-order structures 25 (1) (1983) 1–66
- Kfoury, A.J., J. Tiuryn and P. Urzyczyn, On the expressive power of finitely typed and universally polymorphic recursive procedures 93 (1) (1992) 1–41
- Khadilkar, S.N. and S. Biswas, Padding, commitment and self-reducibility 81 (2) (1991) 189–199
- Khoshnevisan, H., *see* P.G. Harrison 93 (1) (1992) 91–113
- Khuller, S. and V.V. Vazirani, Planar graph colouring is not self-reducible, assuming $P \neq NP$ 88 (1) (1991) 183–189
- Khuller, S., S.G. Mitchell and V.V. Vazirani, On-line algorithms for weighted bipartite matching and stable marriages 127 (2) (1994) 255–267
- Kiehn, A., *see* G. Boudol 114 (1) (1993) 31–61
- Kieronska, D.H., *see* C.A. Farrell 169 (1) (1996) 39–65
- Kifer, M., *see* A.J. Bonner 133 (2) (1994) 205–265
- Kim, C. and I.H. Sudborough, The membership and equivalence problems for picture languages 52 (3) (1987) 177–191
- Kim, C., Complexity and decidability for restricted classes of picture languages 73 (3) (1990) 295–311
- Kim, C. and I.H. Sudborough, On reversal-bounded picture languages 104 (2) (1992) 185–206

- Kim, C. and D.H. Lee, Separating k -separated eNCE graph languages 120 (2) (1993) 247–259
- Kim, C., Retreat bounded picture languages 132 (1-2) (1994) 85–112
- Kim, C., A hierarchy of eNCE families of graph languages 186 (1-2) (1997) 157–169
- Kim, C.E., *see* O.H. Ibarra 2 (3) (1976) 271–294
- Kim, J.Y. and J. Shawe-Taylor, An approximate string-matching algorithm 92 (1) (1992) 107–117
- Kim, S.M., *see* O.H. Ibarra 29 (1-2) (1984) 123–153
- Kim, S.M., *see* O.H. Ibarra 41 (2-3) (1985) 231–246
- Kim, Y., New values in Domineering 156 (1-2) (1996) 263–280
- Kimber, D. and P.M. Long, On-line learning of smooth functions of a single variable 148 (1) (1995) 141–156
- Kimura, M., *see* A. Maruoka 14 (3) (1981) 211–226
- Kimura, M., *see* A. Maruoka 18 (3) (1982) 269–277
- Kinber, E., *see* A. Brazma 46 (2-3) (1986) 175–195
- Kinber, E., *see* R. Beigel 163 (1-2) (1996) 177–192
- Kinber, E.B., The inclusion problem for some classes of deterministic multitape automata 26 (1-2) (1983) 1–24
- Kinber, E.B., *see* R. Wiehagen 28 (1-2) (1984) 111–133
- Kinber, E.B., On complete sets of samples for generalized regular expressions 91 (1) (1991) 101–117
- Kinber, E.B., *see* R. Freivalds 110 (1) (1993) 131–144
- King, K.N., Iteration theorems for families of strict deterministic languages 10 (3) (1980) 317–333
- King, K.N., Alternating multihead finite automata 61 (2-3) (1988) 149–174
- Kirchner, C., *see* I. Gnaedig 72 (2-3) (1990) 169–202
- Kirchner, C., *see* N. Doggaz 85 (2) (1991) 231–251
- Kirchner, H., Schematization of infinite sets of rewrite rules generated by divergent completion processes 67 (2-3) (1989) 303–332
- Kirchner, H., *see* I. Gnaedig 72 (2-3) (1990) 169–202
- Kirchner, H., Editorial 190 (1) (1998) 1–2
- Kirkpatrick, D. and S. Reisch, Upper bounds for sorting integers on random access machines 28 (3) (1984) 263–276
- Kirkpatrick, D.G., *see* D.P. Dobkin 27 (3) (1983) 241–253
- Kirousis, L.M. and C.H. Papadimitriou, Searching and pebbling 47 (2) (1986) 205–218
- Kirousis, L.M., *see* N.D. Dendris 172 (1-2) (1997) 233–254
- Kirschenhofer, P. and H. Prodinger, Further results on digital search trees 58 (1-3) (1988) 143–154
- Kirschenhofer, P., H. Prodinger and W. Szpankowski, On the balance property of Patricia tries: external path length viewpoint 68 (1) (1989) 1–17
- Kirschenhofer, P., H. Prodinger and W. Szpankowski, Probabilistic modeling of data structures on words. A reply to Professor Andersson's letter 106 (2) (1992) 395–400
- Kirschenhofer, P., *see* Ph. Flajolet 123 (2) (1994) 291–314
- Kirschenhofer, P., C. Martínez and H. Prodinger, Analysis of an optimized search algorithm for skip lists 144 (1-2) (1995) 199–220
- Kivinen, J. and H. Mannila, Approximate inference of functional dependencies from relations 149 (1) (1995) 129–149
- Kiwi, M.A., *see* E. Goles 115 (2) (1993) 321–349
- Kiwi, M.A., R. Ndoundam, M. Tchente and E. Goles, No polynomial bound for the period of the parallel chip firing game on graphs 136 (2) (1994) 527–532
- Klaeren, H.A., A constructive method for abstract algebraic software specification 30 (2) (1984) 139–204
- Klawe, M.M., *see* E. Allender 36 (2-3) (1985) 231–237
- Klawe, M.M., *see* R. Fagin 36 (2-3) (1985) 239–250
- Klawe, M.M., Shallow grates 123 (2) (1994) 389–395
- Kleijn, H.C.M. and G. Rozenberg, Context-free like restrictions on selective rewriting 16 (3) (1981) 237–269
- Kleijn, H.C.M., *see* A. Ehrenfeucht 37 (3) (1985) 337–360
- Kleijn, H.C.M., *see* T. Harju 134 (2) (1994) 403–413
- Kleijn, H.C.M., *see* P.W. Hoogers 153 (1-2) (1996) 129–170
- Kleijn, H.C.M., *see* N.W. Keesmaat 179 (1-2) (1997) 61–102
- Kleiman, M. and N. Pipenger, An explicit construction of short monotone formulae for the monotone symmetric functions 7 (3) (1978) 325–332

- Klein, R. and D. Wood, A tight upper bound for the path length of AVL trees 72 (2-3) (1990) 251–264
- Kleine Büning, H., T. Lettmann and E.W. Mayr, Projections of vector addition system reachability sets are semilinear 64 (3) (1989) 343–350
- Kleine Büning, H., On generalized Horn formulas and k -resolution 116 (2) (1993) 405–413
- Kleitman, D.J., *see* W.A. Burkhard 16 (3) (1981) 279–290
- Kleitman, D.J., *see* G. Burosch 78 (2) (1991) 377–381
- Kline, R., *see* W.F. Dowling 77 (3) (1990) 309–319
- Kloeden, P., *see* P. Diamond 148 (1) (1995) 1–17
- Kloks, T., D. Kratsch and J. Spinrad, On treewidth and minimum fill-in of asteroidal triple-free graphs 175 (2) (1997) 309–335
- Klop, J.W., *see* J. Bergstra 9 (1) (1979) 27–38
- Klop, J.W., *see* J. Bergstra 11 (1) (1980) 19–37
- Klop, J.W., *see* J.A. Bergstra 30 (1) (1984) 1–48
- Klop, J.W., *see* J.W. De Bakker 34 (1-2) (1984) 135–156
- Klop, J.W., *see* J.A. Bergstra 37 (1) (1985) 77–121
- Klop, J.W., *see* J.C.M. Baeten 51 (1-2) (1987) 129–176
- Klop, J.W., *see* J.C.M. Baeten 67 (2-3) (1989) 283–301
- Klop, J.W., *see* R.N. Bol 86 (1) (1991) 35–79
- Klop, J.W., V. van Oostrom and F. van Raamsdonk, Combinatory reduction systems: introduction and survey 121 (1-2) (1993) 279–308
- Klop, J.W., *see* J.R. Kennaway 175 (1) (1997) 93–125
- Knapik, T., *see* G. Bernot 139 (1-2) (1995) 275–314
- Knapp, E., *see* P. Collette 183 (2) (1997) 253–279
- Knijnenburg, P.M.W. and J. Van Leeuwen, On models for propositional dynamic logic 91 (2) (1991) 181–203
- Knill, E., P.T. Cox and T. Pietrzykowski, Equality and abductive residua for Horn clauses 120 (1) (1993) 1–44
- Knoop, J., *see* B. Steffen 80 (2) (1991) 303–318
- Knoop, J., Eliminating partially dead code in explicitly parallel programs 196 (1-2) (1998) 365–393
- Knuth, D.E. and L.T. Pardo, Analysis of a simple factorization algorithm 3 (3) (1976) 321–348
- Knuth, D.E. and A. Schönhage, The expected linearity of a simple equivalence algorithm 6 (3) (1978) 281–315
- Knuth, D.E., Theory and Practice 90 (1) (1991) 1–15
- Knuth, E., *see* D.V. Hung 64 (1) (1989) 67–81
- Knuutila, T. and M. Steinby, The inference of tree languages from finite samples: an algebraic approach 129 (2) (1994) 337–367
- Ko, K.-I. and H. Friedman, Computational complexity of real functions 20 (3) (1982) 323–352
- Ko, K.-I., Reducibilities on real numbers 31 (1-2) (1984) 101–123
- Ko, K.-I., On some natural complete operators 37 (1) (1985) 1–30
- Ko, K.-I., T.J. Long and D.-Z. Du, On one-way functions and polynomial-time isomorphisms 47 (3) (1986) 263–276
- Ko, K.-I., On the continued fraction representation of computable real numbers 47 (3) (1986) 299–313
- Ko, K.-I., On the notion of infinite pseudorandom sequences 48 (1) (1986) 9–33
- Ko, K.-I., On helping by robust oracle machines 52 (1-2) (1987) 15–36
- Ko, K.-I., On the continued fraction representation of computable real numbers (*Corrigendum*) 54 (2-3) (1987) 341–343
- Ko, K.-I., On adaptive versus nonadaptive bounded query machines 82 (1) (1991) 51–69
- Ko, K.-I., A polynomial-time computable curve whose interior has a nonrecursive measure 145 (1-2) (1995) 241–270
- Kobayashi, K., On the minimal firing time of the firing squad synchronization problem for polyautomata networks 7 (2) (1978) 149–167
- Kobayashi, K., M. Takahashi and H. Yamasaki, Characterization of ω -regular languages by first-order formulas 28 (3) (1984) 315–327
- Kobayashi, K., On proving time constructibility of functions 35 (2-3) (1985) 215–225
- Kobayashi, K., On the structure of one-tape nondeterministic Turing machine time hierarchy 40 (2-3) (1985) 175–193
- Kobayashi, K., *see* H. Yamasaki 46 (1) (1986) 91–99

- Kobayashi, K., Transformations that preserve malignness of universal distributions 181 (2) (1997) 289–306
- Kobayashi, S. and M. Tatsuta, Realizability interpretation of generalized inductive definitions 131 (1) (1994) 121–138
- Kobayashi, S. and T. Yokomori, Learning approximately regular languages with reversible languages 174 (1-2) (1997) 251–257
- Kobayashi, S., Monad as modality 175 (1) (1997) 29–74
- Kobayashi, Y., Repetition-free words 44 (2) (1986) 175–197
- Kobayashi, Y., *see* M. Katsura 115 (2) (1993) 359–369
- Kobayashi, Y., *see* C.C. Squier 131 (2) (1994) 271–294
- Kobayashi, Y., A finitely presented monoid which has solvable word problem but has no regular complete presentation 146 (1-2) (1995) 321–329
- Köbler, J., Locating P/poly optimally in the extended low hierarchy 134 (2) (1994) 263–285
- Köbler, J., *see* V. Arvind 137 (2) (1995) 279–282
- Kobuchi, Y., *see* T. Nishida 53 (2-3) (1987) 319–333
- Kobuchi, Y., *see* S. Seki 83 (2) (1991) 237–248
- Koç, Ç.K., *see* Ö. Eğecioğlu 129 (2) (1994) 407–417
- Kogan, Y., *see* M. Hofri 125 (1) (1994) 61–90
- Kohlas, J., Allocation of arguments and evidence theory 171 (1-2) (1997) 221–246
- Kohlbecker, E., *see* M. Felleisen 52 (3) (1987) 205–237
- Kohn, W., A. Nerode, J.B. Remmel and A. Yakhnis, Viability in hybrid systems 138 (1) (1995) 141–168
- Koiran, P., M. Cosnard and M. Garzon, Computability with low-dimensional dynamical systems 132 (1-2) (1994) 113–128
- Koiran, P., Computing over the reals with addition and order 133 (1) (1994) 35–47
- Koiran, P., A family of universal recurrent networks 168 (2) (1996) 473–480
- Kok, J.N., *see* J.W. De Bakker 75 (1-2) (1990) 15–43
- Kok, J.N. and J.J.M.M. Rutten, Contractions in comparing concurrency semantics 76 (2-3) (1990) 179–222
- Kok, J.N., *see* F.S. De Boer 86 (1) (1991) 3–33
- Kok, J.N., *see* F.S. de Boer 101 (2) (1992) 239–263
- Kok, J.N., *see* M.M. Bonsangue 151 (1) (1995) 79–124
- Koletsos, G., Polymorphic lambda calculus: the Church–Rosser property 79 (2) (1991) 365–371
- Konieczny, J., *see* K. Jójczyk 64 (1) (1989) 25–38
- König, J.-C., *see* E. Bampis 147 (1-2) (1995) 1–18
- König, R., Graphs and free partially commutative monoids 78 (2) (1991) 319–346
- Konozenko, S.V., *see* A.A. Letichevsky 119 (1) (1993) 145–171
- Koole, G., Assigning a single server to inhomogeneous queues with switching costs 182 (1-2) (1997) 203–216
- Kopidakis, Y. and V. Zissimopoulos, An approximation scheme for scheduling independent jobs into subcubes of a hypercube of fixed dimension 178 (1-2) (1997) 265–273
- Kopperman, R., *see* B. Flagg 177 (1) (1997) 111–138
- Korach, E., S. Moran and S. Zaks, Optimal lower bounds for some distributed algorithms for a complete network of processors 64 (1) (1989) 125–132
- Korec, I., Irrational speeds of Configurations growth in generalized Pascal triangles 112 (2) (1993) 399–412
- Korec, I., Small universal register machines 168 (2) (1996) 267–301
- Korelc, J., Automatic generation of finite-element code by simultaneous optimization of expressions 187 (1-2) (1997) 231–248
- Koren, G. and D. Shasha, MOCA: a multiprocessor on-line competitive algorithm for real-time system scheduling 128 (1-2) (1994) 75–97
- Kornatzky, Y., *see* C. Beeri 116 (1) (1993) 59–94
- Korver, H., *see* L.-Å. Fredlund 177 (2) (1997) 459–486
- Kościelski, A. and L. Pacholski, Makanin’s algorithm is not primitive recursive 191 (1-2) (1998) 145–156
- Koseleff, P.-V., Jeux de mots dans les algèbres de Lie libres: quelques bases et formules 79 (1) (1991) 241–256
- Koshiba, T., E. Mäkinen and Y. Takada, Learning deterministic even linear languages from positive examples 185 (1) (1997) 63–79
- Koskas, M., About the p -paperfolding words 158 (1-2) (1996) 35–51
- Kosłowski, J., Note on free algebras over continuous domains 179 (1-2) (1997) 421–425

- Kossowski, P., *see* F.Y. Chin 32 (1-2) (1984) 77–86
- Kothari, S.C., *see* E. Gannett 76 (2-3) (1990) 331–341
- Kotov, V.E., *see* L.A. Cherkasova 90 (1) (1991) 151–170
- Kott, L., *see* G. Boudol 22 (1-2) (1983) 135–173
- Kotzig, A., *see* A.S. Fraenkel 143 (2) (1995) 319–333
- Koubarakis, M., The complexity of query evaluation in indefinite temporal constraint databases 171 (1-2) (1997) 25–60
- Koubarakis, M., From local to global consistency in temporal constraint networks 173 (1) (1997) 89–112
- Koubek, V., *see* I. Demel 36 (2-3) (1985) 203–216
- Koubek, V., *see* J. Adámek 150 (1) (1995) 57–75
- Kounalis, E., Testing for the ground (co-)reducibility property in term-rewriting systems 106 (1) (1992) 87–117
- Koutny, M., *see* R. Janicki 43 (2-3) (1986) 213–238
- Koutny, M., Adequacy-preserving transformations of COSY path programs 94 (1) (1992) 141–158
- Koutny, M., *see* E. Best 96 (1) (1992) 175–215
- Koutny, M., *see* R. Janicki 112 (1) (1993) 5–52
- Koutsoupias, E., Improvements on Khrapchenko's theorem 116 (2) (1993) 399–403
- Kowalski, Z.S., Multiple returns under a bounded number of iterations 123 (1) (1994) 139–144
- Kozen, D., Complexity of Boolean algebras 10 (3) (1980) 221–247
- Kozen, D., Indexings of subrecursive classes 11 (3) (1980) 277–301
- Kozen, D. and R. Parikh, An elementary proof of the completeness of PDL 14 (1) (1981) 113–118
- Kozen, D., Results on the propositional μ -calculus 27 (3) (1983) 333–354
- Kozen, D. and S. Zaks, Optimal bounds for the change-making problem 123 (2) (1994) 377–388
- Kozen, D., Rational spaces and set constraints 167 (1-2) (1996) 73–94
- Kozyakin, V., *see* P. Diamond 148 (1) (1995) 1–17
- Kraaikamp, C., Statistic and ergodic properties of Minkowski's diagonal continued fraction 65 (2) (1989) 197–212
- Kranakis, E., *see* K. Diks 145 (1-2) (1995) 95–109
- Kranakis, E., *see* F. Bauernöppel 175 (2) (1997) 239–255
- Kratsch, D., *see* A. Brandstädt 54 (2-3) (1987) 181–198
- Kratsch, D., *see* H.L. Bodlaender 106 (2) (1992) 309–326
- Kratsch, D., *see* T. Kloks 175 (2) (1997) 309–335
- Kraus, S. and D. Lehmann, Knowledge, belief and time 58 (1-3) (1988) 155–174
- Krause, M., C. Meinel and S. Waack, Separating the eraser Turing machine classes L_e , NL_e , $co-NL_e$ and P_e 86 (2) (1991) 267–275
- Krause, M., Geometric arguments yield better bounds for threshold circuits and distributed computing 156 (1-2) (1996) 99–117
- Krause, M. and P. Pudlák, On the computational power of depth-2 circuits with threshold and modulo gates 174 (1-2) (1997) 137–156
- Krawczyk, A., *see* M. Chrobak 71 (3) (1990) 419–424
- Kreitz, C. and K. Weihrauch, Theory of representations 38 (1) (1985) 35–53
- Kreitz, C., *see* K. Weihrauch 82 (1) (1991) 1–18
- Krentel, M.W., Generalizations of Opt P to the polynomial hierarchy 97 (2) (1992) 183–198
- Kreowski, H.-J., *see* H. Ehrig 20 (3) (1982) 209–263
- Kreowski, H.-J., *see* H. Ehrig 27 (3) (1983) 255–286
- Kreowski, H.-J., *see* H. Ehrig 28 (1-2) (1984) 45–81
- Kreowski, H.-J. and A. Wilharm, Net processes correspond to derivation processes in graph grammars 44 (3) (1986) 275–305
- Kreowski, H.-J., *see* A. Habel 51 (1-2) (1987) 81–115
- Kreowski, H.-J., *see* A. Habel 89 (1) (1991) 33–62
- Kreowski, H.-J., *see* A. Habel 110 (1) (1993) 145–168
- Kreowski, H.-J., *see* F. Drewes 145 (1-2) (1995) 159–187
- Kreitschmer, T., A closure property of regular languages 61 (2-3) (1988) 283–287
- Krishnamoorthy, M.S., *see* D. Kapur 35 (1) (1985) 109–114
- Krishnamoorthy, M.S., *see* D. Kapur 39 (2-3) (1985) 123–133

- Krishnamoorthy, M.S. and P. Narendran, On recursive path ordering 40 (2-3) (1985) 323–328
- Krishnan, P., A semantic characterisation for faults in replicated systems 128 (1-2) (1994) 159–177
- Krishna Rao, M.R.K., Modular proofs for completeness of hierarchical term rewriting systems 151 (2) (1995) 487–512
- Krithivasan, K. and M. Mahajan, Nondeterministic, probabilistic and alternating computations on cellular array models 143 (1) (1995) 23–49
- Krivine, J.-L., A general storage theorem for integers in call-by-name λ -calculus 129 (1) (1994) 79–94
- Krizanc, D., *see* F. Bauernöppel 175 (2) (1997) 239–255
- Krob, D., Some examples of formal series used in non-commutative algebra 79 (1) (1991) 111–135
- Krob, D., Complete systems of \mathcal{B} -rational identities 89 (2) (1991) 207–343
- Krob, D., *see* G. Duchamp 96 (2) (1992) 405–410
- Krob, D., *see* A. Bonnier-Rigny 134 (1) (1994) 27–50
- Kröger, F., On the interpretability of arithmetic in temporal logic 73 (1) (1990) 47–60
- Krumke, S.O., M.V. Marathe, H. Noltemeier, V. Radhakrishnan, S.S. Ravi and D.J. Rosenkrantz, Compact location problems 181 (2) (1997) 379–404
- Kruseman Aretz, F.E.J., *see* R. Leermakers 104 (2) (1992) 313–323
- Kruskal, C.P. and M. Snir, A unified theory of interconnection network structure 48 (1) (1986) 75–94
- Kruskal, C.P., L. Rudolph and M. Snir, Techniques for parallel manipulation of sparse matrices 64 (2) (1989) 135–157
- Kruskal, C.P., L. Rudolph and M. Snir, A complexity theory of efficient parallel algorithms 71 (1) (1990) 95–132
- Kshemkalyani, A.D., A framework for viewing atomic events in distributed computations 196 (1-2) (1998) 45–70
- Kučera, L., J. Nešetřil and A. Pultr, Complexity of dimension three and some related edge-covering characteristics of graphs 11 (1) (1980) 93–106
- Kuchen, H., *see* G.H. Botorog 196 (1-2) (1998) 71–107
- Kucherov, G., P. Lescanne and P. Mosses, Valentin Antimirov (1961–1995) 155 (2) (1996) 289–290
- Kucherov, G. and M. Rusinowitch, Matching a set of strings with variable length don't cares 178 (1-2) (1997) 129–154
- Küchlin, W., *see* B. Amrhein 187 (1-2) (1997) 179–202
- Kudlek, M., *see* M. Jantzen 33 (1) (1984) 13–43
- Kudlek, M., Small deterministic Turing machines 168 (2) (1996) 241–255
- Kudlek, M. and A. Mateescu, On distributed catenation 180 (1-2) (1997) 341–352
- Kuich, W. and F.J. Urbanek, Infinite linear systems and one counter languages 22 (1-2) (1983) 95–126
- Kuich, W., Matrix systems and principal cones of algebraic power series 57 (1) (1988) 147–152
- Kuich, W., Automata and languages generalized to ω -continuous semirings 79 (1) (1991) 137–150
- Kuich, W., *see* J. Honkala 183 (1) (1997) 113–142
- Kulkarni, S.R. and P. Shankar, Linear time parsers for classes of non context free languages 165 (2) (1996) 355–390
- Kumar, R. and V.K. Garg, Extremal solutions of inequations over lattices with applications to supervisory control 148 (1) (1995) 67–92
- Kummer, M., An easy priority-free proof of a theorem of Friedberg 74 (2) (1990) 249–251
- Kummer, M., *see* L. Fortnow 161 (1-2) (1996) 123–140
- Kummer, M., *see* L. Fortnow 197 (1-2) (1998) 139–156
- Kundu, S., Minimal strings in a regular language with respect to a partial order on the alphabet 83 (2) (1991) 287–300
- Kunze, M., Standard automata and semidirect products of transformation semigroups 108 (1) (1993) 151–171
- Kuper, G.M. and M.Y. Vardi, On the complexity of queries in the logical data model 116 (1) (1993) 33–57
- Kurihara, M. and A. Ohuchi, Modularity of simple termination of term rewriting systems with shared constructors 103 (2) (1992) 273–282
- Kurihara, M. and A. Ohuchi, Modularity in noncopying term rewriting 152 (1) (1995) 139–169
- Kůrka, P., Applicability of a production in a categorical grammar 10 (1) (1980) 37–44
- Kůrka, P., Ergodic languages 21 (3) (1982) 351–355
- Kůrka, P., Regular unimodal systems and factors of finite automata 133 (1) (1994) 49–64

- Kárka, P., On topological dynamics of Turing machines 174 (1-2) (1997) 203–216
- Kurtz, S., *see* S. Homer 115 (2) (1993) 383–389
- Kurtz, S.A., *see* L. Fortnow 197 (1-2) (1998) 139–156
- Kurtz, T.G. and U. Manber, A probabilistic distributed algorithm for set intersection and its analysis 49 (2-3) (1987) 267–282
- Kuske, D., *see* F. Bracho 174 (1-2) (1997) 67–96
- Küster, G., On the Hurwitz product of formal power series and automata 83 (2) (1991) 261–273
- Kutten, S., *see* Y. Afek 186 (1-2) (1997) 199–230
- Kutty, G., *see* Y.S. Ramakrishna 166 (1-2) (1996) 1–47
- Kutty, G., *see* Y.S. Ramakrishna 170 (1-2) (1996) 1–46
- Kutyłowski, M., Multihead one-way finite automata 85 (1) (1991) 135–153
- Kutyłowski, M., Stack versus sensitivity for one-way automata 119 (2) (1993) 233–245
- Kuzak, T., *see* K. Jojczyk 64 (1) (1989) 25–38
- Kwiatkowska, M., *see* S. Ambler 151 (1) (1995) 3–27
- Kwong, Y.S., On reduction of asynchronous systems 5 (1) (1977) 25–50
- Laaser, W.T., *see* N.D. Jones 3 (1) (1976) 105–117
- Labella, A., *see* Z. Ésik 195 (1) (1998) 61–89
- Labelle, G., Sur la symétrie et l'asymétrie des structures combinatoires 117 (1-2) (1993) 3–22
- Labhalla, S., Complexité du calcul du développement d'un nombre réel en fractions continues 83 (2) (1991) 219–235
- Labhalla, S. and H. Lombardi, Représentations des nombres réels par développements en base entière et complexité 88 (1) (1991) 171–182
- Labhalla, S., H. Lombardi and R. Marlin, Algorithmes de calcul de la réduction de Hermite d'une matrice à coefficients polynomiaux 161 (1-2) (1996) 69–92
- Lachaud, G., Artin–Schreier curves, exponential sums, and coding theory 94 (2) (1992) 295–310
- Lacoste, T., 0–1 laws by preservation 184 (1-2) (1997) 237–245
- Ladner, R., *see* P. Beame 100 (1) (1992) 253–265
- Ladner, R.E., N.A. Lynch and A.L. Selman, A comparison of polynomial time reducibilities 1 (2) (1976) 103–123
- Lafaye de Micheaux, N. and C. Rambaud, Confluence for graph transformations 154 (2) (1996) 329–348
- Lafont, Y., The linear abstract machine 59 (1-2) (1988) 157–180
- Lafont, Y., The linear abstract machine (*Corrigendum*) 62 (3) (1988) 327–328
- Lakhneche, Y. and J. Hooman, Metric temporal logic with durations 138 (1) (1995) 169–199
- Lakshmanan, K.B., *see* B. Ravikumar 33 (1) (1984) 85–94
- Lakshmanan, L.V.S., *see* F. Dong 133 (2) (1994) 267–306
- Lakshmanan, L.V.S., Preface 171 (1-2) (1997) 1–2
- Lakshmanan, V.S. and C.E. Veni Madhavan, An algebraic theory of functional and multivalued dependencies in relational databases 54 (1) (1987) 103–128
- Lakshmanan, V.S., Split-freedom and MVD-intersection: A new characterization of multivalued dependencies having conflict-free covers 62 (1-2) (1988) 105–122
- Lalanne, J.C., Sur une involution sur les chemins de Dyck 117 (1-2) (1993) 203–215
- Lallement, G., Regular semigroups with $\mathcal{D} = \mathcal{R}$ as syntactic monoids of prefix codes 3 (1) (1976) 35–49
- Lalonde, P., Bases de Lyndon des algèbres de Lie libres partiellement commutatives 117 (1-2) (1993) 217–226
- Lam, K., M.K. Siu and C.T. Yu, A generalized counter scheme 16 (3) (1981) 271–278
- Lam, N.H., Hajós factorizations and completion of codes 182 (1-2) (1997) 245–256
- Lamarache, F., Quantitative domains and infinitary algebras 94 (1) (1992) 37–62
- Lamarache, F., Stable domains are generalized topological spaces 111 (1-2) (1993) 103–123
- Lambert, J.-L., A structure to decide reachability in Petri nets 99 (1) (1992) 79–104
- Lambert, J.-L., Sorting the sums $(x_i + y_j)$ in $O(n^2)$ comparisons 103 (1) (1992) 137–141
- Lamma, E., *see* A. Brogi 184 (1-2) (1997) 1–59
- Lamport, L., *see* M. Abadi 82 (2) (1991) 253–284
- Lamport, L., Processes are in the eye of the beholder 179 (1-2) (1997) 333–351
- Landau, G.M. and U. Vishkin, Efficient string matching with k mismatches 43 (2-3) (1986) 239–249
- Landau, G.M., *see* Z. Galil 49 (2-3) (1987) 171–184

- Landau, G.M., *see* A. Amir 81 (1) (1991) 97–115
- Lando, B., *see* T. Head 46 (1) (1986) 83–89
- Lando, B., *see* T. Head 48 (1) (1986) 101–108
- Lando, B., *see* T. Head 51 (3) (1987) 255–264
- Lando, B., Periodicity and ultimate periodicity of D0L systems 82 (1) (1991) 19–33
- Lando, S.K. and A.K. Zvonkin, Plane and projective meanders 117 (1-2) (1993) 227–241
- Landweber, L.H., *see* N.D. Jones 4 (3) (1977) 277–299
- Landweber, L.H., R.J. Lipton and E.L. Robertson, On the structure of sets in NP and other complexity classes 15 (2) (1981) 181–200
- Laneve, C., *see* A. Asperti 142 (2) (1995) 277–297
- Laneve, C., *see* A. Asperti 159 (2) (1996) 191–244
- Lange, K.-J. and E. Welzl, Recurrent words and simultaneous growth in T0L systems 35 (1) (1985) 1–15
- Lange, K.-J., Decompositions of nondeterministic reductions 58 (1-3) (1988) 175–181
- Lange, K.-J., Unambiguity of circuits 107 (1) (1992) 77–94
- Lange, S., *see* K.P. Jantke 137 (1) (1995) 25–51
- Lange, S., T. Zeugmann and S. Kapur, Monotonic and dual monotonic language learning 155 (2) (1996) 365–410
- Lao, T.-P., *see* H.-C. Yen 170 (1-2) (1996) 445–464
- Laplaza, M., *see* D. Bollman 6 (3) (1978) 317–325
- Larcher, G., *see* P. Hellekalek 65 (2) (1989) 189–196
- Larmore, L.L., *see* M. Chrobak 98 (2) (1992) 339–346
- Larmore, L.L., *see* M. Karpinski 180 (1-2) (1997) 309–324
- Larmore, L.L. and W. Rytter, Almost optimal sublinear time parallel recognition algorithms for three subclasses of context free languages 197 (1-2) (1998) 189–201
- Laroussinie, F., S. Pinchinat and P. Schnoebelen, Translations between modal logics of reactive systems 140 (1) (1995) 53–71
- Laroussinie, F. and P. Schnoebelen, A hierarchy of temporal logics with past 148 (2) (1995) 303–324
- Larsen, K.G., A context dependent equivalence between processes 49 (2-3) (1987) 185–215
- Larsen, K.G., *see* F.V. Jensen 54 (1) (1987) 29–51
- Larsen, K.G., Proof systems for satisfiability in Hennessy–Milner logic with recursion 72 (2-3) (1990) 265–288
- Larsen, K.G. and B. Thomsen, Partial specifications and compositional verification 88 (1) (1991) 15–32
- Larsen, K.G., *see* G. Boudol 106 (1) (1992) 3–20
- Larsen, K.G., The expressive power of implicit specifications 114 (1) (1993) 119–147
- Larson, R.G., *see* R.L. Grossman 138 (1) (1995) 101–112
- Lassez, J.-L., *see* V.L. Nguyen 16 (2) (1981) 211–221
- Lassez, J.-L. and M.J. Maher, Closures and fairness in the semantics of programming logic 29 (1-2) (1984) 167–184
- Lassez, J.-L. and M.J. Maher, Optimal fixedpoints of logic programs 39 (1) (1985) 15–25
- Lastovetsky, A.L. and S.S. Gaissaryan, An algebraic approach to semantics of programming languages 135 (2) (1994) 267–288
- Lathrop, J.I., *see* D.W. Juedes 132 (1-2) (1994) 37–70
- Latteux, M., Produit dans le cône rationnel engendre par D_1^* 5 (2) (1977) 129–134
- Latteux, M., *see* A. Arnold 8 (2) (1979) 261–263
- Latteux, M., A propos du lemme de substitution 14 (1) (1981) 119–123
- Latteux, M., *see* M. Clerbout 34 (3) (1984) 241–254
- Latteux, M. and E. Timmerman, Two characterizations of rational adherences 46 (1) (1986) 101–106
- Latteux, M., *see* R. Cori 61 (1) (1988) 93–102
- Latteux, M., *see* T. Harju 134 (2) (1994) 403–413
- Latteux, M. and D. Simplot, Recognizable picture languages and domino tiling 178 (1-2) (1997) 275–283
- Latteux, M., *see* V. Bruyère 191 (1-2) (1998) 117–129
- Lauer, P.E., *see* R. Janicki 43 (2-3) (1986) 213–238
- Laumond, J.-P. and J.-J. Risler, Nonholonomic systems: Controllability and complexity 157 (1) (1996) 101–114
- Lautemann, C., *see* A. Habel 110 (1) (1993) 145–168
- Lautenbach, K., *see* H.J. Genrich 13 (1) (1981) 109–136

- Lavault, C., Exact average message complexity values for distributed election on bidirectional rings of processors 73 (1) (1990) 61–79
- Laville, A., *see* T. Hardin 46 (2-3) (1986) 305–312
- Lawler, E.L., *see* V. Bafna 182 (1-2) (1997) 233–244
- Lawrence, J., *see* M.H. Albert 41 (1) (1985) 121–123
- Lawrence, J., *see* M.H. Albert 43 (1) (1986) 117–122
- Lazard, D., Résolution des systèmes d'équations algébriques 15 (1) (1981) 77–110
- Leader, I., *see* R. Diestel 132 (1-2) (1994) 337–345
- Leavens, G.T. and D. Pigozzi, The behavior–realization adjunction and generalized homomorphic relations 177 (1) (1997) 183–216
- Lebègue, P., *see* Ph. Devienne 119 (1) (1993) 39–62
- Le Chenadec, P., Analysis of Dehn's algorithm by critical pairs 51 (1-2) (1987) 27–52
- Lecomte, P.B.A., *see* C. Ceola 194 (1-2) (1998) 219–223
- Le Cong, T., *see* D. Phan Dinh 46 (2-3) (1986) 219–237
- Leconte, M., A characterization of power-free morphisms 38 (1) (1985) 117–122
- Lecroq, T., A variation on the Boyer–Moore algorithm 92 (1) (1992) 119–144
- Lee, D.H., *see* C. Kim 120 (2) (1993) 247–259
- Lee, D.T., *see* U.I. Gupta 16 (3) (1981) 307–319
- Lee, D.T., C.L. Liu and C.K. Wong, (g_0, a_1, \dots, g_k) -trees and unary 0L systems 22 (1-2) (1983) 209–217
- Lee, D.T., C.L. Liu and C.K. Wong, (g_0, a_1, \dots, g_k) -trees and unary 0L systems (*Corrigendum*) 23 (3) (1983) 347
- Lee, I., *see* P. Brémont-Grégoire 189 (1-2) (1997) 179–219
- Lee, K.P., *see* A. Ehrenfeucht 1 (1) (1976) 59–75
- Lee, P., *see* F. Pfenning 89 (1) (1991) 137–159
- Leermakers, R., Recursive ascent parsing: from Earley to Marcus 104 (2) (1992) 299–312
- Leermakers, R., L. Augesteijn and F.E.J. Kruseman Aretz, A functional LR parser 104 (2) (1992) 313–323
- Lefmann, H., *see* P. Fischer 172 (1-2) (1997) 43–65
- Leggett, Jr., E.W. and D.J. Moore, Optimization problems and the polynomial hierarchy 15 (3) (1981) 279–289
- Le Guernic, P., *see* A. Benveniste 152 (2) (1995) 171–217
- Lehmann, D. and A. Pasztor, Epis need not be dense 17 (2) (1982) 151–161
- Lehmann, D., *see* N. Francez 32 (1-2) (1984) 25–46
- Lehmann, D., *see* S. Cohen 34 (1-2) (1984) 215–225
- Lehmann, D., *see* S. Kraus 58 (1-3) (1988) 155–174
- Lehmann, D.J., Algebraic structures for transitive closure 4 (1) (1977) 59–76
- Lehmann, D.J., A note on Schnorr's separatedness 4 (2) (1977) 235
- Lehmann, J.-P., A universal machine without change of state 55 (2-3) (1987) 291–348
- Lehmkuhl, T. and T. Lickteig, On the order of approximation in approximative triadic decompositions of tensors 66 (1) (1989) 1–14
- Lehr, S., Sums and rational multiples of q -automatic sequences are q -automatic 108 (2) (1993) 385–391
- Lehr, S., J. Shallit and J. Tromp, On the vector space of the automatic reals 163 (1-2) (1996) 193–210
- Leighton, T., Methods for message routing in parallel machines 128 (1-2) (1994) 31–62
- Leih, G., *see* J. Engelfriet 59 (3) (1988) 309–315
- Leih, G., *see* J. Engelfriet 82 (1) (1991) 95–111
- Leininger, B.S., *see* O.H. Ibarra 19 (1) (1982) 17–28
- Leiss, E., *see* J.A. Brzozowski 10 (1) (1980) 19–35
- Leiss, E., Succinct representation of regular languages by Boolean automata 13 (3) (1981) 323–330
- Leiss, E., On generalized language equations 14 (1) (1981) 63–77
- Leiss, E., On classes of tractable unrestricted regular expressions 35 (2-3) (1985) 313–327
- Leiss, E., Succinct representation of regular languages by Boolean automata II 38 (1) (1985) 133–136
- Leiss, E.L., On solving star equations 39 (2-3) (1985) 327–332
- Leiss, E.L., Generalized language equations with multiple solutions 44 (2) (1986) 155–174
- Leiss, E.L., Language equations over a one-letter alphabet with union, concatenation and star: a complete solution 131 (2) (1994) 311–330

- Leiss, E.L., Unrestricted complementation in language equations over a one-letter alphabet 132 (1-2) (1994) 71–84
- Leiss, E.L., Implicit language equations: existence and uniqueness of solutions 145 (1-2) (1995) 71–93
- Leiss, E.L., Solving systems of explicit language relations 186 (1-2) (1997) 83–105
- Leitsch, A., *see* M. Baaz 160 (1-2) (1996) 241–270
- Leivant, D., Unprovability of theorems of complexity theory in weak number theories 18 (3) (1982) 259–268
- Leivant, D., Typing and computational properties of lambda expressions 44 (1) (1986) 51–68
- Leivant, D., Functions over free algebras definable in the simply typed lambda calculus 121 (1-2) (1993) 309–321
- Le Métayer, D., *see* C. Hankin 192 (2) (1998) 233–258
- Lemieux, F., *see* F. Bedard 107 (1) (1992) 31–61
- Leimon, M. and P.J. Antsaklis, Inductively inferring valid logical models of continuous-state dynamical systems 138 (1) (1995) 201–210
- Lempel, A., G. Seroussi and S. Winograd, On the complexity of multiplication in finite fields 22 (3) (1983) 285–296
- Lempel, M. and A. Paz, An algorithm for finding a shortest vector in a two-dimensional modular lattice 125 (2) (1994) 229–241
- Lengauer, C., *see* C.-H. Huang 46 (2-3) (1986) 261–284
- Lengauer, T. and K.W. Wagner, The binary network flow problem is logspace complete for P 75 (3) (1990) 357–363
- Lenstra, A.K., Factoring multivariate integral polynomials 34 (1-2) (1984) 207–213
- Lenz, K. and I. Wegener, The conjunctive complexity of quadratic Boolean functions 81 (2) (1991) 257–268
- Leo, J.M.I.M., A general context-free parsing algorithm running in linear time on every LR(*k*) grammar without using lookahead 82 (1) (1991) 165–176
- Leoncini, M., *see* B. Codenotti 127 (1) (1994) 99–121
- Leoncini, M., *see* V. Brimkov 165 (2) (1996) 483–490
- Leoncini, M., *see* B. Codenotti 180 (1-2) (1997) 287–308
- Leone, N., *see* T. Eiter 189 (1-2) (1997) 129–177
- Lerat, N. and W. Lipski, Jr., Nonapplicable nulls 46 (1) (1986) 67–82
- Le Rest, M., *see* E. Barbin-Le Rest 41 (1) (1985) 61–80
- Leroux, P. and X.G. Viennot, A combinatorial approach to nonlinear functional expansions: an introduction with an example 79 (1) (1991) 179–193
- Le Saec, B., *see* D. Long Van 108 (2) (1992) 237–249
- Lescanne, P., On termination of one rule rewrite systems 132 (1-2) (1994) 384–390
- Lescanne, P., *see* G. Kucherov 155 (2) (1996) 289–290
- Lescot, M., *see* F. Debart 105 (1) (1992) 141–166
- Letichevsky, A.A., J.V. Kapitonova and S.V. Konozenko, Computations in APS 119 (1) (1993) 145–171
- Lettmann, T., *see* H. Kleine Büning 64 (3) (1989) 343–350
- Le Tuan, H., *see* D. Phan Dinh 46 (2-3) (1986) 219–237
- Leung, H., Limitedness theorem on finite automata with distance functions: An algebraic proof 81 (1) (1991) 137–145
- Leung, J.Y.-T., *see* U.I. Gupta 16 (3) (1981) 307–319
- Leung, J.Y.-T., *see* J. Du 75 (3) (1990) 347–355
- Leung, V.J., The undecidability of the unrestricted modified edit distance 180 (1-2) (1997) 203–215
- Lev, G. and L.G. Valiant, Size bounds for superconcentrators 22 (3) (1983) 233–251
- Levcopoulos, C., A. Lingas and J.-R. Sack, Heuristics for optimum binary search trees and minimum weight triangulation problems 66 (2) (1989) 181–203
- Levcopoulos, C. and O. Petersson, Exploiting few inversions when sorting: Sequential and parallel algorithms 163 (1-2) (1996) 211–238
- Levi, G., *see* M. Falaschi 69 (3) (1989) 289–318
- Levi, G., *see* M. Falaschi 75 (1-2) (1990) 45–66
- Levi, G., *see* M. Gabbrielli 105 (1) (1992) 85–128
- Levi, G., *see* A. Bossi 122 (1-2) (1994) 3–47
- Levi, G., *see* M. Alpuente 142 (1) (1995) 27–57

- Levin, L.A., Computational complexity of functions 157 (2) (1996) 267–271
- Levy, B.C., *see* A. Benveniste 152 (2) (1995) 171–217
- Lévy, J.-J., An algebraic interpretation of the $\lambda\beta K$ -calculus; and an application of a labelled λ -calculus 2 (1) (1976) 97–114
- Levy, L.S., *see* A.K. Joshi 12 (3) (1980) 265–290
- Lewis, H.R. and C.H. Papadimitriou, Symmetric space-bounded computation 19 (2) (1982) 161–187
- Lewis, H.R., *see* L. Denenberg 30 (3) (1984) 319–341
- Li, H., *see* G.-H. Chen 120 (2) (1993) 215–227
- Li, H., *see* B. Fu 120 (2) (1993) 279–291
- Li, J., I. Suzuki and M. Yamashita, Fair Petri nets and structural induction for rings of processes 135 (2) (1994) 377–404
- Li, M., *see* T. Jiang 119 (2) (1993) 363–371
- Li, M., *see* T. Jiang 134 (2) (1994) 473–491
- Li, M., *see* J.-H. You 170 (1-2) (1996) 383–406
- Li, M., *see* D. Du 181 (2) (1997) 227
- Li, M., *see* J. Kececioglu 185 (1) (1997) 3–13
- Li, M., *see* R. Beigel 191 (1-2) (1998) 245–248
- Liang, W., *see* H. Shen 180 (1-2) (1997) 169–180
- Liberatore, V., *see* F. d'Amore 130 (1) (1994) 101–123
- Libkin, L., Models of approximation in databases 190 (2) (1998) 167–210
- Lickteig, T., *see* T. Lehmkuhl 66 (1) (1989) 1–14
- Lieberherr, K., P-optimal heuristics 10 (2) (1980) 123–131
- Lieberherr, K., Uniform complexity and digital signatures 16 (1) (1981) 99–109
- Lieberherr, K., *see* J. Finn 23 (2) (1983) 211–215
- Lieberherr, K.J., *see* M.-D.A. Huang 40 (2-3) (1985) 195–210
- Lien, Y.E., *see* N.D. Jones 4 (3) (1977) 277–299
- Lifschitz, S. and V. Vianu, A probabilistic view of Datalog parallelization 190 (2) (1998) 211–239
- Limongelli, C. and M. Temperini, Abstract specification of structures and methods in symbolic mathematical computation 104 (1) (1992) 89–107
- Lin, H., *see* M. Hennessy 138 (2) (1995) 353–389
- Lin, I.-P., *see* C.-C. Chen 129 (1) (1994) 95–121
- Lin, X., A fully distributed quorum consensus method with high fault-tolerance and low communication overhead 185 (2) (1997) 259–275
- Lincoln, P. and A. Scedrov, First-order linear logic without modalities is NEXPTIME-hard 135 (1) (1994) 139–153
- Lincoln, P. and T. Winkler, Constant-only multiplicative linear logic is NP-complete 135 (1) (1994) 155–169
- Lindell, S., An analysis of fixed-point queries on binary trees 85 (1) (1991) 75–95
- Lindenmayer, A., *see* M.J.M. De Boer 83 (2) (1991) 205–218
- Lindsay, P.A., Alternation and ω -type Turing acceptors 43 (1) (1986) 107–115
- Lingas, A., Subgraph isomorphism for biconnected outerplanar graphs in cubic time 63 (3) (1989) 295–302
- Lingas, A., *see* C. Levopoulos 66 (2) (1989) 181–203
- Lingas, A. and A. Proskurowski, On parallel complexity of the subgraph homeomorphism and the subgraph isomorphism problem for classes of planar graphs 68 (2) (1989) 155–173
- Lingas, A., *see* A. Dessmark 141 (1-2) (1995) 337–350
- Lingas, A., *see* P. Berman 174 (1-2) (1997) 193–202
- Lingas, A., Maximum tree-packing in time $O(n^{5/2})$ 181 (2) (1997) 307–316
- Linial, N. and M. Tarsi, Deciding hypergraph 2-colourability by H-resolution 38 (2-3) (1985) 343–347
- Linna, M., A decidability result for deterministic ω -context-free languages 4 (1) (1977) 83–98
- Linna, M., *see* T. Harju 33 (2-3) (1984) 327–329
- Lipeck, U., *see* H.-D. Ehrich 27 (1-2) (1983) 167–196
- Lipeck, U., *see* M. Gogolla 34 (3) (1984) 289–313
- Lipeck, U.W., Transformation of dynamic integrity constraints into transaction specifications 76 (1) (1990) 115–142
- Lipponen, M., *see* T. Harju 161 (1-2) (1996) 93–108

- Lipski, Jr., W., Information storage and retrieval – mathematical foundations II (combinatorial problems) 3 (2) (1976) 183–211
- Lipski, Jr., W., *see* N. Lerat 46 (1) (1986) 67–82
- Lipton, R.J. and D. Dobkin, Complexity measures and hierarchies for the evaluation of integers and polynomials 3 (3) (1976) 349–357
- Lipton, R.J., *see* L.H. Landweber 15 (2) (1981) 181–200
- Lipton, R.J., *see* J. Cai 103 (1) (1992) 25–38
- Lipton, R.J., J.F. Naughton, D.A. Schneider and S. Seshadri, Efficient sampling strategies for relational database operations 116 (1) (1993) 195–226
- Lisitsa, A. and V. Sazonov, Δ -languages for sets and LOGSPACE computable graph transformers 175 (1) (1997) 183–222
- Liśkiewicz, M., K. Loryś and M. Piotrów, On reversal bounded alternating Turing machines 54 (2-3) (1987) 331–339
- Lisper, B., Synthesis and equivalence of concurrent systems 58 (1-3) (1988) 183–199
- Lisper, B., Computing in unpredictable environments: semantics, reduction strategies, and program transformations 190 (1) (1998) 61–85
- Litovsky, I. and E. Timmerman, On generators of rational ω -power languages 53 (2-3) (1987) 187–200
- Litovsky, I., *see* J. Devolder 85 (1) (1991) 33–52
- Litovsky, I., *see* D. Long Van 108 (2) (1992) 237–249
- Litovsky, I. and Y. Métivier, Computing with graph rewriting systems with priorities 115 (2) (1993) 191–224
- Litovsky, I., *see* D. Long Van 143 (1) (1995) 1–21
- Litovsky, I. and L. Staiger, Finite acceptance of infinite words 174 (1-2) (1997) 1–21
- Litow, B. and P. Dumas, Additive cellular automata and algebraic series 119 (2) (1993) 345–354
- Litow, B., A context-free language decision problem 125 (2) (1994) 339–343
- Liu, C.L., *see* D.T. Lee 22 (1-2) (1983) 209–217
- Liu, C.L., *see* D.T. Lee 23 (3) (1983)
- Liu, C.L., *see* P.V. Ramanan 38 (1) (1985) 83–98
- Liu, H., *see* S.-H.S. Huang 106 (2) (1992) 361–371
- Liu, R., An improved Shellsort algorithm 188 (1-2) (1997) 241–247
- Liu, T., *see* S. Tang 115 (2) (1993) 371–381
- Liu, Z., *see* L. Finta 162 (2) (1996) 323–340
- Livesey, M., Stable families of behavioural equivalences 63 (1) (1989) 19–41
- Livesey, M.J., *see* M.D. Atkinson 178 (1-2) (1997) 103–118
- Lobo, J., A. Rajasekar and J. Minker, Semantics of Horn and disjunctive logic programs 86 (1) (1991) 93–106
- Lodi, E., *see* A.A. Bertossi 73 (3) (1990) 319–328
- Loh, S.C., *see* F.Y. Chin 32 (1-2) (1984) 77–86
- Lombardi, H., *see* S. Labhalla 88 (1) (1991) 171–182
- Lombardi, H., *see* S. Labhalla 161 (1-2) (1996) 69–92
- Long, D., On group codes 163 (1-2) (1996) 259–267
- Long, D.E., *see* A. Browne 178 (1-2) (1997) 237–255
- Long, D.Y., J. Ma and D. Zhou, Structure of 3-infix-outfix maximal codes 188 (1-2) (1997) 231–240
- Long, P.M., *see* D. Kimber 148 (1) (1995) 141–156
- Long, T.J., On γ -reducibility versus polynomial time many-one reducibility 14 (1) (1981) 91–101
- Long, T.J., Strong nondeterministic polynomial-time reducibilities 21 (1) (1982) 1–25
- Long, T.J., *see* K.-I. Ko 47 (3) (1986) 263–276
- Long, T.J., *see* S. Homer 51 (3) (1987) 265–280
- Longo, G., *see* K. Bruce 31 (1-2) (1984) 31–40
- Longo, G. and S. Martini, Computability in higher types, $P\omega$ and the completeness of type assignment 46 (2-3) (1986) 197–217
- Longo, G. and E. Moggi, A category-theoretic characterization of functional completeness 70 (2) (1990) 193–211
- Longo, G., K. Milsted and S. Soloviev, The genericity theorem and parametricity in the polymorphic λ -calculus 121 (1-2) (1993) 323–349
- Longpré, L. and A.L. Selman, Hard promise problems and nonuniform complexity 115 (2) (1993) 277–290

- Long Van, D., B. Le Saec and I. Litovsky, Stability for the zigzag submonoids 108 (2) (1992) 237–249
- Long Van, D., B.L. Säec and I. Litovsky, Characterizations of rational ω -languages by means of right congruences 143 (1) (1995) 1–21
- Loogen, R. and S. Winkler, Dynamic detection of determinism in functional logic languages 142 (1) (1995) 59–87
- Lopresti, D. and A. Tomkins, Block edit models for approximate string matching 181 (1) (1997) 159–179
- Lorys, K., *see* M. Liśkiewicz 54 (2-3) (1987) 331–339
- Lotti, G. and F. Romani, On the asymptotic complexity of rectangular matrix multiplication 23 (2) (1983) 171–185
- Lotti, G., *see* P. Favati 174 (1-2) (1997) 157–170
- Louchard, G., Random walks, Gaussian processes and list structures 53 (1) (1987) 99–124
- Louchard, G., B. Randrianarimanana and R. Schott, Dynamic algorithms in D.E. Knuth's model: a probabilistic analysis 93 (2) (1992) 201–225
- Louchard, G., *see* D. Gardy 144 (1-2) (1995) 125–159
- Louchard, G., Probabilistic analysis of some (un)directed animals 159 (1) (1996) 65–79
- Loui, M.C., A space bound for one-tape multidimensional Turing machines 15 (3) (1981) 311–320
- Loui, M.C., Simulations among multidimensional Turing machines 21 (2) (1982) 145–161
- Loui, M.C., *see* A.S. Hodel 59 (3) (1988) 259–276
- Loui, M.C., *see* J.L. Trahan 100 (1) (1992) 1–44
- Louscou-Bozapalidou, O., *see* S. Bozapalidis 27 (1-2) (1983) 211–215
- Louscou-Bozapalidou, O., Stochastically costed tree automata: Turakainen's theorem 156 (1-2) (1996) 145–158
- Louth, G., M. Mitzenmacher and F. Kelly, Computational complexity of loss networks 125 (1) (1994) 45–59
- Lowe, G., Probabilistic and prioritized models of timed CSP 138 (2) (1995) 315–352
- Löwe, M., *see* H. Ehrig 77 (1-2) (1990) 27–71
- Löwe, M., *see* H. Ehrig 109 (1-2) (1993) 3–6
- Löwe, M., *see* H. Ehrig 109 (1-2) (1993) 123–143
- Löwe, M., Algebraic approach to single-pushout graph transformation 109 (1-2) (1993) 181–224
- Lozano, A., *see* M. Ogiwara 112 (2) (1993) 255–275
- Ložkin, S.A., *see* J. Hromkovič 97 (2) (1992) 285–300
- Lu, J. and J. Xu, Analogical program derivation based on type theory 113 (2) (1993) 259–272
- Luby, M., *see* P. Dagum 102 (2) (1992) 283–305
- Luccio, F., *see* A.A. Bertossi 73 (3) (1990) 319–328
- Lucio-Carrasco, F., *see* A. Gavilanes-Franco 74 (1) (1990) 37–69
- Luckhardt, H., A fundamental effect in computations on real numbers 5 (3) (1977) 321–324
- Luckhardt, H., New formally undecidable propositions: Non-trivial lower bounds on proof complexity and related theorems 83 (2) (1991) 169–188
- Lukassen, A. and G. Vossen, A formal framework for independence with respect to transactions in the universal relation model 82 (2) (1991) 303–327
- Lund, C., *see* L. Fortnow 113 (1) (1993) 55–73
- Lutz, J.H., An upward measure separation theorem 81 (1) (1991) 127–135
- Lutz, J.H., On independent random oracles 92 (2) (1992) 301–307
- Lutz, J.H. and W.J. Schmidt, Circuit size relative to pseudorandom oracles 107 (1) (1992) 95–120
- Lutz, J.H., *see* D.W. Juedes 132 (1-2) (1994) 37–70
- Lutz, J.H., *see* D.W. Juedes 143 (1) (1995) 149–158
- Lutz, J.H. and E. Mayordomo, Cook versus Karp–Levin: Separating completeness notions if NP is not small 164 (1-2) (1996) 141–163
- Lygerös, N., *see* C. Chaunier 123 (1) (1994) 89–94
- Lynch, C. and W. Snyder, Redundancy criteria for constrained completion 142 (2) (1995) 141–177
- Lynch, N., Log space machines with multiple oracle tapes 6 (1) (1978) 25–39
- Lynch, N. and M. Merritt, Introduction to the theory of nested transactions 62 (1-2) (1988) 123–185
- Lynch, N., *see* A. Fekete 149 (1) (1995) 151–178
- Lynch, N.A., *see* R.E. Ladner 1 (2) (1976) 103–123
- Lynch, N.A. and M.J. Fischer, On describing the behavior and implementation of distributed systems 13 (1) (1981) 17–43

- Lyon, G., Design factors for parallel processing benchmarks 64 (2) (1989) 175–189
- Ma, J., *see* D.Y. Long 188 (1-2) (1997) 231–240
- Maass, A., *see* E. Goles 110 (1) (1993) 53–78
- Maass, A., *see* F. Blanchard 163 (1-2) (1996) 291–302
- Maass, W., *see* S. Homer 24 (3) (1983) 279–289
- Maass, W., *see* M. Dietzfelbinger 82 (1) (1991) 113–129
- Maass, W., *see* M. Dietzfelbinger 108 (2) (1992) 271–290
- Machi, A., *see* R. Cori 21 (1) (1982) 91–98
- Machtey, M., Minimal pairs of polynomial degrees with subexponential complexity 2 (1) (1976) 73–76
- MacKenzie, P.D. and V. Ramachandran, ERCW PRAMs and optical communication 196 (1-2) (1998) 153–180
- Mackie, I., *see* M. Fernández 190 (1) (1998) 3–39
- Mackworth, A.K., *see* Y. Zhang 138 (1) (1995) 211–239
- Madarász, R.S., *see* S. Crvenković 108 (1) (1993) 17–24
- Madarász, R.S., *see* S. Crvenković 134 (1) (1994) 79–86
- Maddila, S.R., *see* M. Sarrafzadeh 140 (2) (1995) 231–247
- Maddux, R.D., Relation-algebraic semantics 160 (1-2) (1996) 1–85
- Madlener, K., *see* J. Avenhaus 32 (1-2) (1984) 61–76
- Madlener, K., *see* J. Avenhaus 32 (3) (1984) 279–295
- Madlener, K. and F. Otto, About the descriptive power of certain classes of finite string-rewriting systems 67 (2-3) (1989) 143–172
- Madlener, K., P. Narendran, F. Otto and L. Zhang, On weakly confluent monadic string-rewriting systems 113 (1) (1993) 119–165
- Madonia, M., S. Salemi and T. Sportelli, A generalization of Sardinas and Patterson’s algorithm to Σ -codes 108 (2) (1992) 251–270
- Madonia, M. and S. Varricchio, Some decisional problems on rational relations 180 (1-2) (1997) 1–15
- Maffioli, F., *see* G. Galbiati 181 (1) (1997) 107–118
- Maggiolo-Schettini, A., H. Wedde and J. Winkowski, Modeling a solution for a control problem in distributed systems by restrictions 13 (1) (1981) 61–83
- Maggiolo-Schettini, A., *see* G. Germano 15 (2) (1981) 213–221
- Maggiolo-Schettini, A. and J. Winkowski, Towards an algebra for timed behaviours 103 (2) (1992) 335–363
- Magidor, M., *see* U. Abraham 129 (1) (1994) 1–38
- Mahajan, M., *see* K. Krithivasan 143 (1) (1995) 23–49
- Mahaney, S.R. and P. Young, Reductions among polynomial isomorphism types 39 (2-3) (1985) 207–224
- Mahaney, S.R., *see* N. Immerman 68 (3) (1989) 267–276
- Mahanti, A., *see* A. Bagchi 24 (2) (1983) 207–219
- Maher, M.J., *see* J.-L. Lassez 29 (1-2) (1984) 167–184
- Maher, M.J., *see* J.-L. Lassez 39 (1) (1985) 15–25
- Maher, M.J., A transformation system for deductive database modules with perfect model semantics 110 (2) (1993) 377–403
- Maher, M.J., Constrained dependencies 173 (1) (1997) 113–149
- Maheshwari, A., *see* A. Dessmark 141 (1-2) (1995) 337–350
- Maheshwari, A., *see* F. Bauernöppel 175 (2) (1997) 239–255
- Mahmoud, H.M. and R.T. Smythe, Probabilistic analysis of bucket recursive trees 144 (1-2) (1995) 221–249
- Mahr, B., *see* H. Ehrig 20 (3) (1982) 209–263
- Mahr, B. and J.A. Makowsky, Characterizing specification languages which admit initial semantics 31 (1-2) (1984) 49–59
- Maier, D. and J.D. Ullman, Connections in acyclic hypergraphs 32 (1-2) (1984) 185–199
- Main, M.G. and D.B. Benson, Free upper regular bands 16 (1) (1981) 93–98
- Main, M.G., *see* A. Ehrenfeucht 31 (1-2) (1984) 211–223
- Main, M.G., W. Bucher and D. Haussler, Applications of an infinite square-free co-CFL 49 (2-3) (1987) 113–119
- Main, M.G., *see* J. Hoffmann 73 (3) (1990) 279–294
- Main, M.G. and D.L. Black, Semantic models for total correctness and fairness 107 (2) (1993) 305–332
- Main, M.G., Complete proof rules for strong fairness and strong extreme fairness 111 (1-2) (1993) 125–143

- Mairson, H.G., A simple proof of a theorem of Statman 103 (2) (1992) 387–394
- Majewski, B.S., *see* Z.J. Czech 182 (1-2) (1997) 1–143
- Majster, M.E., Data types, abstract data types and their specification problem 8 (1) (1979) 89–127
- Majster-Cederbaum, M.E. and F. Zetsche, The comparison of a cpo-based semantics with a cms-based semantics for CSP 124 (1) (1994) 1–40
- Majster-Cederbaum, M.E., *see* C. Baier 135 (2) (1994) 171–220
- Majster-Cederbaum, M.E. and C. Baier, Metric completion versus ideal completion 170 (1-2) (1996) 145–171
- Mak, L., Speedup of determinism by alternation for multidimensional Turing machines 134 (2) (1994) 427–453
- Makhoul, A., Algèbres associatives et calcul formel (Associative algebras and computer algebra) 187 (1-2) (1997) 123–145
- Mäkinen, E., *see* T. Koshiba 185 (1) (1997) 63–79
- Makowsky, J.A., *see* B. Mahr 31 (1-2) (1984) 49–59
- Makowsky, J.A., *see* M.L. Tiomkin 36 (1) (1985) 71–87
- Makowsky, J.A. and I. Sain, Weak second order characterizations of various program verification systems 66 (3) (1989) 299–321
- Malacaria, P., Studying equivalences of transition systems with algebraic tools 139 (1-2) (1995) 187–205
- Malajovich, G., On generalized Newton algorithms: quadratic convergence, path-following and error analysis 133 (1) (1994) 65–84
- Maler, O., *see* B. Delyon 129 (2) (1994) 279–291
- Maler, O., *see* E. Asarin 138 (1) (1995) 35–65
- Maler, O., A decomposition theorem for probabilistic transition systems 145 (1-2) (1995) 391–396
- Maler, O. and L. Staiger, On syntactic congruences for ω -languages 183 (1) (1997) 93–112
- Malgouyres, R., Graphs generalizing closed curves with linear construction of the Hamiltonian cycle. Parametrization of discretized curves 143 (2) (1995) 189–249
- Malgouyres, R., There is no local characterization of separating and thin objects in \mathbb{Z}^3 163 (1-2) (1996) 303–308
- Malgouyres, R., A definition of surfaces of \mathbb{Z}^3 . A new 3D discrete Jordan theorem 186 (1-2) (1997) 1–41
- Malinowski, A., *see* K. Diks 145 (1-2) (1995) 95–109
- Mall, D., Covers and fans of polynomial ideals 187 (1-2) (1997) 167–178
- Malony, A.D., *see* S.T. Hackstadt 196 (1-2) (1998) 289–317
- Małuszyński, J., Towards a programming language based on the notion of two-level grammar 28 (1-2) (1984) 13–43
- Małuszyński, J., *see* W. Drabent 59 (1-2) (1988) 133–155
- Manabe, Y., R. Baldoni, M. Raynal and S. Aoyagi, k -Arbiter: A safe and general scheme for h -out of- k mutual exclusion 193 (1-2) (1998) 97–112
- Manber, U., *see* T.G. Kurtz 49 (2-3) (1987) 267–282
- Manca, V., A. Salibra and G. Scollo, Equational type logic 77 (1-2) (1990) 131–159
- Manca, V. and A. Salibra, Soundness and completeness of the Birkhoff equational calculus for many-sorted algebras with possibly empty carrier sets 94 (1) (1992) 101–124
- Mancarella, P., *see* A. Brogi 184 (1-2) (1997) 1–59
- Mandel, A. and I. Simon, On finite semigroups of matrices 5 (2) (1977) 101–111
- Mandrioli, D., *see* A. Cherubini 85 (1) (1991) 171–203
- Manes, E.G., A transformational characterization of if-then-else 71 (3) (1990) 413–417
- Man Kim, B. and J. Wan Cho, A new subsumption method in the connection graph proof procedure 103 (2) (1992) 283–309
- Manley, D., *see* N. Anderson 131 (2) (1994) 475–477
- Manna, Z. and A. Shamir, The convergence of functions to fixedpoints of recursive definitions 6 (2) (1978) 109–141
- Manna, Z. and A. Pnueli, Completing the temporal picture 83 (1) (1991) 97–130
- Manna, Z., *see* N. Bjørner 173 (1) (1997) 49–87
- Mannila, H., *see* R.J.R. Back 39 (1) (1985) 47–68
- Mannila, H., *see* J. Kivinen 149 (1) (1995) 129–149
- Manoury, P. and M. Simonot, Automatizing termination proofs of recursively defined functions 135 (2) (1994) 319–343
- Mansour, Y., *see* H. Attiya 53 (2-3) (1987) 169–185

- Mansour, Y., N. Nisam and P. Tiwari, The computational complexity of universal hashing 107 (1) (1992) 121–133
- Mantaci, R., Sur la distribution des anti-excédances dans le groupe symétrique et dans ses sous-groupes 117 (1-2) (1993) 243–253
- Manzini, G., On the ordering of sparse linear systems 156 (1-2) (1996) 301–313
- Maon, Y. and A. Yehudai, On test sets for checking morphism equivalence on languages with fair distribution of letters 33 (2-3) (1984) 239–260
- Maon, Y., On the equivalence problem of compositions of morphisms and inverse morphisms on context-free languages 41 (1) (1985) 105–107
- Maon, Y. and A. Yehudai, Balance of many-valued transductions and equivalence problems 47 (3) (1986) 247–262
- Maon, Y., B. Schieber and U. Vishkin, Parallel ear decomposition search (EDS) and *st*-numbering in graphs 47 (3) (1986) 277–298
- Marathe, M.V., V. Radhakrishnan, H.B. Hunt III and S.S. Ravi, Hierarchically specified unit disk graphs 174 (1-2) (1997) 23–65
- Marathe, M.V., *see* S.O. Krumke 181 (2) (1997) 379–404
- Marberg, J.M. and E. Gafni, Distributed sorting algorithms for multi-channel broadcast networks 52 (3) (1987) 193–203
- Marché, C., *see* J.-P. Jouannaud 104 (1) (1992) 29–51
- Marchetti, S., *see* R. Gorrieri 72 (2-3) (1990) 203–223
- Marchetti-Spaccamela, A., *see* G. Ausiello 12 (1) (1980) 83–96
- Marchetti-Spaccamela, A. and M. Protasi, The largest tree in a random graph 23 (3) (1983) 273–286
- Marchetti-Spaccamela, A., New protocols for the election of a leader in a ring 54 (1) (1987) 53–64
- Marchetti-Spaccamela, A., *see* F. d'Amore 108 (2) (1993) 371–384
- Marchetti-Spaccamela, A., *see* E. Feuerstein 116 (2) (1993) 359–371
- Marchiori, M., *see* M. Schmidt-Schauß 149 (2) (1995) 361–374
- Marchiori, M., Bubbles in modularity 192 (1) (1998) 31–54
- Marcoux, Y., Composition is almost (but not quite) as good as $s-1-1$ 120 (2) (1993) 169–195
- Marcus, S., *see* G. Gottlob 166 (1-2) (1996) 221–262
- Marek, V.W. and M. Truszczyński, Revision programming 190 (2) (1998) 241–277
- Marek, W. and Z. Pawlak, Information storage and retrieval systems: Mathematical foundations 1 (4) (1976) 331–354
- Marek, W. and H. Rasiowa, Approximating sets with equivalence relations 48 (2-3) (1986) 145–152
- Marek, W., A natural semantics for modal logic over databases 56 (2) (1988) 187–209
- Marek, W. and V.S. Subrahmanian, The relationship between stable, supported, default and autoepistemic semantics for general logic programs 103 (2) (1992) 365–386
- Margara, L., *see* P. Favati 174 (1-2) (1997) 157–170
- Margaria, I., *see* M. Dezani-Ciancaglini 45 (2) (1986) 121–157
- Margaria, I., *see* B. Jacobs 95 (1) (1992) 143–158
- Margenstern, M., Nonerasing Turing machines: a frontier between a decidable halting problem and universality 129 (2) (1994) 419–424
- Margenstern, M., Foreword 168 (2) (1996) 213–214
- Margenstern, M., *see* E. Goles 172 (1-2) (1997) 121–134
- Margolis, S.W., On the syntactic transformation semigroup of a language generated by a finite hiprefix code 21 (2) (1982) 225–230
- Margolis, S.W., *see* J.-C. Birget 123 (2) (1994) 273–289
- Markowsky, G., Categories of chain-complete posets 4 (2) (1977) 125–135
- Marlin, R., *see* S. Labhalla 161 (1-2) (1996) 69–92
- Marongiu, G. and S. Tulipani, On a conjecture of Bergstra and Tucker 67 (1) (1989) 87–97
- Marrero, W., *see* A. Browne 178 (1-2) (1997) 237–255
- Marriott, K. and M. Odersky, Negative Boolean constraints 160 (1-2) (1996) 365–380
- Marriott, K. and M. Odersky, A confluent calculus for concurrent constraint programming 173 (1) (1997) 209–233
- Marriott, K., *see* M. Falaschi 183 (2) (1997) 281–315

- Martelli, A., *see* L. Giordano 95 (1) (1992) 43–74
- Martelli, M., *see* M. Falaschi 69 (3) (1989) 289–318
- Martens, B., D. De Schreye and T. Horváth, Sound and complete partial deduction with unfolding based on well-founded measures 122 (1-2) (1994) 97–117
- Martin, B., A universal cellular automaton in quasi-linear time and its S–m–n form 123 (2) (1994) 199–237
- Martin, U., A geometrical approach to multiset orderings 67 (1) (1989) 37–54
- Martínez, C., *see* R. Casas 117 (1-2) (1993) 99–112
- Martínez, C., *see* P. Kirschenhofer 144 (1-2) (1995) 199–220
- Martínez, C., *see* J. Gabarró 158 (1-2) (1996) 1–33
- Martínez, S., *see* F. Blanchard 44 (1) (1986) 107–110
- Martinez, S., *see* E. Goles 110 (1) (1993) 53–78
- Martini, S., *see* G. Longo 46 (2-3) (1986) 197–217
- Martini, S. and A. Masini, Experiments in linear natural deduction 176 (1-2) (1997) 159–173
- Martino, A., A quantitative interpretation of Girard's system *F* 56 (3) (1988) 303–320
- Maruoka, A. and M. Kimura, Pattern decomposition for tessellation automata 14 (3) (1981) 211–226
- Maruoka, A. and M. Kimura, Strong surjectivity is equivalent to *C*-injectivity 18 (3) (1982) 269–277
- Maruoka, A., Open maps for tessellation automata 27 (1-2) (1983) 217–224
- Maruoka, A., *see* E. Takimoto 185 (1) (1997) 177–190
- Maruyama, O. and S. Miyano, Inferring a tree from walks 161 (1-2) (1996) 289–300
- Masalagiu, C., *see* S. Istrail 26 (1-2) (1983) 83–103
- Mascari, G. and M. Venturini Zilli, While-programs with nondeterministic assignments and the logic ALNA 40 (2-3) (1985) 211–235
- Mascari, G.F. and M. Pedicini, Head linear reduction and pure proof net extraction 135 (1) (1994) 111–137
- Mashevitzky, G., *see* M. Codish 165 (1) (1996) 57–74
- Masini, A., *see* S. Martini 176 (1-2) (1997) 159–173
- Mason, I. and C. Talcott, Inferring the equivalence of functional programs that mutate data 105 (2) (1992) 167–215
- Mason, I.A., A first order logic of effects 185 (2) (1997) 277–318
- Masseron, M., Generating plans in linear logic I. Actions as proofs 113 (2) (1993) 349–370
- Masseron, M., Generating plans in linear logic II. A geometry of conjunctive actions 113 (2) (1993) 371–375
- Massey, W.A., *see* F. Baccelli 125 (1) (1994) 149–165
- Massol, A., Minimality of the system of seven equations for the category of finite sets 176 (1-2) (1997) 347–353
- Matamala, M., Recursive construction of periodic steady state for neural networks 143 (2) (1995) 251–267
- Matamala, M., *see* E. Goles 168 (2) (1996) 405–416
- Matamala, M., Alternation on cellular automata 180 (1-2) (1997) 229–241
- Mateescu, A., Scattered deletion and commutativity 125 (2) (1994) 361–371
- Mateescu, A., *see* L. Kari 141 (1-2) (1995) 253–268
- Mateescu, A., *see* T. Harju 161 (1-2) (1996) 93–108
- Mateescu, A., *see* M. Kudlek 180 (1-2) (1997) 341–352
- Mateescu, A., G. Rozenberg and A. Salomaa, Shuffle on trajectories: Syntactic constraints 197 (1-2) (1998) 1–56
- Mathew, L., *see* K.G. Subramanian 106 (2) (1992) 373–383
- Mathieu, Ph. and J.-P. Delahaye, A kind of logical compilation for knowledge bases 131 (1) (1994) 197–218
- Matias, Y., *see* P.B. Gibbons 196 (1-2) (1998) 3–29
- Matos, A.B., Periodic sets of integers 127 (2) (1994) 287–312
- Matos, A.B., Monadic logic programs and functional complexity 176 (1-2) (1997) 175–204
- Matsumura, T., *see* H. Seki 88 (2) (1991) 191–229
- Matsumo, H., K. Inoue, H. Taniguchi and I. Takanami, Alternating simple multihead finite automata 36 (2-3) (1985) 291–308
- Matthews, R.E., An inherently iterative algorithm for the Grzegorzcyk hierarchy 125 (2) (1994) 355–360
- Matthews, S.G., An extensional treatment of lazy data flow deadlock 151 (1) (1995) 195–205
- Mattsson, C., *see* S. Carlsson 164 (1-2) (1996) 1–12
- Matúš, F., Abstract functional dependency structures 81 (1) (1991) 117–126

- Matúš, F., Stochastic independence, algebraic independence and abstract connectedness 134 (2) (1994) 455–471
- Mauduit, C., Morphismes unispectraux 46 (1) (1986) 1–11
- Maurer, H., T. Ottmann and A. Salomaa, On the form equivalence of L -forms 4 (2) (1977) 199–225
- Maurer, H.A., *see* K. Čulik, II 6 (1) (1978) 69–92
- Maurer, H.A., *see* K. Čulik, II 6 (2) (1978) 143–173
- Maurer, H.A., A. Salomaa and D. Wood, Synchronized EOL forms 12 (2) (1980) 135–159
- Maurer, H.A., *see* W. Bucher 14 (3) (1981) 227–246
- Maurer, H.A., *see* H. Edelsbrunner 16 (3) (1981) 329–336
- Maurer, H.A., A. Salomaa and D. Wood, L codes and number systems 22 (3) (1983) 331–346
- Maurer, H.A., *see* W. Bucher 28 (3) (1984) 277–285
- Maurer, H.A., A. Salomaa and D. Wood, Bounded delay L codes 84 (2) (1991) 265–279
- Mauri, G., *see* P. Bonizzoni 93 (2) (1992) 227–244
- Maurin, F., Exact complexity bounds for ordinal addition 165 (2) (1996) 247–273
- Mauro, D., Derived linear systems of context-free grammars 83 (2) (1991) 189–203
- Mayer, A.J. and L.J. Stockmeyer, The complexity of PDL with interleaving 161 (1-2) (1996) 109–122
- Mayordomo, E., Almost every set in exponential time is P-bi-immune 136 (2) (1994) 487–506
- Mayordomo, E., *see* J.H. Lutz 164 (1-2) (1996) 141–163
- Mayr, E.W., *see* H. Kleine Büning 64 (3) (1989) 343–350
- Mayr, E.W. and R. Werchner, Divide-and-conquer algorithms on the hypercube 162 (2) (1996) 283–296
- Mayr, R. and T. Nipkow, Higher-order rewrite systems and their confluence 192 (1) (1998) 3–29
- Mazoyer, J., A six-state minimal time solution to the firing squad synchronization problem 50 (2) (1987) 183–238
- Mazoyer, J. and N. Reimen, A linear speed-up theorem for cellular automata 101 (1) (1992) 59–98
- Mazoyer, J., On optimal solutions to the firing squad synchronization problem 168 (2) (1996) 367–404
- Mazurkiewicz, A., E. Ochmański and W. Penczek, Concurrent systems and inevitability 64 (3) (1989) 281–304
- Mazurkiewicz, A., A. Rabinovich and B.A. Trakhtenbrot, Connectedness and synchronization 90 (1) (1991) 171–184
- Mazzanti, S., *see* G.M. Germano 82 (2) (1991) 215–252
- McAloon, K., Petri nets and large finite sets 32 (1-2) (1984) 173–183
- McConnell, R., *see* A. Ehrenfeucht 132 (1-2) (1994) 209–227
- McCune, W. and L. Wos, The absence and the presence of fixed point combinators 87 (1) (1991) 221–228
- McDiarmid, C., *see* G. Farr 36 (2-3) (1985) 345–348
- McKenzie, P., *see* F. Bedard 107 (1) (1992) 31–61
- McKenzie, P., *see* A. Finkel 174 (1-2) (1997) 217–230
- McNaughton, R., *see* J.I. Seiferas 2 (2) (1976) 147–154
- McNaughton, R., *see* P. Narendran 31 (1-2) (1984) 165–174
- McNaughton, R., *see* D. Kapur 35 (1) (1985) 109–114
- McNaughton, R., *see* D. Kapur 39 (2-3) (1985) 123–133
- McNulty, G.F., *see* K.A. Baker 69 (3) (1989) 319–345
- Meakin, J.C., *see* J.-C. Birget 123 (2) (1994) 273–289
- Measor, N., *see* S. Ambler 151 (1) (1995) 3–27
- Meer, K., On the complexity of quadratic programming in real number models of computation 133 (1) (1994) 85–94
- Meertens, L.G.L.T., *see* K.R. Apt 8 (1) (1979) 73–87
- Megiddo, N., *see* Z. Galil 5 (2) (1977) 179–182
- Megiddo, N., Is binary encoding appropriate for the problem-language relationship 19 (3) (1982) 337–341
- Megiddo, N. and U. Vishkin, On finding a minimum dominating set in a tournament 61 (2-3) (1988) 307–316
- Megiddo, N. and C.H. Papadimitriou, On total functions, existence theorems and computational complexity 81 (2) (1991) 317–324
- Mehlhorn, K., *see* N. Blum 11 (3) (1980) 303–320
- Meidanis, J., *see* C.M.H. de Figueiredo 181 (1) (1997) 91–106
- Meinel, C., The power of nondeterminism in polynomial-size bounded-width branching programs 62 (3) (1988) 319–325

- Meinel, C., *see* M. Krause 86 (2) (1991) 267–275
- Meinel, C., *see* C. Damm 106 (2) (1992) 351–360
- Meinke, K., Universal algebra in higher types 100 (2) (1992) 385–417
- Meinke, K., Topological methods for algebraic specification 166 (1-2) (1996) 263–290
- Melançon, G., Constructions des bases standard des $K\langle A \rangle$ -modules à droite 117 (1-2) (1993) 255–272
- Melliars-Smith, P.M., *see* Y.S. Ramakrishna 166 (1-2) (1996) 1–47
- Melliars-Smith, P.M., *see* Y.S. Ramakrishna 170 (1-2) (1996) 1–46
- Mello, P., *see* A. Brogi 184 (1-2) (1997) 1–59
- Melton, A., *see* H. Dybkjær 111 (1-2) (1993) 145–189
- Melton, A., B.S.W. Schröder and G.E. Strecker, Lagois connections – a counterpart to Galois connections 136 (1) (1994) 79–107
- Memmi, G. and A. Finkel, An introduction to FIFO nets – monogeneous nets: A subclass of FIFO nets 35 (2-3) (1985) 191–214
- Mendelzon, A.O., *see* M.P. Consens 116 (1) (1993) 95–116
- Mendes France, M. and A.J. Van der Poorten, From geometry to Euler identities 65 (2) (1989) 213–220
- Mentrasti, P., *see* G. Jacopini 66 (3) (1989) 289–297
- Meo, M.C., *see* A. Bossi 122 (1-2) (1994) 3–47
- Merritt, M., *see* N. Lynch 62 (1-2) (1988) 123–185
- Méry, D., The \mathcal{NU} system as a development system for concurrent programs: δNU 94 (2) (1992) 311–334
- Méry, D., *see* A. Mokkedem 140 (1) (1995) 95–138
- Meseguer, J., Conditional rewriting logic as a unified model of concurrency 96 (1) (1992) 73–155
- Meseguer, J., *see* L.S. Moss 100 (2) (1992) 267–302
- Meseguer, J., *see* J.A. Goguen 105 (2) (1992) 217–273
- Meseguer, J., U. Montanari and V. Sassone, Process versus unfolding semantics for Place/Transition Petri nets 153 (1-2) (1996) 171–210
- Meseguer, J., *see* M. Cerioli 173 (2) (1997) 311–347
- Meshulam, R., A geometric construction of a superconcentrator of depth 2 32 (1-2) (1984) 215–219
- Messeguer, X., *see* J. Gabarró 158 (1-2) (1996) 1–33
- Metivier, Y., Calcul de longueurs de chaînes de réécriture dans le monoïde libre 35 (1) (1985) 71–87
- Métivier, Y., *see* R. Cori 35 (2-3) (1985) 179–189
- Metivier, Y., On recognizable subsets of free partially commutative monoids 58 (1-3) (1988) 201–208
- Métivier, Y., *see* I. Litovsky 115 (2) (1993) 191–224
- Mey, D., Finite games for a predicate logic without contractions 123 (2) (1994) 341–349
- Meyer, A.R., *see* A.R. Bruss 11 (1) (1980) 59–69
- Meyer, A.R. and K. Winklmann, Expressing program looping in regular dynamic logic 18 (3) (1982) 301–323
- Meyer, A.R., *see* B. Bloom 101 (2) (1992) 223–237
- Meyer, A.R., *see* L. Jategaonkar 154 (1) (1996) 107–143
- Meyer, B., *see* O. Goldreich 191 (1-2) (1998) 215–218
- Meyer, J.-J.C., *see* J.A. Bergstra 21 (3) (1982) 269–279
- Meyer, J.-J.C., *see* J.W. De Bakker 26 (1-2) (1983) 53–82
- Meyer, J.-J.C., *see* J.W. De Bakker 29 (1-2) (1984) 229–230
- Meyer, J.-J.C., *see* J.W. De Bakker 34 (1-2) (1984) 135–156
- Meyer, J.-J.C., Merging regular processes by means of fixed-point theory 45 (2) (1986) 193–260
- Meyer, J.-J.C., *see* J.W. De Bakker 49 (2-3) (1987) 87–112
- Meyer, J.-J.C. and E.P. De Vink, Applications of compactness in the Smyth powerdomain of streams 57 (2-3) (1988) 251–282
- Meyer, L., Probabilistic language learning under monotonicity constraints 185 (1) (1997) 81–128
- Meyer auf der Heide, F., A comparison of two variations of a pebble game on graphs 13 (3) (1981) 315–322
- Meyer auf der Heide, F., Simulating probabilistic by deterministic algebraic computation trees 41 (2-3) (1985) 325–330
- Meyer auf der Heide, F., *see* A. Borodin 58 (1-3) (1988) 57–68
- Meyer auf der Heide, F., C. Scheideler and V. Stemmann, Exploiting storage redundancy to speed up randomized shared memory simulations 162 (2) (1996) 245–281

- Meyer auf der Heide, F., K. Schröder and F. Schwarze, Routing on networks of optical crossbars 196 (1-2) (1998) 181–200
- Mezghiche, M., Une nouvelle $C\beta$ -réduction dans la logique combinatoire 31 (1-2) (1984) 151–163
- Mezghiche, M., On pseudo- $c\beta$ normal form in combinatory logic 66 (3) (1989) 323–331
- Mezghiche, M., Weak completeness of type assignment in λ -calculus models: a generalization of Hindley's result 87 (1) (1991) 203–208
- Mezghiche, M., $c\beta$ -Machine with $\lambda\beta$ -reduction 189 (1-2) (1997) 221–228
- Mezník, I., On some subclasses of the class of generable languages 2 (1) (1976) 1–7
- Mezník, I., On a subclass of ∞ -regular languages 61 (1) (1988) 25–32
- Michaux, C., $P \neq NP$ over the nonstandard reals implies $P \neq NP$ over \mathbb{R} 133 (1) (1994) 95–104
- Michel, L. and P. Van Hentenryck, Helios: A modeling language for global optimization and its implementation in Newton 173 (1) (1997) 3–48
- Michel, P., An NP-complete language accepted in linear time by a one-tape Turing machine 85 (1) (1991) 205–212
- Michel, P., A survey of space complexity 101 (1) (1992) 99–132
- Michel, P., Complexity of logical theories involving coprimality 106 (2) (1992) 221–241
- Middeldorp, A., *see* S. Antoy 165 (1) (1996) 75–95
- Middeldorp, A., S. Okui and T. Ida, Lazy narrowing: Strong completeness and eager variable elimination 167 (1-2) (1996) 95–130
- Middeldorp, A. and H. Zantema, Simple termination of rewrite systems 175 (1) (1997) 127–158
- Middendorf, M., The shortest common nonsubsequence problem is NP-complete 108 (2) (1993) 365–369
- Middendorf, M., More on the complexity of common superstring and supersequence problems 125 (2) (1994) 205–228
- Middendorf, M., On finding minimal, maximal, and consistent sequences over a binary alphabet 145 (1-2) (1995) 317–327
- Middendorf, M., Two-Dimensional partitioning problems 164 (1-2) (1996) 73–106
- Middendorf, M., Shortest common superstrings and scheduling with coordinated starting times 191 (1-2) (1998) 205–214
- Mignosi, F., Infinite words with linear subword complexity 65 (2) (1989) 221–242
- Mignosi, F., On the number of factors of Sturmian words 82 (1) (1991) 71–84
- Mignosi, F., *see* A. de Luca 136 (2) (1994) 361–385
- Mignotte, M., Algorithmes relatifs à la décomposition des polynômes 1 (3) (1976) 227–235
- Mignotte, M., Intersection des images de certaines suites récurrentes linéaires 7 (2) (1978) 117–122
- Mignotte, M., Tests de primalité 12 (1) (1980) 109–117
- Mignotte, M., Sur l'équation de Catalan, II 123 (1) (1994) 145–149
- Mihoubi, D., Characterization and closure properties of linear ω -languages 191 (1-2) (1998) 79–95
- Miklos, D., *see* J. Demetrovics 190 (2) (1998) 151–166
- Mikov, A.I., Large-scale addition of machine real numbers: Accuracy estimates 162 (1) (1996) 151–170
- Mili, A., *see* A. Jaoua 79 (2) (1991) 323–339
- Mili, A., *see* J. Desharnais 114 (2) (1993) 247–272
- Mili, A., *see* J. Desharnais 149 (2) (1995) 333–360
- Mili, F., *see* J. Desharnais 114 (2) (1993) 247–272
- Milis, I., *see* L. Finta 162 (2) (1996) 323–340
- Miller, B.P., *see* J.K. Hollingsworth 196 (1-2) (1998) 241–258
- Miller, D., Forum: A multiple-conclusion specification logic 165 (1) (1996) 201–232
- Milner, R., Fully abstract models of typed λ -calculi 4 (1) (1977) 1–22
- Milner, R., Calculi for synchrony and asynchrony 25 (3) (1983) 267–310
- Milner, R., Interpreting one concurrent calculus in another 75 (1-2) (1990) 3–13
- Milner, R. and M. Tofte, Co-induction in relational semantics 87 (1) (1991) 209–220
- Milner, R. and F. Moller, Unique decomposition of processes 107 (2) (1993) 357–363
- Milner, R., J. Parrow and D. Walker, Modal logics for mobile processes 114 (1) (1993) 149–171
- Milsted, K., *see* G. Longo 121 (1-2) (1993) 323–349
- Miltersen, P.B., S. Subramanian, J.S. Vitter and R. Tamassia, Complexity models for incremental computation 130 (1) (1994) 203–236

- Miltersen, P.B., On the cell probe complexity of polynomial evaluation 143 (1) (1995) 167–174
- Minh, V.H.N., Evaluation transform 79 (1) (1991) 163–177
- Minicozzi, E., Some natural properties of strong-identification in inductive inference 2 (3) (1976) 345–360
- Minker, J., *see* J. Grant 41 (2-3) (1985) 271–287
- Minker, J., *see* J. Lobo 86 (1) (1991) 93–106
- Mirwald, R. and C.P. Schnorr, The multiplicative complexity of quadratic boolean forms 102 (2) (1992) 307–328
- Mishra, B. and E. Clarke, Hierarchical verification of asynchronous circuits using temporal logic 38 (2-3) (1985) 269–291
- Mishra, P., *see* Y.-C. Fuh 73 (2) (1990) 155–175
- Mislove, M.W., A.W. Roscoe and S.A. Schneider, Fixed points without completeness 138 (2) (1995) 273–314
- Mislove, M.W. and F.J. Oles, Full abstraction and recursion 151 (1) (1995) 207–256
- Mislove, M.W. and D.A. Schmidt, Foreword 177 (1) (1997) 1
- Missaoui, R., *see* R. Godin 133 (2) (1994) 387–419
- Mitas, J. and K. Reuter, Cover-preserving embeddings of bipartite orders into Boolean lattices 175 (2) (1997) 337–347
- Mitchell, S.G., *see* S. Khuller 127 (2) (1994) 255–267
- Mitrana, V., Gh. Păun, G. Rozenberg and A. Salomaa, Pattern systems 154 (2) (1996) 183–201
- Mitrana, V., *see* J. Dassow 180 (1-2) (1997) 353–361
- Mitrani, I., *see* R. Chakka 125 (1) (1994) 91–109
- Mitzenmacher, M., *see* G. Louth 125 (1) (1994) 45–59
- Miyano, S., Two-way deterministic multi-weak-counter machines 21 (1) (1982) 27–37
- Miyano, S. and T. Hayashi, Alternating finite automata on ω -words 32 (3) (1984) 321–330
- Miyano, S., Δ_2^P -complete lexicographically first maximal subgraph problems 88 (1) (1991) 33–57
- Miyano, S., *see* T. Shoudai 148 (1) (1995) 57–65
- Miyano, S., *see* O. Maruyama 161 (1-2) (1996) 289–300
- Miyashiro, A., *see* E. Takimoto 185 (1) (1997) 177–190
- Mizoguchi, Y. and Y. Kawahara, Relational graph rewritings 141 (1-2) (1995) 311–328
- Mobasher, B., D. Pigozzi and G. Slutzki, Multi-valued logic programming semantics. An algebraic approach 171 (1-2) (1997) 77–109
- Mocas, S.E., Separating classes in the exponential-time hierarchy from classes in *PH* 158 (1-2) (1996) 221–231
- Moews, D., Sums of games born on Days 2 and 3 91 (1) (1991) 119–128
- Moews, D., Coin-sliding and Go 164 (1-2) (1996) 253–276
- Moggi, E., *see* G. Longo 70 (2) (1990) 193–211
- Mohrherr, J., A remark on the length problem 56 (2) (1988) 243–248
- Moiso, C., *see* P.G. Bosco 59 (1-2) (1988) 3–23
- Mokkedem, A. and D. Méry, On using temporal logic for refinement and compositional verification of concurrent systems 140 (1) (1995) 95–138
- Moll, R., An operator embedding theorem for complexity classes of recursive functions 1 (3) (1976) 193–198
- Moller, F., *see* R. Milner 107 (2) (1993) 357–363
- Moller, F., *see* Y. Hirshfeld 158 (1-2) (1996) 143–159
- Monfroglio, A., Integer programs for logic constraint satisfaction 97 (1) (1992) 105–130
- Monien, B., A recursive and a grammatical characterization of the exponential-time languages 3 (1) (1976) 61–74
- Monien, B. and I.H. Sudborough, On eliminating nondeterminism from Turing machines which use less than logarithm worktape space 21 (3) (1982) 237–253
- Monien, B. and I.H. Sudborough, Bandwidth constrained NP-complete problems 41 (2-3) (1985) 141–167
- Monien, B. and I.H. Sudborough, MIN CUT is NP-complete for edge weighted trees 58 (1-3) (1988) 209–229
- Monien, B., *see* M. Chytil 81 (2) (1991) 311–316
- Monien, B., W. Rytter and L. Schäpers, Fast recognition of deterministic cfl's with a smaller number of processors 116 (2) (1993) 421–429
- Monien, B., W. Rytter and H. Schäpers, Fast recognition of deterministic cfl's with a smaller number of processors [Theoretical Computer Science 116 (2) (16 August 1993) 421–429] 123 (2) (1994) 427–428
- Monien, B., *see* J. Hromkovič 127 (2) (1994) 395–402

- Monier, L., Evaluation and comparison of two efficient probabilistic primality testing algorithms 12 (1) (1980) 97–108
- Monier, L., *see* B. Chazelle 24 (2) (1983) 123–130
- Montanari, A. and M. de Rijke, Two-sorted metric temporal logics 183 (2) (1997) 187–214
- Montanari, U., *see* R. Gorrieri 72 (2-3) (1990) 203–223
- Montanari, U., *see* P. Degano 75 (3) (1990) 223–262
- Montanari, U. and A. Corradini, An algebraic semantics for structured transition systems and its application to logic programs 103 (1) (1992) 51–106
- Montanari, U. and F. Rossi, Graph rewriting for a partial ordering semantics of concurrent constraint programming 109 (1-2) (1993) 225–256
- Montanari, U., *see* P. Degano 114 (1) (1993) 63–91
- Montanari, U., *see* A. Corradini 122 (1-2) (1994) 165–200
- Montanari, U., *see* R. Gorrieri 141 (1-2) (1995) 195–252
- Montanari, U. and D. Yankelevich, Location equivalence in a parametric setting 149 (2) (1995) 299–332
- Montanari, U., *see* J. Meseguer 153 (1-2) (1996) 171–210
- Montanari, U., *see* G.-L. Ferrari 168 (1) (1996) 53–103
- Montanari, U. and F. Rossi, Preface 173 (1) (1997) 1
- Monteiro, L. and A. Porto, Entailment-based actions for coordination 192 (2) (1998) 259–286
- Monti, A., *see* J. Gruska 179 (1-2) (1997) 251–271
- Monti, A., *see* R.D. Prisco 197 (1-2) (1998) 171–188
- Mönting, J.S., Merging of 4 or 5 elements with n elements 14 (1) (1981) 19–37
- Moore, C., Recursion theory on the reals and continuous-time computation 162 (1) (1996) 23–44
- Moore, D., *see* C.S. Iliopoulos 172 (1-2) (1997) 281–291
- Moore, D.J., *see* E.W. Leggett, Jr. 15 (3) (1981) 279–289
- Mora, T., An introduction to commutative and noncommutative Gröbner bases 134 (1) (1994) 131–173
- Moran, S., General approximation algorithms for some arithmetical combinatorial problems 14 (3) (1981) 289–303
- Moran, S., *see* A. Paz 15 (3) (1981) 251–277
- Moran, S., *see* O.H. Ibarra 19 (1) (1982) 17–28
- Moran, S., *see* O.H. Ibarra 24 (1) (1983) 35–52
- Moran, S., *see* E. Korach 64 (1) (1989) 125–132
- Moran, S. and Y. Wolfstahl, Optimal covering of cacti by vertex-disjoint paths 84 (2) (1991) 179–197
- Moran, S., *see* R. Bar Yehuda 108 (2) (1993) 311–329
- Moran, S., *see* O. Biran 145 (1-2) (1995) 271–290
- Morcrette, M., Sur l'équivalence de descriptions de figures itérées 165 (2) (1996) 325–354
- More, M., Investigation of binary spectra by explicit polynomial transformations of graphs 124 (2) (1994) 221–272
- More, M., *see* H.-A. Esbelin 193 (1-2) (1998) 129–148
- Morgan, C., *see* P. Gardiner 87 (1) (1991) 143–162
- Morgenstern, J., Une extension du théorème de Winograd 8 (2) (1979) 255–259
- Mori, M., On the Fredholm determinant of a piecewise linear transformation 65 (2) (1989) 243–248
- Morisaki, M. and K. Sakai, A complete axiom system for rational sets with multiplicity 11 (1) (1980) 79–92
- Morita, K., Reversible simulation of one-dimensional irreversible cellular automata 148 (1) (1995) 157–163
- Morita, K., *see* K. Imai 165 (2) (1996) 475–482
- Morita, K., Universality of a reversible two-counter machine 168 (2) (1996) 303–320
- Morita, K. and K. Imai, Self-reproduction in a reversible cellular space 168 (2) (1996) 337–366
- Moriya, E., A grammatical characterization of alternating pushdown automata 67 (1) (1989) 75–85
- Moriya, T., Topological characterizations of infinite tree languages 52 (1-2) (1987) 165–171
- Moriya, T. and H. Yamasaki, Accepting conditions for automata on ω -languages 61 (2-3) (1988) 137–147
- Morokhovets, M.K., *see* A.N. Chebotarev 194 (1-2) (1998) 183–205
- Morris, F.L., *see* I. Filippenko 94 (1) (1992) 63–99
- Morshed, M., *see* K. Iwama 155 (2) (1996) 411–424
- Morton, P., *see* J.-P. Allouche 94 (2) (1992) 161–174
- Morvan, M., *see* M.A. Bender 143 (1) (1995) 73–91

- Morvan, M., *see* V. Bouchitté 175 (2) (1997) 223
- Morzenti, A., *see* G. Galbiati 181 (1) (1997) 107–118
- Mosbah, M., *see* B. Courcelle 109 (1-2) (1993) 49–82
- Mosbah, M., Probabilistic hyperedge replacement grammars 159 (1) (1996) 81–102
- Moscarini, M., *see* P. Atzeni 19 (3) (1982) 267–285
- Moscarini, M., *see* G. Ausiello 35 (2-3) (1985) 165–177
- Moschovakis, Y.N., Computable concurrent processes 139 (1-2) (1995) 243–273
- Moser, L.E., *see* Y.S. Ramakrishna 166 (1-2) (1996) 1–47
- Moser, L.E., *see* Y.S. Ramakrishna 170 (1-2) (1996) 1–46
- Moss, L.S., J. Meseguer and J.A. Goguen, Final algebras, cosemicomputable algebras and degrees of unsolvability 100 (2) (1992) 267–302
- Moss, L.S. and S.R. Thatte, Modal logic and algebraic specifications 111 (1-2) (1993) 191–210
- Mosse, B., q -adic spectral analysis of some arithmetic sequences 65 (2) (1989) 249–263
- Mosse, B., Puissances de mots et reconnaissabilité des points fixes d'une substitution 99 (2) (1992) 327–334
- Mosses, P., *see* G. Kucherov 155 (2) (1996) 289–290
- Mosses, P.D., *see* V.M. Antimirov 143 (1) (1995) 51–72
- Mosses, P.D., M. Nielsen and M.I. Schwartzbach, Foreword 167 (1-2) (1996) 1
- Mostowski, A.W., Hierarchies of weak automata and weak monadic formulas 83 (2) (1991) 323–335
- Motohashi, Y., *see* I. Suzuki 43 (2-3) (1986) 277–291
- Motwani, R., S. Phillips and E. Torng, Nonclairvoyant scheduling 130 (1) (1994) 17–47
- Mourrain, B., Computable identities in the algebra of formal matrices 98 (1) (1992) 115–133
- Muchnik, A.A. and N.K. Vereshchagin, A general method to construct oracles realizing given relationships between complexity classes 157 (2) (1996) 227–258
- Mukherji, M. and D. Kafura, A process-calculus-based abstraction for coordinating multi-agent groups 192 (2) (1998) 287–314
- Mukouchi, Y. and S. Arikawa, Towards a mathematical theory of machine discovery from facts 137 (1) (1995) 53–84
- Mukund, M. and P.S. Thiagarajan, A logical characterization of well branching event structures 96 (1) (1992) 35–72
- Müldner, T., *see* R. Janicki 77 (1-2) (1990) 97–129
- Muller, D.E. and F.P. Preparata, Finding the intersection of two convex polyhedra 7 (2) (1978) 217–236
- Muller, D.E., *see* F.P. Preparata 8 (1) (1979) 45–55
- Muller, D.E. and P.E. Schupp, The theory of ends, pushdown automata, and second-order logic 37 (1) (1985) 51–75
- Muller, D.E. and P.E. Schupp, Alternating automata on infinite trees 54 (2-3) (1987) 267–276
- Muller, D.E., A. Saoudi and P.E. Schupp, Alternating automata, the weak monadic theory of trees and its complexity 97 (2) (1992) 233–244
- Muller, D.E. and P.E. Schupp, Simulating alternating tree automata by nondeterministic automata: New results and new proofs of the theorems of Rabin, McNaughton and Safra 141 (1-2) (1995) 69–107
- Müller, H. and A. Brandstädt, The NP-completeness of Steiner tree and dominating set for chordal bipartite graphs 53 (2-3) (1987) 257–265
- Müller, H., *see* K. Jansen 147 (1-2) (1995) 69–85
- Mullins, J., On an effective hierarchy of communicating processes: separation principle and testing 174 (1-2) (1997) 231–246
- Mulry, P.S., Categorical fixed point semantics 70 (1) (1990) 85–97
- Mulry, P.S., Monads and algebras in the semantics of partial data types 99 (1) (1992) 141–155
- Mulry, P.S., Partial map classifiers and partial cartesian closed categories 136 (1) (1994) 109–123
- Mundici, D., Satisfiability in many-valued sentential logic is NP-complete 52 (1-2) (1987) 145–153
- Mundici, D., Functions computed by monotone Boolean formulas with no repeated variables 66 (1) (1989) 113–114
- Mundici, D. and A. Trombetta, Optimal comparison strategies in Ulam's searching game with two errors 182 (1-2) (1997) 217–232
- Mundici, D. and N. Olivetti, Resolution and model building in the infinite-valued calculus of Łukasiewicz 200 (1-2) (1998) 335–366

- Munier, A. and C. Hanen, Using duplication for scheduling unitary tasks on m processors with unit communication delays 178 (1-2) (1997) 119–127
- Munro, J.I., *see* D. Dobkin 12 (3) (1980) 255–263
- Munro, J.I. and M.S. Paterson, Selection and sorting with limited storage 12 (3) (1980) 315–323
- Munro, J.I., *see* B.J. Oommen 74 (2) (1990) 183–197
- Munro, J.I. and V. Raman, Selection from read-only memory and sorting with minimum data movement 165 (2) (1996) 311–323
- Murakami, M., A declarative semantics of flat guarded Horn clauses for programs with perpetual processes 75 (1-2) (1990) 67–83
- Murray, N.V. and E. Rosenthal, On the relative merits of path dissolution and the method of analytic tableaux 131 (1) (1994) 1–28
- Muscholl, A., *see* W. Ebinger 154 (1) (1996) 67–84
- Muscholl, A., On the complementation of asynchronous cellular Büchi automata 169 (2) (1996) 123–145
- Muscholl, A., *see* H.J. Hoogeboom 172 (1-2) (1997) 309–321
- Musser, D., *see* D. Kapur 81 (2) (1991) 169–187
- Musser, D.R., *see* D. Kapur 133 (2) (1994) 307–340
- Musumbu, K., *see* M.-M. Corsini 119 (1) (1993) 23–38
- Myers, D., *see* Y. Etzion-Petruschka 131 (2) (1994) 243–269
- Nadathur, G. and D.S. Wilson, A notation for lambda terms. A generalization of environments 198 (1-2) (1998) 49–98
- Nagaraj, S.V., Optimal binary search trees 188 (1-2) (1997) 1–44
- Naik, A.V., K.W. Regan and D. Sivakumar, On quasilinear-time complexity theory 148 (2) (1995) 325–349
- Nait Abdallah, M.A., A logico-algebraic approach to the model theory of knowledge 66 (2) (1989) 205–232
- Nakamura, A., *see* K. Inoue 9 (3) (1979) 311–328
- Nakamura, A. and H. Ono, Pictures of functions and their acceptability by automata 23 (1) (1983) 37–48
- Nakamura, A. and K. Aizawa, On a relationship between graph L-systems and picture languages 24 (2) (1983) 161–177
- Nakamura, A., *see* K. Aizawa 88 (1) (1991) 151–170
- Nakamura, A. and N. Abe, Exact learning of linear combinations of monotone terms from function value queries 137 (1) (1995) 159–176
- Nakano, K. and K. Wada, Integer summing algorithms on reconfigurable meshes 197 (1-2) (1998) 57–77
- Nambiar, K.K., T. Radhakrishnan and V.G. Tikekar, Representation of functional dependencies in relational databases using linear graphs 24 (2) (1983) 143–159
- Nanni, U., *see* G. Ausiello 72 (2-3) (1990) 97–117
- Nanni, U., *see* G. Ausiello 95 (2) (1992) 245–261
- Nanni, U., *see* F. d'Amore 108 (2) (1993) 371–384
- Naor, J., *see* E. Gafni 68 (3) (1989) 343–346
- Napoli, M., *see* E. Fachini 29 (1-2) (1984) 185–227
- Napoli, M., *see* E. Fachini 56 (2) (1988) 155–186
- Napoli, M., *see* J. Gruska 179 (1-2) (1997) 251–271
- Naqvi, S., *see* P. Buneman 149 (1) (1995) 3–48
- Nardelli, E., *see* G. Gambosi 84 (1) (1991) 107–126
- Narendran, P. and R. McNaughton, The undecidability of the preperfection of Thue systems 31 (1-2) (1984) 165–174
- Narendran, P., *see* D. Kapur 35 (1) (1985) 109–114
- Narendran, P. and F. Otto, Complexity results on the conjugacy problem for monoids 35 (2-3) (1985) 227–243
- Narendran, P., *see* D. Kapur 35 (2-3) (1985) 337–344
- Narendran, P., *see* D. Kapur 39 (2-3) (1985) 123–133
- Narendran, P., *see* M.S. Krishnamoorthy 40 (2-3) (1985) 323–328
- Narendran, P., On the equivalence problem for regular Thue systems 44 (2) (1986) 237–245
- Narendran, P. and F. Otto, The problems of cyclic equality and conjugacy for finite complete rewriting systems 47 (1) (1986) 27–38
- Narendran, P. and F. Otto, Some polynomial-time algorithms for finite monadic Church–Rosser Thue systems 68 (3) (1989) 319–332

- Narendran, P., *see* D. Kapur 81 (2) (1991) 169–187
- Narendran, P., *see* K. Madlener 113 (1) (1993) 119–165
- Narendran, P., *see* F. Otto 134 (1) (1994) 175–188
- Narendran, P., *see* F. Otto 198 (1-2) (1998) 1–47
- Naudin, P. and C. Quitté, Univariate polynomial factorization over finite fields 191 (1-2) (1998) 1–36
- Naughton, J.F., *see* R.J. Lipton 116 (1) (1993) 195–226
- Naughton, J.F., R. Ramakrishnan, Y. Sagiv and J.D. Ullman, Argument reduction by factoring 146 (1-2) (1995) 269–310
- Naumann, D.A., Predicate transformers and higher-order programs 150 (1) (1995) 111–159
- Navarro, M., F. Orejas and A. Sánchez, On the correctness of modular systems 140 (1) (1995) 139–177
- Ndoundam, R., *see* M.A. Kiwi 136 (2) (1994) 527–532
- Nederpelt, R., *see* F. Kamareddine 136 (1) (1994) 183–216
- Nederpelt, R., *see* F. Kamareddine 155 (1) (1996) 85–109
- Nehaniv, C.L., *see* L.M. Schmitt 200 (1-2) (1998) 101–134
- Nehlig, P., Applications quasi affines: pavages par images réciproques 156 (1-2) (1996) 1–38
- Neis, H.-C., *see* K. Ambos-Spies 168 (1) (1996) 3–19
- Nelson, E., Iterative algebras 25 (1) (1983) 67–94
- Nelson, E., *see* J. Adámek 27 (1-2) (1983) 225–231
- Nelson, E., *see* J. Adámek 43 (2-3) (1986) 293–313
- Németi, I., *see* H. Andréka 17 (2) (1982) 193–212
- Németi, I., *see* H. Andréka 17 (3) (1982) 259–278
- Németi, I., Every free algebra in the variety generated by the representable dynamic algebras is separable and representable 17 (3) (1982) 343–347
- Németi, I., *see* H. Andréka 80 (2) (1991) 125–151
- Nepejvoda, N.N., A bridge between constructive logic and computer programming 90 (1) (1991) 253–270
- Nepomniaschy, V.A. and A.A. Sulimov, Problem-oriented verification system and its application to linear algebra programs 119 (1) (1993) 173–185
- Néraud, J. and M. Crochemore, A string-matching interpretation of the equation $x^m y^n = z^p$ 92 (1) (1992) 145–164
- Néraud, J., On the rank of the subsets of a free monoid 99 (2) (1992) 231–241
- Néraud, J., Deciding whether a finite set of words has rank at most two 112 (2) (1993) 311–337
- Nerode, A., *see* W. Kohn 138 (1) (1995) 141–168
- Nerode, A., *see* V. Kagan 155 (1) (1996) 157–177
- Nerode, A., *see* G. Gottlob 166 (1-2) (1996) 221–262
- Nerode, A., J.B. Remmel and V.S. Subrahmanian, Annotated nonmonotonic rule systems 171 (1-2) (1997) 111–146
- Nešetřil, J., *see* L. Kučera 11 (1) (1980) 93–106
- Nešetřil, J., Some nonstandard Ramsey like applications 34 (1-2) (1984) 3–15
- Nešetřil, J., *see* G. Gambosi 70 (2) (1990) 251–260
- Nesi, M., *see* P. Inverardi 139 (1-2) (1995) 315–354
- Nesi, M., *see* P. Inverardi 152 (2) (1995) 285–303
- Netto, Á.B., There are infinitely many complete prefix codes of constant length l ($l \geq 3$) 11 (3) (1980) 337–339
- Neuendorf, K.-P., *see* J. Desel 153 (1-2) (1996) 49–64
- Newman, I., *see* R. Heiman 107 (1) (1992) 63–76
- Ng, D.T.H., *see* B.J. Oommen 119 (2) (1993) 355–361
- Ngo, L. and P. Haddawy, Answering queries from context-sensitive probabilistic knowledge bases 171 (1-2) (1997) 147–177
- Ngo, V., *see* P. Powell 80 (1) (1991) 105–115
- Ngoc-Minh, L., On determining optimal strategies in pursuit games in the plane 197 (1-2) (1998) 203–234
- Nguyen, V.L. and J.-L. Lassez, A dual problem to least fixed points 16 (2) (1981) 211–221
- Nguyen, V.L., *see* J. Staples 26 (3) (1983) 343–353
- Nickolas, P. and P.J. Robinson, The Qu-Prolog unification algorithm: formalisation and correctness 169 (1) (1996) 81–112
- Nicolai, F., *see* A. Brandstädt 172 (1-2) (1997) 209–232

- Nicollin, X., *see* R. Alur 138 (1) (1995) 3–34
- Nie, X., *see* D. Kapur 133 (2) (1994) 307–340
- Niedermeier, R. and P. Rossmanith, Unambiguous computations and locally definable acceptance types 194 (1-2) (1998) 137–161
- Nielsen, M., G. Plotkin and G. Winskel, Petri nets, event structures and domains, Part I 13 (1) (1981) 85–108
- Nielsen, M., G. Rozenberg and P.S. Thiagarajan, Elementary transition systems 96 (1) (1992) 3–33
- Nielsen, M. and G. Winskel, Petri nets and bisimulation 153 (1-2) (1996) 211–244
- Nielsen, M., *see* P.D. Mosses 167 (1-2) (1996) 1
- Nielsen, M., *see* V. Sassone 170 (1-2) (1996) 297–348
- Nielsen, M., *see* A. Cheng 190 (1) (1998) 87–112
- Nielson, F. and H.R. Nielson, Two-level semantics and code generation 56 (1) (1988) 59–133
- Nielson, F., Two-level semantics and abstract interpretation 69 (2) (1989) 117–242
- Nielson, F., *see* H.R. Nielson 70 (1) (1990) 99–126
- Nielson, F. and H.R. Nielson, From CML to its process algebra 155 (1) (1996) 179–219
- Nielson, H.R., *see* F. Nielson 56 (1) (1988) 59–133
- Nielson, H.R. and F. Nielson, Functional completeness of the mixed λ -calculus and combinatory logic 70 (1) (1990) 99–126
- Nielson, H.R., *see* F. Nielson 155 (1) (1996) 179–219
- Niemi, V., The undecidability of form equivalence for context-free and EOL forms 32 (3) (1984) 261–277
- Niemi, V. and A. Renvall, Secure multiparty computations without computers 191 (1-2) (1998) 173–183
- Nienhuys-Cheng, S.-H., *see* A. de Bruin 195 (1) (1998) 3–32
- Nieuwenhuis, R., *see* A. Rubio 142 (2) (1995) 209–227
- Nigmatullin, R.G., Models of lower-bounds proofs 52 (3) (1987) 239–249
- Nijholt, A., Simple chain grammars and languages 9 (3) (1979) 287–309
- Nijholt, A., On satisfying the LL-iteration theorem 23 (1) (1983) 91–94
- Nijholt, A. and G. Scollo, Editorial 199 (1-2) (1998) 1–3
- Nilsson, U., Abstract interpretation: a kind of magic 142 (1) (1995) 125–138
- Nipkow, T., *see* R. Mayr 192 (1) (1998) 3–29
- Nirmal, N. and R. Rama, Machine characterization of (EOL-EOL) array languages 87 (2) (1991) 329–346
- Nisam, N., *see* Y. Mansour 107 (1) (1992) 121–133
- Nisan, N., On read-once vs. multiple access to randomness in logspace 107 (1) (1992) 135–144
- Nishida, T. and Y. Kobuchi, Repeatable words for substitution 53 (2-3) (1987) 319–333
- Nishida, T.Y., Quasi-deterministic OL systems and their representation 147 (1-2) (1995) 87–116
- Nishida, T.Y. and A. Salomaa, Slender OL languages 158 (1-2) (1996) 161–176
- Nishimura, N., Restricted CRCW PRAMs 123 (2) (1994) 415–426
- Nishimura, N., *see* A. Gupta 164 (1-2) (1996) 287–298
- Nishio, H., *see* T. Saito 63 (2) (1989) 223–237
- Nishitani, Y. and N. Honda, The firing squad synchronization problem for graphs 14 (1) (1981) 39–61
- Nishitani, Y., *see* T. Ito 19 (1) (1982) 105–115
- Nivat, M., *see* A. Arnold 11 (2) (1980) 181–205
- Nivat, M., *see* F. Gire 86 (2) (1991) 277–323
- Nivat, M., *see* E. Barucci 155 (2) (1996) 321–347
- Niwiński, D. and I. Walukiewicz, Games for the μ -calculus 163 (1-2) (1996) 99–116
- Niwiński, D., Fixed point characterization of infinite behavior of finite-state systems 189 (1-2) (1997) 1–69
- Nogi, K., *see* Y. Futamura 90 (1) (1991) 61–79
- Nolte, D., *see* P. Darondeau 97 (1) (1992) 131–142
- Nolte, D., *see* L. Priese 99 (1) (1992) 121–140
- Nolte, D. and L. Priese, Abstract fairness and semantics 177 (1) (1997) 139–153
- Noltemeier, H., *see* S.O. Krumke 181 (2) (1997) 379–404
- Nota, G., S. Orefice, G. Pacini, F. Ruggiero and G. Tortora, Legality concepts for three-valued logic programs 120 (1) (1993) 45–68
- Nour, K., *see* R. David 180 (1-2) (1997) 371–375
- Nourine, L., *see* M. Habib 165 (2) (1996) 391–405
- Nourine, L., *see* C. de la Higuera 175 (2) (1997) 293–308

- Nummenmaa, J., Constructing compact rectilinear planar layouts using canonical representation of planar graphs 99 (2) (1992) 213–230
- Oberman, S.F. and M.J. Flynn, Reducing the mean latency of floating-point addition 196 (1-2) (1998) 201–214
- Occhiuto, M.E., *see* M. Bellia 107 (2) (1993) 209–252
- Ochmański, E., *see* A. Mazurkiewicz 64 (3) (1989) 281–304
- Odersky, M., *see* K. Marriott 160 (1-2) (1996) 365–380
- Odersky, M., *see* K. Marriott 173 (1) (1997) 209–233
- Ó'Dúnlaing, C., Undecidable questions related to Church–Rosser Thue systems 23 (3) (1983) 339–345
- Ó'Dúnlaing, C., Infinite regular Thue systems 25 (2) (1983) 171–192
- O'Dunlaing, C.P., *see* R.V. Book 16 (2) (1981) 223–229
- Ogihara, M., *see* L.A. Hemaspaandra 155 (2) (1996) 447–457
- Ogiwara, M. and A. Lozano, On sparse hard sets for counting classes 112 (2) (1993) 255–275
- Ognjanović, Z., A tableau-like proof procedure for normal modal logics 129 (1) (1994) 167–186
- Ohlebusch, E., On the modularity of termination of term rewriting systems 136 (2) (1994) 333–360
- Ohlebusch, E. and E. Ukkonen, On the equivalence problem for E-pattern languages 186 (1-2) (1997) 231–248
- Ogori, A., Semantics of types for database objects 76 (1) (1990) 53–91
- Ogori, A., *see* P. Buneman 91 (1) (1991) 23–55
- Ohuchi, A., *see* M. Kurihara 103 (2) (1992) 273–282
- Ohuchi, A., *see* M. Kurihara 152 (1) (1995) 139–169
- Okada, M., *see* N. Dershowitz 75 (1-2) (1990) 111–138
- Okada, M., *see* J.-P. Jouannaud 173 (2) (1997) 349–391
- Okamoto, T., *see* I. Suzuki 43 (2-3) (1986) 277–291
- Okawa, S., *see* S. Hirose 35 (2-3) (1985) 261–269
- Okawa, S., S. Hirose and M. Yoneda, On the impossibility of the homomorphic characterization of context-sensitive languages 44 (2) (1986) 225–228
- Okui, S., *see* A. Middeldorp 167 (1-2) (1996) 95–130
- Okulicka, F., On priority in COSY 74 (2) (1990) 199–216
- Olariu, S., *see* B. Jamison 145 (1-2) (1995) 329–344
- Older, W.J., *see* P. Girodias 173 (1) (1997) 253–281
- Olderog, E.-R., On the notion of expressiveness and the Rule of Adaptation 24 (3) (1983) 337–347
- Olderog, E.-R., Correctness of programs with Pascal-like procedures without global variables 30 (1) (1984) 49–90
- Olderog, E.-R., *see* J.W. De Bakker 49 (2-3) (1987) 87–112
- Olderog, E.-R., Correctness of concurrent processes 80 (2) (1991) 263–288
- Oles, F.J., *see* M.W. Mislove 151 (1) (1995) 207–256
- Olivero, A., *see* R. Alur 138 (1) (1995) 3–34
- Olivetti, N., *see* D. Mundici 200 (1-2) (1998) 335–366
- Olivi, M., *see* L. Baratchart 94 (2) (1992) 175–197
- Ollagnier, J.M., Proof of Dejean's conjecture for alphabets with 5, 6, 7, 8, 9, 10 and 11 letters 95 (2) (1992) 187–205
- Ollagnier, J.M., Algorithms and methods in differential algebra 157 (1) (1996) 115–127
- Olshansky, T. and A. Pnueli, A direct algorithm for checking equivalence of $LL(k)$ grammars 4 (3) (1977) 321–349
- Ono, H., *see* A. Nakamura 23 (1) (1983) 37–48
- Ono, H., Foreword 175 (1) (1997) 1
- Oommen, B.J., E.R. Hansen and J.I. Munro, Deterministic optimal and expedient move-to-rear list organizing strategies 74 (2) (1990) 183–197
- Oommen, B.J. and D.T.H. Ng, An optimal absorbing list organization strategy with constant memory requirements 119 (2) (1993) 355–361
- Op Den Akker, R., On $LC(0)$ grammars and languages 66 (1) (1989) 65–85
- Oppen, D.C., Complexity, convexity and combinations of theories 12 (3) (1980) 291–302
- Orefice, S., *see* G. Nota 120 (1) (1993) 45–68
- Orejas, F., A characterization of passing compatibility for parametrized specifications 51 (1-2) (1987) 205–214
- Orejas, F., *see* M. Navarro 140 (1) (1995) 139–177

- Orejas, F., E. Pino and H. Ehrig, Institutions for logic programming 173 (2) (1997) 485–511
- Orgun, M.A. and W. Du, Multi-dimensional logic programming: theoretical foundations 185 (2) (1997) 319–345
- Orłowska, E. and Z. Pawlak, Representation of nondeterministic information 29 (1-2) (1984) 27–39
- Orłowska, E., *see* L. Fariñas del Cerro 36 (2-3) (1985) 251–264
- Orłowska, E., Semantic analysis of inductive reasoning 43 (1) (1986) 81–89
- Orłowska, E., *see* L. Fariñas del Cerro 47 (3) (1986) 345
- Orłowska, E., *see* S. Demri 166 (1-2) (1996) 173–202
- Orponen, P., A classification of complexity core lattices 47 (2) (1986) 121–130
- Orponen, P., Computing with truly asynchronous threshold logic networks 174 (1-2) (1997) 123–136
- Ottmann, T., *see* H. Maurer 4 (2) (1977) 199–225
- Ottmann, T., *see* K. Čulik, II 6 (1) (1978) 69–92
- Ottmann, T., *see* K. Čulik, II 6 (2) (1978) 143–173
- Otto, F., Finite complete rewriting systems for the Jantzen monoid and the Greendlinger group 32 (3) (1984) 249–260
- Otto, F., Some undecidability results for non-monadic Church–Rosser Thue systems 33 (2-3) (1984) 261–278
- Otto, F., *see* P. Narendran 35 (2-3) (1985) 227–243
- Otto, F., *see* R.V. Book 39 (2-3) (1985) 319–325
- Otto, F., *see* R.V. Book 40 (2-3) (1985) 101–130
- Otto, F., *see* P. Narendran 47 (1) (1986) 27–38
- Otto, F., The undecidability of self-embedding for finite semi-Thue and Thue systems 47 (2) (1986) 225–232
- Otto, F., On deciding confluence of finite string-rewriting systems modulo partial commutativity 67 (1) (1989) 19–35
- Otto, F., *see* K. Madlener 67 (2-3) (1989) 143–172
- Otto, F., *see* P. Narendran 68 (3) (1989) 319–332
- Otto, F., *see* K. Madlener 113 (1) (1993) 119–165
- Otto, F., *see* C.C. Squier 131 (2) (1994) 271–294
- Otto, F. and P. Narendran, Codes modulo finite monadic string-rewriting systems 134 (1) (1994) 175–188
- Otto, F., P. Narendran and D.J. Dougherty, Equational unification, word unification, and 2nd-order equational unification 198 (1-2) (1998) 1–47
- Oudin, L.-R., *see* A. Carrière 187 (1-2) (1997) 263–284
- Oussous, N.E., Computation, on Macsyma, of the minimal differential representation of noncommutative polynomials 79 (1) (1991) 195–207
- Overmars, M., *see* M. de Berg 140 (2) (1995) 301–317
- Owe, O., *see* M. Elvang-Gøransson 114 (2) (1993) 317–330
- Oyamaguchi, M., Some results on subclass containment problems for special classes of dpda's related to nonsingular machines 31 (3) (1984) 317–335
- Oyamaguchi, M., On the data type extension problem for algebraic specifications 35 (2-3) (1985) 329–336
- Oyamaguchi, M., The Church–Rosser property for ground term-rewriting systems is decidable 49 (1) (1987) 43–79
- Pach, J., *see* H. Edelsbrunner 92 (2) (1992) 319–336
- Pacholski, L., *see* A. Kościelski 191 (1-2) (1998) 145–156
- Pacini, G., *see* G. Callegarin 14 (3) (1981) 305–315
- Pacini, G., *see* G. Notă 120 (1) (1993) 45–68
- Padawitz, P., Graph grammars and operational semantics 19 (2) (1982) 117–141
- Padawitz, P., *see* H. Ehrig 20 (3) (1982) 209–263
- Pagli, L., *see* A.A. Bertossi 73 (3) (1990) 319–328
- Pagli, L., *see* R.D. Prisco 197 (1-2) (1998) 171–188
- Pai, V.S., A.A. Schäffer and P.J. Varman, Markov analysis of multiple-disk prefetching strategies for external merging 128 (1-2) (1994) 211–239
- Paige, R., R.E. Tarjan and R. Bonic, A linear solution to the single function coarsest partition problem 40 (1) (1985) 67–84
- Paige, R., *see* J. Cai 106 (1) (1992) 21–60
- Paige, R., *see* J. Cai 145 (1-2) (1995) 189–228

- Paige, R., *see* C.-H. Chang 178 (1-2) (1997) 1–36
- Pair, C., Abstract data types and algebraic semantics of programming languages 18 (1) (1982) 1–31
- Pair, C., *see* M. Broy 33 (2-3) (1984) 139–174
- Palamidessi, C., *see* M. Falaschi 69 (3) (1989) 289–318
- Palamidessi, C., *see* F.S. De Boer 86 (1) (1991) 3–33
- Palamidessi, C., *see* F.S. de Boer 101 (2) (1992) 239–263
- Palamidessi, C., *see* F.S. de Boer 151 (1) (1995) 37–78
- Palamidessi, C., *see* M. Falaschi 183 (2) (1997) 281–315
- Palem, K.V., *see* Z.M. Kedem 93 (2) (1992) 245–264
- Palis, M.A., *see* O.H. Ibarra 39 (2-3) (1985) 89–106
- Palis, M.A., *see* O.H. Ibarra 41 (2-3) (1985) 231–246
- Palis, M.A., *see* J.H. Chang 44 (1) (1986) 111–121
- Palis, M.A., *see* O.H. Ibarra 57 (1) (1988) 47–86
- Palis, M.A., *see* J.H. Chang 68 (1) (1989) 19–36
- Palis, M.A. and S.M. Shende, Upper bounds on recognition of a hierarchy of non-context-free languages 98 (2) (1992) 289–319
- Palko, V., O. Sýkora and I. Vr'ťo, Area complexity of merging 82 (1) (1991) 157–163
- Palopoli, L., *see* M. Cadoli 193 (1-2) (1998) 215–244
- Palopoli, L.E., Testing logic programs for local stratification 103 (2) (1992) 205–234
- Palsberg, J., *see* A. Cheng 147 (1-2) (1995) 117–136
- Pan, V., Complexity of parallel matrix computations 54 (1) (1987) 65–85
- Pan, V.Y., The techniques of trilinear aggregating and the recent progress in the asymptotic acceleration of matrix operations 33 (1) (1984) 117–138
- Pan, V.Y., Parallel computation of polynomial GCD and some related parallel computations over abstract fields 162 (2) (1996) 173–223
- Panconesi, A. and D. Ranjan, Quantifiers and approximation 107 (1) (1992) 145–163
- Pandya, P.K., *see* M.R. Hansen 138 (1) (1995) 113–139
- Panitz, S.E., *see* M. Schmidt-Schauß 149 (2) (1995) 361–374
- Pansiot, J.-J., *see* J. Hopcroft 8 (2) (1979) 135–159
- Pantziou, G.E., *see* D.P. Dubhashi 148 (1) (1995) 133–140
- Pantziou, G.E., *see* D.J. Kavvadias 168 (1) (1996) 121–154
- Pantziou, G.E., *see* J. Díaz 181 (2) (1997) 267–287
- Pantziou, G.E., A. Roberts and A. Symvonis, Many-to-many routing on trees via matchings 185 (2) (1997) 347–377
- Papadimitriou, C.H., The euclidean traveling salesman problem is NP-complete 4 (3) (1977) 237–244
- Papadimitriou, C.H., *see* H.R. Lewis 19 (2) (1982) 161–187
- Papadimitriou, C.H., *see* L.M. Kirousis 47 (2) (1986) 205–218
- Papadimitriou, C.H., *see* N. Megiddo 81 (2) (1991) 317–324
- Papadimitriou, C.H. and M. Yannakakis, Shortest paths without a map 84 (1) (1991) 127–150
- Papadimitriou, C.H., *see* P. Crescenzi 143 (1) (1995) 159–165
- Päppinghaus, P., On the logic of UNITY 139 (1-2) (1995) 27–67
- Parberry, I., *see* L.M. Goldschlager 43 (1) (1986) 43–58
- Parberry, I., On the time required to sum n semigroup elements on a parallel machine with simultaneous writes 51 (1-2) (1987) 239–247
- Parchmann, R., *see* J. Duske 32 (1-2) (1984) 47–60
- Parchmann, R. and J. Duske, Self-embedding indexed grammars 47 (2) (1986) 219–223
- Parchmann, R. and J. Duske, Grammars, derivation modes and properties of indexed and type-0 languages 49 (1) (1987) 23–42
- Pardo, L.T., *see* D.E. Knuth 3 (3) (1976) 321–348
- Pardubská, D. and I. Štefáněková, Nondeterministic multicounter machines and complementation 67 (1) (1989) 111–113
- Paredaens, J., A universal formalism to express decompositions, functional dependencies and other constraints in a relational database 19 (2) (1982) 143–160
- Parente, D., *see* V. Auletta 165 (2) (1996) 441–461

- Parente, D., *see* J. Gruska 179 (1-2) (1997) 251–271
- Parigot, M. and E. Pelz, A logical approach of Petri net languages 39 (2-3) (1985) 155–169
- Parigot, M., Recursive programming with proofs 94 (2) (1992) 335–356
- Parikh, R., *see* D. Kozen 14 (1) (1981) 113–118
- Parisi-Presicce, F., Iterative factor algebras and induced metrics 28 (3) (1984) 287–298
- Parisi-Presicce, F., *see* H. Ehrig 71 (3) (1990) 347–380
- Parisi-Presicce, F., *see* H. Ehrig 77 (1-2) (1990) 27–71
- Parisi-Presicce, F., Foundations of rule-based design of modular systems 83 (1) (1991) 131–155
- Parisi-Presicce, F., *see* S. Cicerone 189 (1-2) (1997) 239–248
- Park, D., Finiteness is mu-ineffable 3 (2) (1976) 173–181
- Park, J.-H. and K.-Y. Chwa, On the construction of regular minimal broadcast digraphs 124 (2) (1994) 329–342
- Park, K., *see* Z. Galil 92 (1) (1992) 49–76
- Park, K., *see* C.S. Iliopoulos 164 (1-2) (1996) 299–310
- Park, U., An algebraic formulation of the aggregative closure query 166 (1-2) (1996) 49–62
- Parker, D.S., *see* P. Atzeni 62 (1-2) (1988) 39–65
- Parlati, G., *see* R. De Prisco 143 (1) (1995) 175–188
- Parrow, J., Submodule construction as equation solving in CCS 68 (2) (1989) 175–202
- Parrow, J., *see* R. Milner 114 (1) (1993) 149–171
- Paschos, V.T., *see* J. Blot 147 (1-2) (1995) 267–298
- Paschos, V.T., *see* M. Demange 158 (1-2) (1996) 117–141
- Passy, S., *see* G. Gargov 61 (2-3) (1988) 259–277
- Pasztor, A., *see* D. Lehmann 17 (2) (1982) 151–161
- Pasztor, A. and R. Statman, Scott induction and closure under ω -sups 43 (2-3) (1986) 251–263
- Pasztor, A., Recursive programs and denotational semantics in absolute logics of programs 70 (1) (1990) 127–150
- Paterson, M., *see* F. Berman 16 (3) (1981) 321–328
- Paterson, M., *see* U. Zwick 158 (1-2) (1996) 343–359
- Paterson, M.S., Complexity of monotone networks for Boolean matrix product 1 (1) (1976) 13–20
- Paterson, M.S. and L.G. Valiant, Circuit size is nonlinear in depth 2 (3) (1976) 397–400
- Paterson, M.S., *see* J.I. Munro 12 (3) (1980) 315–323
- Paterson, M.S., *see* U. Zwick 110 (1) (1993) 169–196
- Patnaik, S., *see* N. Immerman 155 (1) (1996) 111–140
- Patt-Shamir, B. and D. Peleg, Time-space tradeoffs for set operations 110 (1) (1993) 99–129
- Paul, E., On solving the equality problem in theories defined by Horn clauses 44 (2) (1986) 127–153
- Paul, W., On heads versus tapes 28 (1-2) (1984) 1–12
- Paul, W.J., Realizing Boolean functions on disjoint sets of variables 2 (3) (1976) 383–396
- Păun, G., A variant of random context grammars: semi-conditional grammars 41 (1) (1985) 1–17
- Păun, G., G. Rozenberg and A. Salomaa, Computing by splicing 168 (2) (1996) 321–336
- Păun, Gh., *see* M. Andrașiu 116 (2) (1993) 339–357
- Păun, Gh. and A. Salomaa, Closure properties of slender languages 120 (2) (1993) 293–301
- Păun, Gh., *see* L. Kari 141 (1-2) (1995) 253–268
- Păun, Gh., *see* V. Mitrana 154 (2) (1996) 183–201
- Pavlotskaya, L., On machines, universal by extensions 168 (2) (1996) 257–266
- Pawlak, Z., *see* W. Marek 1 (4) (1976) 331–354
- Pawlak, Z., *see* E. Orłowska 29 (1-2) (1984) 27–39
- Paz, A. and S. Moran, Non deterministic polynomial optimization problems and their approximations 15 (3) (1981) 251–277
- Paz, A., *see* M. Lempel 125 (2) (1994) 229–241
- Pécuchet, J.-P., Sur la détermination du rang d'une équation dans le monoïde libre 16 (3) (1981) 337–340
- Pécuchet, J.-P., Automates boustrophédon et mots infinis 35 (1) (1985) 115–122
- Pécuchet, J.-P., On the complementation of Büchi automata 47 (1) (1986) 95–98
- Pécuchet, J.-P., Etude syntaxique des parties reconnaissables de mots infinis 58 (1-3) (1988) 231–248
- Pedicini, M., *see* G.F. Mascari 135 (1) (1994) 111–137
- Pe'er, I. and R. Shamir, Satisfiability problems on intervals and unit intervals 175 (2) (1997) 349–372

- Peeva, K., Equivalence, reduction and minimization of finite automata over semirings 88 (2) (1991) 269–285
- Petitgen, H.-O., *see* J.-P. Allouche 188 (1-2) (1997) 195–209
- Peladeau, P., Formulas, regular languages and Boolean circuits 101 (1) (1992) 133–141
- Péladeau, P., H. Straubing and D. Thérien, Finite semigroup varieties defined by programs 180 (1-2) (1997) 325–339
- Pelc, A., Lie patterns in search procedures 47 (1) (1986) 61–69
- Pelc, A., Searching with known error probability 63 (2) (1989) 185–202
- Pelc, A., Weakly adaptive comparison searching 66 (1) (1989) 105–111
- Pelc, A., *see* K. Diks 145 (1-2) (1995) 95–109
- Pelc, A., *see* K. Diks 164 (1-2) (1996) 107–122
- Pélecq, L., Automorphism groups of context-free graphs 165 (2) (1996) 275–293
- Peled, D., *see* S. Katz 75 (3) (1990) 263–287
- Peled, D., *see* S. Katz 101 (2) (1992) 337–359
- Peled, D. and A. Pnueli, Proving partial order properties 126 (2) (1994) 143–182
- Peled, D. and M. Joseph, A compositional framework for fault tolerance by specification transformation 128 (1-2) (1994) 99–125
- Peled, D., On projective and separable properties 186 (1-2) (1997) 135–155
- Peled, U.N., *see* O. Ekin 175 (2) (1997) 257–270
- Peleg, D., *see* D. Harel 38 (2-3) (1985) 307–322
- Peleg, D. and E. Upfal, The generalized packet routing problem 53 (2-3) (1987) 281–293
- Peleg, D., Concurrent program schemes and their logics 55 (1) (1987) 1–45
- Peleg, D., *see* B. Patt-Shamir 110 (1) (1993) 99–129
- Pélibossian, H., On the linearity of on-line computable functions 162 (1) (1996) 117–132
- Pelin, A. and J.H. Gallier, Building exact computation sequences 53 (1) (1987) 125–150
- Pelz, E., *see* M. Parigot 39 (2-3) (1985) 155–169
- Pelz, E., On the complexity of theories of permutations 41 (2-3) (1985) 247–269
- Penaud, J.G., *see* J. Bétréma 117 (1-2) (1993) 67–89
- Penczek, W., *see* A. Mazurkiewicz 64 (3) (1989) 281–304
- Penczek, W., Foreword 195 (1) (1998) 1
- Penjam, J., Computational and attribute models of formal languages 71 (2) (1990) 241–264
- Penttonen, M., *see* G. Rozenberg 5 (3) (1977) 339–354
- Pereira, L.M., J.J. Alferes and J.N. Aparício, Adding closed world assumptions to well-founded semantics 122 (1-2) (1994) 49–68
- Peretti, P., *see* C. Böhm 8 (3) (1979) 271–291
- Perl, Y. and S. Zaks, On the complexity of edge labelings for trees 19 (1) (1982) 1–16
- Perraud, J., O. Roux and M. Huou, Operational semantics of a kernel of the language ELECTRE 97 (1) (1992) 83–103
- Perrier, G., *see* D. Galmiche 135 (1) (1994) 67–110
- Perrin, D., La représentation ergodique d'un automate fini 9 (2) (1979) 221–241
- Perrin, D., Completing biprefix codes 28 (3) (1984) 329–336
- Perrin, D., Sur les monoides à un reateur qui sont des groupes 33 (2-3) (1984) 331–334
- Perrin, D., *see* G. Hansel 65 (2) (1989) 171–188
- Perrin, D., On positive matrices 94 (2) (1992) 357–366
- Perrot, J.-F., Varieties de langages et operations 7 (2) (1978) 197–210
- Persiano, G., *see* A. De Santis 132 (1-2) (1994) 291–317
- Persiano, G., *see* R. De Prisco 143 (1) (1995) 175–188
- Persiano, G., *see* V. Auletta 165 (2) (1996) 441–461
- Petersen, A., *see* J.-P. Allouche 188 (1-2) (1997) 195–209
- Petersen, H., *see* M. Jantzen 127 (1) (1994) 149–170
- Petersen, H., A remark on a paper by A.B. Matos 141 (1-2) (1995) 329–330
- Petersen, H., On the language of primitive words 161 (1-2) (1996) 141–156
- Petersson, O., *see* C. Levopoulos 163 (1-2) (1996) 211–238
- Petit, A., Distribution and synchronized automata 76 (2-3) (1990) 285–308
- Petit, A., *see* P. Gastin 125 (2) (1994) 167–204

- Petkovšek, M., *see* M. Bronstein 157 (1) (1996) 3–33
- Petri, C.A., Nets, time and space 153 (1-2) (1996) 3–48
- Petrich, M., *see* J.A. Gerhard 126 (2) (1994) 237–257
- Pettorossi, A., Derivation of efficient programs for computing sequences of actions 53 (1) (1987) 151–167
- Pettorossi, A., *see* M. Proietti 142 (1) (1995) 89–124
- Petruaud, C., Entropie topologique des systèmes spécifiés 67 (1) (1989) 121–128
- Pevzner, P.A., *see* V. Bafna 182 (1-2) (1997) 233–244
- Peyton Jones, S., *see* C. Hankin 56 (1) (1988) 17–36
- Pfenning, F. and P. Lee, Metacircularity in the polymorphic λ -calculus 89 (1) (1991) 137–159
- Pflügel, E., On the latest version of DESIR-II 187 (1-2) (1997) 81–86
- Phan Dinh, D., T. Le Cong and H. Le Tuan, Average polynomial time complexity of some NP-complete problems 46 (2-3) (1986) 219–237
- Phillips, I., Refusal testing 50 (3) (1987) 241–284
- Phillips, S., *see* R. Motwani 130 (1) (1994) 17–47
- Picouleau, C., Complexity of the hamiltonian cycle in regular graph problem 131 (2) (1994) 463–473
- Picouleau, C., Worst-case analysis of fast heuristics for packing squares into a square 164 (1-2) (1996) 59–72
- Pierce, B. and M. Steffen, Higher-order subtyping 176 (1-2) (1997) 235–282
- Pierce, B. and M. Steffen, Corrigendum to “Higher-order subtyping” [Theoret. Comput. Sci. 176(1-2) (1997) 235–282] 184 (1-2) (1997) 247
- Pierce, B., *see* G. Ghelli 193 (1-2) (1998) 75–96
- Pierre, L., *see* J.-L. Deleage 47 (3) (1986) 335–343
- Pierre, L. and J.-M. Farinone, Rational index of context-free languages in $\exp \Theta(\sqrt[n]{n})$ and $n^{\Theta((\ln n)^{1/p})}$ 57 (2-3) (1988) 185–204
- Pierre, L., Rational indexes of generators of the cone of context-free languages 95 (2) (1992) 279–305
- Pietrzykowski, T., *see* D.C. Jensen 3 (2) (1976) 123–171
- Pietrzykowski, T., *see* P.T. Cox 28 (3) (1984) 239–261
- Pietrzykowski, T., *see* E. Knill 120 (1) (1993) 1–44
- Pighizzini, G., Asynchronous automata versus asynchronous cellular automata 132 (1-2) (1994) 179–207
- Pigozzi, D., Data types over multiple-valued logics 77 (1-2) (1990) 161–194
- Pigozzi, D. and A. Salibra, Lambda abstraction algebras: representation theorems 140 (1) (1995) 5–52
- Pigozzi, D., *see* B. Mobasher 171 (1-2) (1997) 77–109
- Pigozzi, D., *see* G.T. Leavens 177 (1) (1997) 183–216
- Pin, J.E., Sur le monoïde syntactique de L^* lorsque L est un langage fini 7 (2) (1978) 211–215
- Pin, J.-E. and J. Sakarovitch, Une application de la représentation matricielle des transductions 35 (2-3) (1985) 271–293
- Pin, J.-E., *see* D. Beauquier 84 (1) (1991) 3–21
- Pin, J.-E., *see* J. Berstel 155 (2) (1996) 439–446
- Pin, J.-E., Polynomial closure of group languages and open sets of the Hall topology 169 (2) (1996) 185–200
- Pinchinat, S., *see* F. Laroussinie 140 (1) (1995) 53–71
- Pingali, K. and K. Ekanadham, Accumulators: New logic variable abstractions for functional languages 81 (2) (1991) 201–221
- Pinna, G.M. and A. Poigné, On the nature of events: another perspective in concurrency 138 (2) (1995) 425–454
- Pino, E., *see* F. Orejas 173 (2) (1997) 485–511
- Pino Perez, R., Decidability of the restriction equational theory in the partial lambda calculus 67 (1) (1989) 129–139
- Pinotti, M.C. and G. Pucci, Parallel algorithms for priority queue operations 148 (1) (1995) 171–180
- Pinzani, R., *see* E. Barcucci 127 (2) (1994) 333–351
- Pinzani, R., *see* E. Barcucci 155 (2) (1996) 321–347
- Pinzani, R., *see* E. Barcucci 159 (1) (1996) 29–42
- Pinzani, R., *see* E. Barcucci 159 (1) (1996) 129–136
- Piotrów, M., *see* M. Liśkiewicz 54 (2-3) (1987) 331–339
- Piotrów, M., On the complexity of counting in the polynomial hierarchy 81 (1) (1991) 77–95
- Piperno, A., Abstraction problems in combinatory logic: a compositive approach 66 (1) (1989) 27–43
- Piperno, A., *see* M. Dezani-Ciancaglini 170 (1-2) (1996) 83–128

- Pippenger, N., *see* M. Kleiman 7 (3) (1978) 325–332
- Pippenger, N., On another Boolean matrix 11 (1) (1980) 49–56
- Pippenger, N.J., *see* R. Fagin 36 (2-3) (1985) 239–250
- Pirillo, G., *see* J. Justin 141 (1-2) (1995) 351–355
- Pirillo, G., *see* J. Justin 154 (2) (1996) 387–394
- Pitsch, G., *see* G. Hotz 161 (1-2) (1996) 205–233
- Pitt, L., *see* R. Board 100 (1) (1992) 157–184
- Pittl, J., On LLP(k) grammars and languages 16 (2) (1981) 149–175
- Pittl, J. and A. Yehudai, Constructing a realtime deterministic pushdown automaton from a grammar 22 (1-2) (1983) 57–69
- Pitts, A.M., A co-induction principle for recursively defined domains 124 (2) (1994) 195–219
- Pivert, O., *see* P. Bosc 171 (1-2) (1997) 281–302
- Plaisted, D.A., Fast verification, testing, and generation of large primes 9 (1) (1979) 1–16
- Plaisted, D.A., Fast verification, testing, and generation of large primes (*Corrigendum*) 14 (3) (1981) 345
- Plaisted, D.A., New NP-hard and NP-complete polynomial and integer divisibility problems 31 (1-2) (1984) 125–138
- Plaisted, D.A., Complete divisibility problems for slowly utilized oracles 35 (2-3) (1985) 245–260
- Plaisted, D.A., *see* N. Dershowitz 83 (1) (1991) 71–96
- Plambeck, T.E., Daisies, Kayles, and the Sibert–Conway decomposition in misère octal games 96 (2) (1992) 361–388
- Plandowski, W., *see* L. Gasieniec 147 (1-2) (1995) 19–30
- Plandowski, W., *see* J. Karhumäki 168 (1) (1996) 105–119
- Plotkin, G., *see* M. Nielsen 13 (1) (1981) 85–108
- Plotkin, G.D., Call-by-name, call-by-value and the λ -calculus 1 (2) (1976) 125–159
- Plotkin, G.D., LCF considered as a programming language 5 (3) (1977) 223–255
- Plotkin, G.D., *see* M. Abadi 114 (1) (1993) 3–30
- Plotkin, G.D., *see* G. Kahn 121 (1-2) (1993) 187–277
- Plotkin, G.D., Set-theoretical and other elementary models of the λ -calculus 121 (1-2) (1993) 351–409
- Pnueli, A., *see* T. Olshansky 4 (3) (1977) 321–349
- Pnueli, A., The temporal semantics of concurrent programs 13 (1) (1981) 45–60
- Pnueli, A., *see* N. Francez 32 (1-2) (1984) 25–46
- Pnueli, A., *see* K.R. Apt 33 (1) (1984) 65–84
- Pnueli, A., *see* S. Cohen 34 (1-2) (1984) 215–225
- Pnueli, A., *see* Z. Manna 83 (1) (1991) 97–130
- Pnueli, A., *see* D. Peled 126 (2) (1994) 143–182
- Pnueli, A., *see* E. Asarin 138 (1) (1995) 35–65
- Pocchiola, M., *see* J. Berstel 132 (1-2) (1994) 403–413
- Podehl, A., T. Rauber and G. Rünger, A shared-memory implementation of the hierarchical radiosity method 196 (1-2) (1998) 215–240
- Podelski, A., *see* H. Ait-Kaci 122 (1-2) (1994) 263–283
- Podelski, A., *see* D. Beauquier 134 (1) (1994) 13–25
- Podelski, A. and G. Smolka, Situated simplification 173 (1) (1997) 235–252
- Poigné, A., *see* H. Huwig 73 (1) (1990) 101–112
- Poigné, A., *see* G.M. Pinna 138 (2) (1995) 425–454
- Poirriez, V., MLOG: a strongly typed confluent functional language with logical variables 122 (1-2) (1994) 201–223
- Pokrovskii, A., *see* P. Diamond 148 (1) (1995) 1–17
- Pollack, R., *see* R. Harper 89 (1) (1991) 107–136
- Pollack, R., *see* H. Edelsbrunner 92 (2) (1992) 319–336
- Pomerance, C., J.M. Robson and J. Shallit, Automaticity II: Descriptive complexity in the unary case 180 (1-2) (1997) 181–201
- Pomian, C., *see* J.-P. Arcangeli 71 (2) (1990) 177–191
- Ponse, A., C. Verhoef and B. van Vlijmen, Preface 177 (2) (1997) 285–286
- Ponsc, A., *see* M. Bezem 177 (2) (1997) 487–507

- Poonen, B., *see* E.G. Coffman, Jr. 125 (1) (1994) 3–16
- Porto, A., *see* L. Monteiro 192 (2) (1998) 259–286
- Potthoff, A., Modulo-counting quantifiers over finite trees 126 (1) (1994) 97–112
- Pottosin, I.V., Analysis of program optimization possibilities and further development 90 (1) (1991) 17–36
- Potts, D.H., Remarks on an example of Jantzen 29 (3) (1984) 277–284
- Poulsen, E.T., The Ehrenfeucht Conjecture: An algebra-framework for its proof 44 (3) (1986) 333–339
- Powell, P. and V. Ngo, Complexity of optimal vector code generation 80 (1) (1991) 105–115
- Power, A.J., *see* S.O. Anderson 177 (1) (1997) 3–25
- Prade, H., *see* P. Bosc 171 (1-2) (1997) 281–302
- Prasad, L. and S.S. Iyengar, An asymptotic equality for the number of necklaces in a shuffle-exchange network 102 (2) (1992) 355–365
- Prasad, L. and S.S. Iyengar, A note on the combinatorial structure of the visibility graph in simple polygons 140 (2) (1995) 249–263
- Prasad Sistla, A., M.Y. Vardi and P. Wolper, The complementation problem for Büchi automata with applications to temporal logic 49 (2-3) (1987) 217–237
- Preparata, F.P., A fast stable sorting algorithm with absolutely minimum storage 1 (2) (1976) 185–190
- Preparata, F.P., A fast stable sorting algorithm with absolutely minimum storage (*Corrigendum*) 3 (1) (1976) 121
- Preparata, F.P., *see* D.S. Johnson 6 (1) (1978) 93–107
- Preparata, F.P., *see* D.E. Muller 7 (2) (1978) 217–236
- Preparata, F.P. and D.E. Muller, Finding the intersection of n half-spaces in time $O(n \log n)$ 8 (1) (1979) 45–55
- Preparata, F.P., *see* A. Apostolico 22 (3) (1983) 297–315
- Preparata, F.P. and R. Tamassia, Dynamic planar point location with optimal query time 74 (1) (1990) 95–114
- Price, J.K., *see* J. Goldstine 18 (1) (1982) 33–40
- Priese, L., Automata and concurrency 25 (3) (1983) 221–265
- Priese, L., On a fast decomposition method in some models of concurrent computations 39 (2-3) (1985) 107–121
- Priese, L., R. Rehrmann and U. Willecke-Klemme, An introduction to the regular theory of fairness 54 (2-3) (1987) 139–163
- Priese, L., *see* P. Darondeau 97 (1) (1992) 131–142
- Priese, L. and D. Nolte, Strong fairness and ultra metrics 99 (1) (1992) 121–140
- Priese, L., *see* D. Nolte 177 (1) (1997) 139–153
- Prisco, R.D., A. Monti and L. Pagli, Testing and reconfiguration of VLSI linear arrays 197 (1-2) (1998) 171–188
- Procopiu, O., *see* F.L. Tiplea 134 (2) (1994) 365–385
- Prodinger, H. and F.J. Urbanek, Language operators related to Init 8 (2) (1979) 161–175
- Prodinger, H., On the interpolation of DOL-sequences 10 (1) (1980) 107–108
- Prodinger, H., *see* P. Kirschenhofer 58 (1-3) (1988) 143–154
- Prodinger, H., *see* P. Kirschenhofer 68 (1) (1989) 1–17
- Prodinger, H., Hypothetical analyses: approximate counting in the style of Knuth, path length in the style of Flajolet 100 (1) (1992) 243–251
- Prodinger, H., *see* P. Kirschenhofer 106 (2) (1992) 395–400
- Prodinger, H., *see* Ph. Flajolet 123 (2) (1994) 291–314
- Prodinger, H., *see* P. Kirschenhofer 144 (1-2) (1995) 199–220
- Prodinger, H., On a problem of Yekutieli and Mandelbrot about the bifurcation ratio of binary trees 181 (1) (1997) 181–194
- Proietti, M. and A. Pettorossi, Unfolding–definition–folding, in this order, for avoiding unnecessary variables in logic programs 142 (1) (1995) 89–124
- Proskurowski, A., *see* A. Lingas 68 (2) (1989) 155–173
- Proskurowski, A., *see* J. Engelfriet 154 (2) (1996) 247–282
- Protasi, M., *see* G. Ausiello 12 (1) (1980) 83–96
- Protasi, M., *see* A. Marchetti-Spaccamela 23 (3) (1983) 273–286
- Protasi, M. and M. Talamo, On the number of arithmetical operations for finding Fibonacci numbers 64 (1) (1989) 119–124
- Protasi, M., *see* G. Ausiello 150 (1) (1995) 1–55

- Pruhs, K., *see* V. Bafna 125 (2) (1994) 345–353
- Pruhs, K.R., *see* B. Kalyanasundaram 130 (1) (1994) 125–138
- Pruitt, J.W., *see* U.I. Gupta 16 (3) (1981) 307–319
- Pucci, G., *see* M.C. Pinotti 148 (1) (1995) 171–180
- Pudlák, P. and F.N. Springsteel, Complexity in mechanized hypothesis formation 8 (2) (1979) 203–225
- Pudlák, P., *see* L. Babai 74 (3) (1990) 313–323
- Pudlák, P. and P. Savický, On shifting networks 116 (2) (1993) 415–419
- Pudlák, P., *see* M. Krause 174 (1-2) (1997) 137–156
- Pultr, A., *see* L. Kučera 11 (1) (1980) 93–106
- Purushothaman, S., *see* M. Draghicescu 118 (2) (1993) 231–262
- Qiu, W., *see* L. Zhang 108 (1) (1993) 173–183
- Quaglia, P., *see* G.-L. Ferrari 168 (1) (1996) 53–103
- Quinton, P. and Y. Robert, Systolic convolution of arithmetic functions 95 (2) (1992) 207–229
- Quinton, P., *see* Y. Saouter 116 (2) (1993) 317–337
- Quitté, C., *see* P. Naudin 191 (1-2) (1998) 1–36
- Quong, R.W., Fast average-case pattern matching by multiplexing sparse tables 92 (1) (1992) 165–179
- Rabani, Y. and Z. Galil, On the space complexity of some algorithms for sequence comparison 95 (2) (1992) 231–244
- Rabin, M.O., *see* Y. Aumann 128 (1-2) (1994) 3–30
- Rabinovich, A., *see* A. Mazurkiewicz 90 (1) (1991) 171–184
- Rabinovich, A., On translations of temporal logic of actions into monadic second-order logic 193 (1-2) (1998) 197–214
- Rackoff, C., The covering and boundedness problems for vector addition systems 6 (2) (1978) 223–231
- Radhakrishnan, S., *see* R. Subbiah 120 (2) (1993) 261–278
- Radhakrishnan, T., *see* K.K. Nambiar 24 (2) (1983) 143–159
- Radhakrishnan, V., *see* M.V. Marathe 174 (1-2) (1997) 23–65
- Radhakrishnan, V., *see* S.O. Krumke 181 (2) (1997) 379–404
- Radola, M.-D., *see* J. Desel 153 (1-2) (1996) 49–64
- Ragde, P., *see* E. Gafni 68 (3) (1989) 343–346
- Raghavan, P., *see* M.W. Bern 106 (2) (1992) 265–281
- Ragunath, M.T., *see* V.K. Garg 96 (2) (1992) 285–304
- Räihä, K.-J. and E. Ukkonen, The shortest common supersequence problem over binary alphabet is NP-complete 16 (2) (1981) 187–198
- Rajasekar, A., *see* J. Lobo 86 (1) (1991) 93–106
- Rajasekaran, S. and J.H. Reif, Nested annealing: a provable improvement to simulated annealing 99 (1) (1992) 157–176
- Rajlich, V., Determinism in parallel systems 26 (1-2) (1983) 225–231
- Rajsbaum, S., *see* J. Garofalakis 128 (1-2) (1994) 63–74
- Rama, R., *see* N. Nirmal 87 (2) (1991) 329–346
- Ramachandran, V., *see* J.L. Trahan 100 (1) (1992) 1–44
- Ramachandran, V., *see* T. Hsu 162 (2) (1996) 297–322
- Ramachandran, V., *see* P.B. Gibbons 196 (1-2) (1998) 3–29
- Ramachandran, V., *see* P.D. MacKenzie 196 (1-2) (1998) 153–180
- Ramakrishna, Y.S., P.M. Melliar-Smith, L.E. Moser, L.K. Dillon and G. Kutty, Interval logics and their decision procedures Part I: An interval logic 166 (1-2) (1996) 1–47
- Ramakrishna, Y.S., P.M. Melliar-Smith, L.E. Moser, L.K. Dillon and G. Kutty, Interval logics and their decision procedures Part II: A real-time interval logic 170 (1-2) (1996) 1–46
- Ramakrishnan, R., *see* J.F. Naughton 146 (1-2) (1995) 269–310
- Ramakrishnan, S., *see* R. Barua 154 (2) (1996) 349–366
- Ramalho, J.C., J.J. Almeida and P. Henriques, Algebraic specification of documents 199 (1-2) (1998) 231–247
- Ramalingam, G. and T. Reps, On the computational complexity of dynamic graph problems 158 (1-2) (1996) 233–277
- Raman, V., *see* J.I. Munro 165 (2) (1996) 311–323
- Ramanan, P., Testing the optimality of alphabetic trees 93 (2) (1992) 279–301

- Ramanan, P.V., A counterexample to Shyamasundar's characterization of pushdown permuters 23 (1) (1983) 103–105
- Ramanan, P.V. and C.L. Liu, Permutation representation of k -ary trees 38 (1) (1985) 83–98
- Ramanathan, G., Refinement of events in the development of real-time distributed systems 133 (2) (1994) 341–359
- Ramanujam, R., Semantics of distributed definite clause programs 68 (2) (1989) 203–220
- Rambaud, C., *see* N. Lafaye de Micheaux 154 (2) (1996) 329–348
- Ramesh, S., *see* J.J.M. Hooman 101 (2) (1992) 289–335
- Ramesh, S. and B.N. Srinivas, A direct characterization of completion 154 (2) (1996) 379–385
- Rampon, J.-X., *see* V. Bouchitté 175 (2) (1997) 225–238
- Ranaivoson, S., *see* A. Durand 160 (1-2) (1996) 305–320
- Randrianarimanana, B., *see* J. Françon 72 (2-3) (1990) 147–167
- Randrianarimanana, B., *see* G. Louchard 93 (2) (1992) 201–225
- Rangan, C.P., *see* A. Srinivasan 91 (1) (1991) 1–21
- Rangan, C.P., *see* R. Srikant 115 (2) (1993) 351–357
- Rangan, C.P., *see* G. Srikrishna 145 (1-2) (1995) 27–43
- Ranjan, D., R. Chang and J. Hartmanis, Space bounded computations: Review and new separation results 80 (2) (1991) 289–302
- Ranjan, D., *see* A. Panconesi 107 (1) (1992) 145–163
- Ranjan, D., *see* T. Asano 181 (1) (1997) 3–15
- Rao, M.R.K.K., A framework for incremental learning of logic programs 185 (1) (1997) 191–213
- Rao, N.S.V., S.S. Iyengar and R.L. Kashyap, An average-case analysis of MAT and inverted file 62 (3) (1988) 251–266
- Rao, N.S.V., On fast planning of suboptimal paths amidst polygonal obstacles in plane 140 (2) (1995) 265–289
- Raoult, J.C., *see* P. Flajolet 9 (1) (1979) 99–125
- Raoult, J.C., On graph rewritings 32 (1-2) (1984) 1–24
- Rapaport, I., *see* E. Goles 188 (1-2) (1997) 129–159
- Rasiowa, H., *see* W. Marek 48 (2-3) (1986) 145–152
- Ratajszczak, J.-Y., *see* F. Gruau 141 (1-2) (1995) 1–52
- Rathke, J., *see* M. Hennessey 200 (1-2) (1998) 225–260
- Rauber, T., *see* A. Podehl 196 (1-2) (1998) 215–240
- Rauch, M., *see* J. Hershberger 130 (1) (1994) 139–161
- Rauszer, C., *see* A. Jankowski 23 (1) (1983) 11–36
- Ravi, S.S., *see* M.V. Marathe 174 (1-2) (1997) 23–65
- Ravi, S.S., *see* S.O. Krumke 181 (2) (1997) 379–404
- Ravikumar, B. and K.B. Lakshmanan, Coping with known patterns of lies in a search game 33 (1) (1984) 85–94
- Ravikumar, B., *see* J.H. Chang 44 (1) (1986) 111–121
- Raynal, M., *see* Y. Manabe 193 (1-2) (1998) 97–112
- Raz, D., Length considerations in context-free languages 183 (1) (1997) 21–32
- Razborov, A., *see* J. Håstad 141 (1-2) (1995) 269–282
- Razborov, A.A., On the distributional complexity of disjointness 106 (2) (1992) 385–390
- Redziejewski, R.R., Infinite-word languages and continuous mappings 43 (1) (1986) 59–79
- Reed, G.M. and A.W. Roscoe, A timed model for communicating sequential processes 58 (1-3) (1988) 249–261
- Reedy, A. and W.J. Savitch, The Turing degree of the inherent ambiguity problem for context-free languages 1 (1) (1976) 77–91
- Regan, K.W., *see* A.V. Naik 148 (2) (1995) 325–349
- Regan, K.W., Index sets and presentations of complexity classes 161 (1-2) (1996) 263–287
- Regan, K.W. and H. Vollmer, Gap-languages and log-time complexity classes 188 (1-2) (1997) 101–116
- Regan, K.W., *see* R.G. Downey 191 (1-2) (1998) 97–115
- Reggio, G., *see* E. Astesiano 96 (1) (1992) 249–283
- Reggio, G., *see* G. Costa 173 (2) (1997) 513–554
- Reghizzi, S.C., *see* A. Cherubini 85 (1) (1991) 171–203
- Regnier, L., Une équivalence sur les lambda-termes 126 (2) (1994) 281–292
- Régnier, M., *see* R.A. Baeza-Yates 92 (1) (1992) 19–31

- Rehrmann, R., *see* L. Prieze 54 (2-3) (1987) 139–163
- Reif, J.H., *see* J.Y. Halpern 27 (1-2) (1983) 127–165
- Reif, J.H., *see* S. Rajasekaran 99 (1) (1992) 157–176
- Reilly, N.R., Bounds on the variety generated by completely regular syntactic monoids from finite prefix codes 134 (1) (1994) 189–208
- Reimen, N., *see* J. Mazoyer 101 (1) (1992) 59–98
- Reingold, E.M., *see* A.S. Goldstein 143 (1) (1995) 93–112
- Reisch, S., *see* D. Kirkpatrick 28 (3) (1984) 263–276
- Reischuk, K.R., A fast implementation of a multidimensional storage into a tree storage 19 (3) (1982) 253–266
- Reisig, W., Petri nets with individual tokens 41 (2-3) (1985) 185–213
- Reisig, W., Petri nets and algebraic specifications 80 (1) (1991) 1–34
- Reiss, S.P., *see* D.P. Dobkin 11 (1) (1980) 1–18
- Reiterman, J., *see* J. Adámek 43 (2-3) (1986) 293–313
- Rémila, E., A linear algorithm to tile the trapezes with h_m and v_n 123 (1) (1994) 151–165
- Remila, E., On the tiling of a torus with two bars 134 (2) (1994) 415–426
- Remila, E., Recognition of graphs by automata 136 (2) (1994) 291–332
- Rommel, J.B., *see* W. Kohn 138 (1) (1995) 141–168
- Rommel, J.B., *see* A. Nerode 171 (1-2) (1997) 111–146
- Rensink, A., *see* U. Goltz 124 (1) (1994) 169–179
- Renvall, A., *see* V. Niemi 191 (1-2) (1998) 173–183
- Reps, T., *see* G. Ramalingam 158 (1-2) (1996) 233–277
- Reps, T., *see* M. Sagiv 167 (1-2) (1996) 131–170
- Resta, G., *see* E. Fachini 83 (2) (1991) 249–260
- Resta, G., *see* B. Codenotti 127 (1) (1994) 99–121
- Resta, G., *see* V. Brimkov 165 (2) (1996) 483–490
- Restivo, A., A combinatorial property of codes having finite synchronization delay 1 (2) (1976) 95–101
- Restivo, A., *see* A. De Luca 10 (2) (1980) 157–170
- Restivo, A., *see* J.M. Boë 12 (3) (1980) 325–332
- Restivo, A., *see* A. De Luca 24 (1) (1983) 21–34
- Restivo, A. and C. Reutenauer, Rational languages and the Burnside problem 40 (1) (1985) 13–30
- Restivo, A., *see* A. De Luca 43 (2-3) (1986) 265–275
- Restivo, A., Finitely generated sofie systems 65 (2) (1989) 265–270
- Restivo, A., Codes and local constraints 72 (1) (1990) 55–64
- Restivo, A., A note on renewal systems 94 (2) (1992) 367–371
- Restivo, A., *see* G. Guaiana 97 (2) (1992) 301–311
- Reutenauer, C., On a question of S. Eilenberg 5 (2) (1977) 219
- Reutenauer, C., Sur les séries associées à certains systèmes de Lindenmayer 9 (3) (1979) 363–375
- Reutenauer, C., *see* J. Berstel 18 (2) (1982) 115–148
- Reutenauer, C., *see* G. Jacob 32 (3) (1984) 339–340
- Reutenauer, C., *see* A. Restivo 40 (1) (1985) 13–30
- Reutenauer, C., *see* A. Björner 98 (1) (1992) 53–63
- Reutenauer, C. and M.-P. Schützenberger, Variétés et fonctions rationnelles 145 (1-2) (1995) 229–240
- Reuter, K., *see* J. Mitas 175 (2) (1997) 337–347
- Révész, G.E., A list-oriented extension of the lambda-calculus satisfying the Church–Rosser theorem 93 (1) (1992) 75–89
- Revesz, P.Z., A closed-form evaluation for Datalog queries with integer (gap)-order constraints 116 (1) (1993) 117–149
- Revol, N. and J.-L. Roch, Parallel evaluation of arithmetic circuits 162 (1) (1996) 133–150
- Revuz, D., Minimization of acyclic deterministic automata in linear time 92 (1) (1992) 181–189
- Rich, C.A. and G. Slutzki, The complexity of optimizing finite-state transducers 129 (2) (1994) 323–336
- Richard, G., *see* S. Anantharaman 192 (1) (1998) 77–106
- Richard, P., *see* F. Bancilhon 34 (3) (1984) 343–350
- Richards, D., *see* C. Swart 67 (1) (1989) 5–18
- Ricklin, M., *see* A. Fiat 130 (1) (1994) 85–99

- Ricklin, M., *see* N. Alon 130 (1) (1994) 175–201
- Rieckhoff, C., *see* H. Ehrig 71 (3) (1990) 347–380
- Rindone, G., Construction d'une famille de codes associés à certains groupes finis 54 (2-3) (1987) 165–179
- Risler, J.-J., *see* J.-P. Laumond 157 (1) (1996) 101–114
- Risler, J.-J., A bound for the degree of nonholonomy in the plane 157 (1) (1996) 129–136
- Ritter, E., Categorical abstract machines for higher-order typed λ -calculi 136 (1) (1994) 125–162
- Ritzmann, P., A fast numerical algorithm for the composition of power series with complex coefficients 44 (1) (1986) 1–16
- Rival, I., *see* K. Ewacha 175 (2) (1997) 271–282
- Rivals, E. and J.-P. Delahaye, Optimal representation in average using Kolmogorov complexity 200 (1-2) (1998) 261–287
- Rivest, R.L. and J. Vuillemin, On recognizing graph properties from adjacency matrices 3 (3) (1976) 371–384
- Robert, Y. and D. Trystram, Optimal scheduling algorithms for parallel Gaussian elimination 64 (2) (1989) 159–173
- Robert, Y., *see* P. Quinton 95 (2) (1992) 207–229
- Roberts, A., *see* G.E. Pantziou 185 (2) (1997) 347–377
- Robertson, E.L., *see* L.H. Landweber 15 (2) (1981) 181–200
- Robinson, E., Parametricity as isomorphism 136 (1) (1994) 163–181
- Robinson, P.J., *see* P. Nickolas 169 (1) (1996) 81–112
- Robson, J.M., Strong time bounds: non-computable bounds and a hierarchy theorem 73 (3) (1990) 313–317
- Robson, J.M., An $O(T \log T)$ reduction from RAM computations to satisfiability 82 (1) (1991) 141–149
- Robson, J.M., More languages of generalised star height 1 106 (2) (1992) 327–335
- Robson, J.M., *see* C. Pomerance 180 (1-2) (1997) 181–201
- Rocchetti, M., *see* R. Gorrieri 140 (1) (1995) 73–94
- Roch, J.-L., *see* N. Revol 162 (1) (1996) 133–150
- Rodenburg, P.H., Algebraic specifiability of data types with minimal computable parameters 85 (1) (1991) 97–116
- Rödl, V., *see* L. Babai 74 (3) (1990) 313–323
- Rodriguez, F., Familles de langages fermées par crochet ouvert 9 (3) (1979) 385–398
- Rodriguez-Artalejo, M., Some questions about expressiveness and relative completeness in Hoare's logic 39 (2-3) (1985) 189–206
- Rodriguez-Artalejo, M., *see* M.T. Hortalá-González 68 (3) (1989) 277–302
- Rogozhin, Y., Small universal Turing machines 168 (2) (1996) 215–240
- Rojas, J.M., A convex geometric approach to counting the roots of a polynomial system 133 (1) (1994) 105–140
- Róka, Z., One-way cellular automata on Cayley graphs 132 (1-2) (1994) 259–290
- Rolim, J.D.P., *see* P. Ďuriš 132 (1-2) (1994) 422–431
- Rolim, J.D.P., *see* A.E. Andreev 161 (1-2) (1996) 307–314
- Rolim, J.D.P., *see* A.E. Andreev 180 (1-2) (1997) 243–268
- Romani, F., *see* G. Lotti 23 (2) (1983) 171–185
- Romanik, K., Approximate testing and its relationship to learning 188 (1-2) (1997) 79–99
- Romeuf, J.-F., A polynomial algorithm for solving systems of two linear diophantine equations 74 (3) (1990) 329–340
- Rompel, J., *see* L. Fortnow 134 (2) (1994) 545–557
- Ronchi della Rocca, S., *see* C. Böhm 8 (3) (1979) 271–291
- Ronchi della Rocca, S. and B. Venneri, Principal type schemes for an extended type theory 28 (1-2) (1984) 151–169
- Ronchi della Rocca, S., Principal type scheme and unification for intersection type discipline 59 (1-2) (1988) 181–209
- Ronse, C., A topological characterization of thinning 43 (1) (1986) 31–41
- Roos, T., *see* T. Asano 181 (1) (1997) 3–15
- Roos, Y., *see* R. Cori 61 (1) (1988) 93–102
- Roos, Y., *see* M. Clerbout 103 (1) (1992) 39–49
- Roscoe, A.W., *see* G.M. Reed 58 (1-3) (1988) 249–261
- Roscoe, A.W. and C.A.R. Hoare, The laws of occam programming 60 (2) (1988) 177–229

- Roscoe, A.W., *see* M.W. Mislove 138 (2) (1995) 273–314
- Rosen, B.K., Correctness of parallel programs: the Church–Rosser approach 2 (2) (1976) 183–207
- Rosen, B.K., *see* H. Ehrig 11 (3) (1980) 247–275
- Rosenberg, A.L., L.J. Stockmeyer and L. Snyder, Uniform data encodings 11 (2) (1980) 145–165
- Rosenkrantz, D., *see* Y. Breitbart 145 (1-2) (1995) 45–69
- Rosenkrantz, D.J., *see* H.B. Hunt, III 2 (3) (1976) 361–382
- Rosenkrantz, D.J., *see* H.B. Hunt, III 27 (1-2) (1983) 3–38
- Rosenkrantz, D.J. and H.B. Hunt, III, Testing for grammatical coverings 38 (2-3) (1985) 323–341
- Rosenkrantz, D.J., *see* S.O. Krumke 181 (2) (1997) 379–404
- Rosenthal, A., Optimal algorithms for sensitivity analysis in associative multiplication problems 14 (1) (1981) 79–90
- Rosenthal, E., *see* N.V. Murray 131 (1) (1994) 1–28
- Rosier, L., *see* R. Holte 100 (1) (1992) 105–135
- Rosier, L.E., *see* O.H. Ibarra 24 (1) (1983) 35–52
- Rosier, L.E., *see* O.H. Ibarra 26 (1-2) (1983) 197–220
- Rosier, L.E. and H.-C. Yen, Boundedness, empty channel detection, and synchronization for communicating finite automata 44 (1) (1986) 69–105
- Rosier, L.E., *see* R.R. Howell 46 (2-3) (1986) 107–140
- Rosier, L.E. and H.-C. Yen, On the complexity of deciding fair termination of probabilistic concurrent finite-state programs 58 (1-3) (1988) 263–324
- Rosier, L.E., *see* R.R. Howell 64 (3) (1989) 305–329
- Rosier, L.E., *see* R.R. Howell 80 (1) (1991) 77–104
- Rosier, L.E., *see* R.R. Howell 82 (2) (1991) 341–372
- Rosier, L.E., *see* S.K. Baruah 118 (1) (1993) 3–20
- Ross, K.A., D. Srivastava, P.J. Stuckey and S. Sudarshan, Foundations of aggregation constraints 193 (1-2) (1998) 149–179
- Rosselló, F., *see* P. Burmeister 184 (1-2) (1997) 145–193
- Rossi, F., *see* A. Corradini 109 (1-2) (1993) 7–48
- Rossi, F., *see* U. Montanari 109 (1-2) (1993) 225–256
- Rossi, F., *see* A. Corradini 122 (1-2) (1994) 165–200
- Rossi, F., *see* U. Montanari 173 (1) (1997) 1
- Rossi, G., *see* L. Giordano 95 (1) (1992) 43–74
- Rossmann, P., *see* R. Niedermeier 194 (1-2) (1998) 137–161
- Rote, G., *see* H. Edelsbrunner 66 (2) (1989) 157–180
- Rote, G., Finding a shortest vector in a two-dimensional lattice modulo m 172 (1-2) (1997) 303–308
- Rotella, F., Shuffle product of generating series 79 (1) (1991) 257–261
- Roucairol, G., *see* M.P. Flé 38 (1) (1985) 1–16
- Rounds, W.C., *see* G.-Q. Zhang 177 (1) (1997) 155–182
- Roux, O., *see* J. Perraud 97 (1) (1992) 83–103
- Roux, O., *see* F. Cassez 146 (1-2) (1995) 109–143
- Rovan, B., *see* J. Hromkovič 132 (1-2) (1994) 319–336
- Rovan, B., Introduction 168 (1) (1996) 1
- Royer, J., *see* S. Homer 115 (2) (1993) 383–389
- Royer, V., The semantics of incomplete databases as an expression of preferences 78 (1) (1991) 113–136
- Rozenberg, G., *see* A. Ehrenfeucht 1 (1) (1976) 59–75
- Rozenberg, G., *see* A. Ehrenfeucht 1 (4) (1976) 325–330
- Rozenberg, G., M. Penttonen and A. Salomaa, Bibliography of L systems 5 (3) (1977) 339–354
- Rozenberg, G., *see* A. Ehrenfeucht 6 (3) (1978) 327–341
- Rozenberg, G., *see* A. Ehrenfeucht 7 (2) (1978) 169–183
- Rozenberg, G., *see* A. Ehrenfeucht 10 (1) (1980) 45–52
- Rozenberg, G., *see* A. Ehrenfeucht 12 (2) (1980) 127–134
- Rozenberg, G., *see* A. Ehrenfeucht 12 (3) (1980) 339–342
- Rozenberg, G. and R. Verraedt, On pure, terminal invariant and nonterminal invariant interpretations of EOL forms 14 (3) (1981) 267–288

- Rozenberg, G., *see* A. Ehrenfeucht 16 (1) (1981) 25–32
 Rozenberg, G., *see* H.C.M. Kleijn 16 (3) (1981) 237–269
 Rozenberg, G., *see* D. Janssens 21 (1) (1982) 55–74
 Rozenberg, G., *see* A. Ehrenfeucht 21 (1) (1982) 75–90
 Rozenberg, G., *see* N. Ehrenfeucht 21 (2) (1982) 119–144
 Rozenberg, G. and R. Verraedt, Subset languages of Petri nets Part I: The relationship to string languages and formal forms 26 (3) (1983) 301–326
 Rozenberg, G., *see* A. Ehrenfeucht 27 (3) (1983) 311–332
 Rozenberg, G. and R. Verraedt, Subset languages of Petri nets Part II: Closure properties 27 (1-2) (1983) 85–108
 Rozenberg, G., *see* A. Ehrenfeucht 28 (1-2) (1984) 197–214
 Rozenberg, G. and R. Verraedt, On simulation and propagating EOL forms 29 (1-2) (1984) 41–48
 Rozenberg, G., *see* A. Ehrenfeucht 31 (1-2) (1984) 211–223
 Rozenberg, G., On coordinated selective substitutions: towards a unified theory of grammars and machines 37 (1) (1985) 31–50
 Rozenberg, G., *see* A. Ehrenfeucht 37 (3) (1985) 337–360
 Rozenberg, G., *see* I.J.J. Aalbersberg 40 (2-3) (1985) 149–162
 Rozenberg, G., *see* A. Ehrenfeucht 48 (2-3) (1986) 201–228
 Rozenberg, G., *see* I.J.J. Aalbersberg 60 (1) (1988) 1–82
 Rozenberg, G., *see* A. Ehrenfeucht 70 (3) (1990) 277–303
 Rozenberg, G., *see* A. Ehrenfeucht 70 (3) (1990) 305–342
 Rozenberg, G., *see* A. Ehrenfeucht 70 (3) (1990) 343–358
 Rozenberg, G., *see* J. Engelfriet 82 (1) (1991) 95–111
 Rozenberg, G., *see* A. Ehrenfeucht 92 (2) (1992) 227–248
 Rozenberg, G., *see* M. Nielsen 96 (1) (1992) 3–33
 Rozenberg, G., *see* A. Ehrenfeucht 116 (2) (1993) 227–290
 Rozenberg, G., *see* A. Ehrenfeucht 125 (2) (1994) 259–293
 Rozenberg, G., *see* A.H. Deutz 127 (2) (1994) 387–393
 Rozenberg, G., *see* A.H. Deutz 129 (2) (1994) 207–262
 Rozenberg, G., *see* V. Mitrană 154 (2) (1996) 183–201
 Rozenberg, G., *see* J. Engelfriet 154 (2) (1996) 247–282
 Rozenberg, G., *see* A. Ehrenfeucht 155 (2) (1996) 425–438
 Rozenberg, G., *see* G. Păun 168 (2) (1996) 321–336
 Rozenberg, G. and A. Salomaa, Preface 183 (1) (1997) 1
 Rozenberg, G., *see* A. Mateescu 197 (1-2) (1998) 1–56
 Rozoy, B. and P.S. Thiagarajan, Event structures and trace monoids 91 (2) (1991) 285–313
 Rozoy, B., *see* P. Gastin 120 (1) (1993) 101–121
 Rozoy, B., *see* M.R. Assous 123 (1) (1994) 9–19
 Rubinstein, R.S., *see* L.A. Hemachandra 92 (2) (1992) 309–318
 Rubio, A. and R. Nieuwenhuis, A total AC-compatible ordering based on RPO 142 (2) (1995) 209–227
 Rudolph, L., *see* C.P. Kruskal 64 (2) (1989) 135–157
 Rudolph, L., *see* C.P. Kruskal 71 (1) (1990) 95–132
 Ruet, P. and F. Fages, Combining explicit negation and negation by failure via Belnap's logic 171 (1-2) (1997) 61–75
 Ruggiero, F., *see* G. Notă 120 (1) (1993) 45–68
 R nger, G., *see* A. Podehl 196 (1-2) (1998) 215–240
 Ruohonen, K., Zeros of Z-rational functions and DOL equivalence 3 (3) (1976) 283–292
 Ruohonen, K., *see* K.  ulik, II 6 (2) (1978) 143–173
 Ruohonen, K., On some decidability problems for HDOL systems with nonsingular Parikh matrices 9 (3) (1979) 377–384
 Ruohonen, K., On equality of multiplicity sets of regular languages 36 (1) (1985) 113–117
 Rupert, C.P., Comment on a remark of Forsy 68 (3) (1989) 347–348
 Rupert, C.P., Which Kleene semigroups are finite 84 (2) (1991) 251–264
 Ruqian, L., A true concurrency model of CCS semantics 113 (2) (1993) 231–258
 Rus, T., Algebraic construction of compilers 90 (2) (1991) 271–308

- Rus, T., Algebraic processing of programming languages 199 (1-2) (1998) 105–143
- Rus, T. and J.S. Jones, PHRASE parsers from multi-axiom grammars 199 (1-2) (1998) 199–229
- Rusinowitch, M., *see* G. Kucherov 178 (1-2) (1997) 129–154
- Rutten, J.J.M.M., *see* J.N. Kok 76 (2-3) (1990) 179–222
- Rutten, J.J.M.M., *see* F.S. De Boer 86 (1) (1991) 3–33
- Rutten, J.J.M.M., *see* F.S. de Boer 101 (2) (1992) 239–263
- Rutten, J.J.M.M., Elements of generalized ultrametric domain theory 170 (1-2) (1996) 349–381
- Rutten, J.J.M.M., *see* M.M. Bonsangue 193 (1-2) (1998) 1–51
- Rybko, A.I., *see* J. Hromkovič 97 (2) (1992) 285–300
- Rystsov, I., Reset words for commutative and solvable automata 172 (1-2) (1997) 273–279
- Rytter, W. and M. Chrobak, A characterization of reversal-bounded multipushdown machine languages 36 (2-3) (1985) 341–344
- Rytter, W., On the complexity of parallel parsing of general context-free languages 47 (3) (1986) 315–321
- Rytter, W., *see* A. Gibbons 48 (2-3) (1986) 329–337
- Rytter, W. and R. Giancarlo, Optimal parallel parsing of bracket languages 53 (2-3) (1987) 295–306
- Rytter, W., On efficient parallel computations for some dynamic programming problems 59 (3) (1988) 297–307
- Rytter, W., *see* A. Gibbons 71 (3) (1990) 401–411
- Rytter, W., *see* M. Chytil 81 (2) (1991) 311–316
- Rytter, W., *see* K. Diks 87 (2) (1991) 251–262
- Rytter, W., *see* M. Crochemore 88 (1) (1991) 59–82
- Rytter, W., *see* J. Karhumäki 116 (2) (1993) 305–316
- Rytter, W., *see* B. Monien 116 (2) (1993) 421–429
- Rytter, W., *see* B. Monien 123 (2) (1994) 427–428
- Rytter, W., *see* M. Crochemore 132 (1-2) (1994) 391–402
- Rytter, W., *see* M. Chrobak 136 (2) (1994) 507–526
- Rytter, W., Context-free recognition via shortest paths computation: a version of Valiant's algorithm 143 (2) (1995) 343–352
- Rytter, W., *see* L. Gasieniec 147 (1-2) (1995) 19–30
- Rytter, W., *see* M. Karpinski 180 (1-2) (1997) 309–324
- Rytter, W., *see* L.L. Larmore 197 (1-2) (1998) 189–201
- Ryu, K.W., *see* J.F. Jájá 129 (2) (1994) 293–307
- Ryu, K.W., *see* J.F. Jájá 154 (2) (1996) 225–245
- Saad, R., *see* J. Blot 147 (1-2) (1995) 267–298
- Sabadini, N., *see* A. Bertoni 86 (2) (1991) 325–342
- Sabelfeld, V.K., An algorithm deciding functional equivalence in a new class of program schemes 71 (2) (1990) 265–279
- Sabidussi, G., *see* A.S. Fraenkel 143 (2) (1995) 319–333
- Saccà, D. and C. Zaniolo, The generalized counting method for recursive logic queries 62 (1-2) (1988) 187–220
- Sack, J.-R., *see* C. Levcopoulos 66 (2) (1989) 181–203
- Sack, J.-R., *see* F. Bauernöppel 175 (2) (1997) 239–255
- Sado, K. and Y. Igarashi, A function for evaluating the computing time of a bubbling system 54 (2-3) (1987) 315–324
- Sadri, F. and J.D. Ullman, The theory of functional and template dependencies 17 (3) (1982) 317–331
- Sadri, F., Aggregate operations in the information source tracking method 133 (2) (1994) 421–442
- Säec, B.L., *see* D. Long Van 143 (1) (1995) 1–21
- Sagan, B.E., Combinatorial proofs of hook generating functions for skew plane partitions 117 (1-2) (1993) 273–287
- Sagiv, M., T. Reps and S. Horwitz, Precise interprocedural dataflow analysis with applications to constant propagation 167 (1-2) (1996) 131–170
- Sagiv, Y., *see* J.F. Naughton 146 (1-2) (1995) 269–310
- Sagot, M.-F., A. Viari and H. Soldano, Multiple sequence comparison – a peptide matching approach 180 (1-2) (1997) 115–137
- Saheb-Djahromi, N., CPO's of measures for nondeterminism 12 (1) (1980) 19–37
- Sahni, S.K., *see* O.H. Ibarra 2 (3) (1976) 271–294

- Sain, I., *see* H. Andréka 17 (2) (1982) 193–212
- Sain, I., *see* H. Andréka 17 (3) (1982) 259–278
- Sain, I., A simple proof for the completeness of Floyd's method 35 (2-3) (1985) 345–348
- Sain, I., Total correctness in nonstandard logics of programs 50 (3) (1987) 285–321
- Sain, I., *see* J.A. Makowsky 66 (3) (1989) 299–321
- Sain, I., *see* H. Andréka 80 (2) (1991) 125–151
- Sain, I., Temporal logics need their clocks 95 (1) (1992) 75–95
- Saito, T. and H. Nishio, Structural and behavioral equivalence relations in automata networks 63 (2) (1989) 223–237
- Saito, T., Dynamics of equivalence relations in automata networks 90 (2) (1991) 355–367
- Sakai, K., *see* M. Morisaki 11 (1) (1980) 79–92
- Sakai, Y., *see* E. Takimoto 185 (1) (1997) 177–190
- Sakakibara, Y., Learning context-free grammars from structural data in polynomial time 76 (2-3) (1990) 223–242
- Sakakibara, Y., Recent advances of grammatical inference 185 (1) (1997) 15–45
- Sakarovitch, J., *see* J.-E. Pin 35 (2-3) (1985) 271–293
- Sakarovitch, J., On regular trace languages 52 (1-2) (1987) 59–75
- Sakarovitch, J., *see* Ch. Frougny 108 (1) (1993) 45–82
- Sakarovitch, J., *see* C. Frougny 191 (1-2) (1998) 61–77
- Sakurai, A., On the VC-dimension of depth four threshold circuits and the complexity of Boolean-valued functions 137 (1) (1995) 109–127
- Sakurai, K., Practical proofs of knowledge without relying on theoretical proofs of membership on languages 181 (2) (1997) 317–335
- Salemi, S., *see* A. De Luca 24 (1) (1983) 21–34
- Salemi, S., *see* G. Guaiana 97 (2) (1992) 301–311
- Salemi, S., *see* M. Madonia 108 (2) (1992) 251–270
- Salibra, A., *see* V. Manca 77 (1-2) (1990) 131–159
- Salibra, A., *see* V. Manca 94 (1) (1992) 101–124
- Salibra, A., *see* D. Pigozzi 140 (1) (1995) 5–52
- Salomaa, A., *see* H. Maurer 4 (2) (1977) 199–225
- Salomaa, A., *see* G. Rozenberg 5 (3) (1977) 339–354
- Salomaa, A., *see* K. Čulik, II 6 (2) (1978) 143–173
- Salomaa, A., *see* H.A. Maurer 12 (2) (1980) 135–159
- Salomaa, A., *see* K. Culik, II 19 (1) (1982) 29–38
- Salomaa, A., *see* H.A. Maurer 22 (3) (1983) 331–346
- Salomaa, A., *see* K. Culik, II 23 (3) (1983) 231–242
- Salomaa, A. and S. Yu, On a public-key cryptosystem based on iterated morphisms and substitutions 48 (2-3) (1986) 283–296
- Salomaa, A., *see* H.A. Maurer 84 (2) (1991) 265–279
- Salomaa, A., A deterministic algorithm for modular knapsack problems 88 (1) (1991) 127–138
- Salomaa, A., *see* M. Andraşiu 116 (2) (1993) 339–357
- Salomaa, A., *see* Gh. Păun 120 (2) (1993) 293–301
- Salomaa, A., *see* L. Kari 141 (1-2) (1995) 253–268
- Salomaa, A., *see* V. Mitrana 154 (2) (1996) 183–201
- Salomaa, A., *see* T.Y. Nishida 158 (1-2) (1996) 161–176
- Salomaa, A., *see* G. Păun 168 (2) (1996) 321–336
- Salomaa, A., *see* G. Rozenberg 183 (1) (1997) 1
- Salomaa, A., *see* A. Mateescu 197 (1-2) (1998) 1–56
- Salomaa, K., A pumping result for 2-context-free languages 62 (3) (1988) 267–287
- Salomaa, K. and S. Yu, Decidability of structural equivalence of EOL grammars 82 (1) (1991) 131–139
- Salomaa, K., *see* S. Yu 125 (2) (1994) 315–328
- Salomaa, K., Synchronized tree automata 127 (1) (1994) 25–51
- Salomaa, K., *see* H. Jürgensen 134 (1) (1994) 107–117
- Salomaa, K., D. Wood and S. Yu, Structural equivalence and ETOL grammars 164 (1-2) (1996) 123–140

- Salomaa, K., Decidability of equivalence for deterministic synchronized tree automata 167 (1-2) (1996) 171–192
- Salvy, B., *see* P. Flajolet 79 (1) (1991) 37–109
- Salzer, G., *see* G. Gottlob 166 (1-2) (1996) 221–262
- Sambin, G., S. Valentini and P. Virgili, Constructive domain theory as a branch of intuitionistic pointfree topology 159 (2) (1996) 319–341
- Sánchez, A., *see* M. Navarro 140 (1) (1995) 139–177
- Sands, D., Proving the correctness of recursion-based automatic program transformations 167 (1-2) (1996) 193–233
- Sands, D., *see* C. Hankin 192 (2) (1998) 233–258
- Sangiorgi, D., *see* E. Fachini 83 (2) (1991) 249–260
- Sangiorgi, D., Locality and interleaving semantics in calculi for mobile processes 155 (1) (1996) 39–83
- Sangiorgi, D., π -Calculus, internal mobility, and agent-passing calculi 167 (1-2) (1996) 235–274
- Sangiorgi, D., *see* M. Boreale 198 (1-2) (1998) 159–176
- Sannella, D., *see* M. Hofmann 167 (1-2) (1996) 3–45
- Sannella, D., *see* S. Kahrs 173 (2) (1997) 445–484
- Santean, L. and J. Kari, The impact of the number of cooperating grammars on the generative power 98 (2) (1992) 249–262
- Santini-Bouchard, M.-L., Echanges de trois intervalles et suites minimales 174 (1-2) (1997) 171–191
- Santoro, N., J.B. Sidney, S.J. Sidney and J. Urrutia, Geometric containment and vector dominance 53 (2-3) (1987) 345–352
- Santoro, N., J.B. Sidney and S.J. Sidney, A distributed selection algorithm and its expected communication complexity 100 (1) (1992) 185–204
- Saoudi, A., Variétés d'automates descendants d'arbres infinis 43 (2-3) (1986) 315–335
- Saoudi, A., Generalized automata on infinite trees and Muller-McNaughton's Theorem 84 (2) (1991) 165–177
- Saoudi, A., *see* D.E. Muller 97 (2) (1992) 233–244
- Saoudi, A., *see* H. Senoussi 136 (2) (1994) 387–417
- Sauter, Y. and P. Quinton, Computability of recurrence equations 116 (2) (1993) 317–337
- Sapoženko, A.A., *see* J. Hromkovič 97 (2) (1992) 285–300
- Sapozhenko, A.A., *see* G. Burosch 78 (2) (1991) 377–381
- Sarkar, P. and R. Barua, Multidimensional σ -automata, π -polynomials and generalised S -matrices 197 (1-2) (1998) 111–138
- Sarnath, R. and X. He, A P-complete graph partition problem 76 (2-3) (1990) 343–351
- Sarrafzadeh, M. and S.R. Maddila, Discrete warehouse problem 140 (2) (1995) 231–247
- Sassano, A., *see* P. Bertolazzi 54 (2-3) (1987) 237–247
- Sassone, V., *see* J. Meseguer 153 (1-2) (1996) 171–210
- Sassone, V., An axiomatization of the algebra of Petri net concatenable processes 170 (1-2) (1996) 277–296
- Sassone, V., M. Nielsen and G. Winskel, Models for concurrency: Towards a classification 170 (1-2) (1996) 297–348
- Sato, H., E-CCC: between ccc and topos 64 (1) (1989) 55–66
- Sato, M., *see* C. Hosono 4 (2) (1977) 137–142
- Sato, M., Theory of symbolic expressions, I 22 (1-2) (1983) 19–55
- Sato, M., Intuitionistic and classical natural deduction systems with the catch and the throw rules 175 (1) (1997) 75–92
- Sato, T. and H. Tamaki, Enumeration of success patterns in logic programs 34 (1-2) (1984) 227–240
- Sato, T., Equivalence-preserving first-order unfold/fold transformation systems 105 (1) (1992) 57–84
- Sattler, U., *see* F. Bergeron 144 (1-2) (1995) 59–65
- Saunders, B.D., *see* S.K. Abdali 40 (2-3) (1985) 257–274
- Savage, J.E., *see* L.H. Harper 1 (2) (1976) 161–183
- Savický, P., *see* P. Pudlák 116 (2) (1993) 415–419
- Savický, P. and S. Žák, A lower bound on branching programs reading some bits twice 172 (1-2) (1997) 293–301
- Savitch, W.J., *see* A. Reedy 1 (1) (1976) 77–91
- Sazonov, V., *see* A. Lisitsa 175 (1) (1997) 183–222

- Sazonov, V.Yu., Hereditarily-finite sets, data bases and polynomial-time computability 119 (1) (1993) 187–214
- Scarpellini, B., Complex Boolean networks obtained by diagonalization 36 (1) (1985) 119–125
- Scedrov, A., *see* E.S. Bainbridge 70 (1) (1990) 35–64
- Scedrov, A., *see* E.S. Bainbridge 71 (3) (1990)
- Scedrov, A., *see* J.-Y. Girard 97 (1) (1992) 1–66
- Scedrov, A., *see* P. Lincoln 135 (1) (1994) 139–153
- Scedrov, A., D. DeTurk and W. Ziller, Moez Alimohamed, 1967–1994 146 (1-2) (1995) 1–3
- Schachinger, W., On the variance of a class of inductive valuations of data structures for digital search 144 (1-2) (1995) 251–275
- Schaerf, M., *see* M. Cadoli 182 (1-2) (1997) 183–202
- Schäfer, G., *see* K. Weihrauch 26 (1-2) (1983) 131–147
- Schäffer, A.A., *see* V.S. Pai 128 (1-2) (1994) 211–239
- Schäffer, A.A., *see* R.M. Idury 131 (2) (1994) 295–310
- Schäffer, A.A., *see* R.M. Idury 154 (2) (1996) 203–224
- Schäpers, H., *see* B. Monien 123 (2) (1994) 427–428
- Schäpers, H. and J. Hooman, A trace-based compositional proof theory for fault tolerant distributed systems 128 (1-2) (1994) 127–157
- Schäpers, L., *see* B. Monien 116 (2) (1993) 421–429
- Scheen, C., Implementation of the Painlevé test for ordinary differential systems 187 (1-2) (1997) 87–104
- Scheepers, M., Variations on a game of Gale (II): Markov strategies 129 (2) (1994) 385–396
- Scheideler, C., *see* F. Meyer auf der Heide 162 (2) (1996) 245–281
- Scheinerman, E.R., *see* A.S. Fraenkel 112 (2) (1993) 371–382
- Schek, H.-J., *see* R. Vingralek 190 (2) (1998) 363–396
- Schettini, A.M., *see* E. Fachini 83 (2) (1991) 249–260
- Scheuing, A., Decomposition of linear automata over residue rings into shift-registers 43 (1) (1986) 11–30
- Schieber, B., *see* Y. Maon 47 (3) (1986) 277–298
- Schieber, B., *see* M.W. Bern 106 (2) (1992) 265–281
- Schmerl, U., *see* R. Berghammer 146 (1-2) (1995) 185–197
- Schmid, J., *see* D. Benninger 100 (1) (1992) 137–156
- Schmid, U., The average CRI-length of a controlled ALOHA collision resolution algorithm 108 (2) (1992) 291–310
- Schmid, U., Random trees in queueing systems with deadlines 144 (1-2) (1995) 277–314
- Schmidt, D., The recursion-theoretic structure of complexity classes 38 (2-3) (1985) 143–156
- Schmidt, D.A., Approximation properties of abstract data types 24 (1) (1983) 73–94
- Schmidt, D.A., *see* S. Even 77 (1-2) (1990) 73–95
- Schmidt, D.A., *see* M.W. Mislove 177 (1) (1997) 1
- Schmidt, G., Programs as partial graphs I: Flow equivalence and correctness 15 (1) (1981) 1–25
- Schmidt, G., Programs as partial graphs II: Recursion 15 (2) (1981) 159–179
- Schmidt, U., Avoidable patterns on two letters 63 (1) (1989) 1–17
- Schmidt, W.J., *see* J.H. Lutz 107 (1) (1992) 95–120
- Schmidt-Schauß, M., M. Marchiori and S.E. Panitz, Modular termination of r -consistent and left-linear, term rewriting systems 149 (2) (1995) 361–374
- Schmidt-Schauss, M., Implication of clauses is undecidable 59 (3) (1988) 287–296
- Schmitt, L.M., C.L. Nehaniv and R.H. Fujii, Linear analysis of genetic algorithms 200 (1-2) (1998) 101–134
- Schmitt, V., Stable trace automata vs. full trace automata 200 (1-2) (1998) 45–100
- Schmitt, W., Hopf algebras and identities in free partially commutative monoids 73 (3) (1990) 335–340
- Schmitz, L., *see* S. Heilbrunner 80 (1) (1991) 53–75
- Schneider, D.A., *see* R.J. Lipton 116 (1) (1993) 195–226
- Schneider, H.J., On categorical graph grammars integrating structural transformations and operations on labels 109 (1-2) (1993) 257–274
- Schneider, S., *see* J. Davies 138 (2) (1995) 243–271
- Schneider, S.A., *see* M.W. Mislove 138 (2) (1995) 273–314
- Schnitger, G., A family of graphs with expensive depth-reduction 18 (1) (1982) 89–93
- Schnitger, G., *see* M. Dietzfelbinger 82 (1) (1991) 113–129

- Schnitger, G., *see* M. Dietzfelbinger 168 (1) (1996) 39–51
- Schnoebelen, P., *see* F. Laroussinie 140 (1) (1995) 53–71
- Schnoebelen, P., *see* F. Laroussinie 148 (2) (1995) 303–324
- Schnorr, C.P., The combinational complexity of equivalence 1 (4) (1976) 289–295
- Schnorr, C.P., A lower bound on the number of additions in monotone computations 2 (3) (1976) 305–315
- Schnorr, C.P., Improved lower bounds on the number of multiplications/divisions which are necessary to evaluate polynomials 7 (3) (1978) 251–261
- Schnorr, C.P., On the additive complexity of polynomials 10 (1) (1980) 1–18
- Schnorr, C.P., A $3n$ -lower bound on the network complexity of Boolean functions 10 (1) (1980) 83–92
- Schnorr, C.P., A hierarchy of polynomial time lattice basis reduction algorithms 53 (2-3) (1987) 201–224
- Schnorr, C.P., *see* R. Mirwald 102 (2) (1992) 307–328
- Scholefield, D., H. Zedan and H. Jifeng, A specification oriented semantics for the refinement of real-time systems 131 (1) (1994) 219–241
- Schönhage, A., A lower bound for the length of addition chains 1 (1) (1976) 1–12
- Schönhage, A., An elementary proof for Strassen's degree bound 3 (2) (1976) 267–272
- Schönhage, A., *see* D.E. Knuth 6 (3) (1978) 281–315
- Schöning, U., A uniform approach to obtain diagonal sets in complexity classes 18 (1) (1982) 95–103
- Schöning, U., Minimal pairs for P 31 (1-2) (1984) 41–48
- Schöning, U., On small generators 34 (3) (1984) 337–341
- Schöning, U., Robust algorithms: A different approach to oracles 40 (1) (1985) 57–66
- Schöning, U., *see* J.L. Balcázar 40 (2-3) (1985) 237–243
- Schöning, U., *see* J.L. Balcázar 99 (2) (1992) 279–290
- Schöning, U., *see* V. Arvind 137 (2) (1995) 279–282
- Schott, R., *see* J. Françon 72 (2-3) (1990) 147–167
- Schott, R., *see* G. Louchard 93 (2) (1992) 201–225
- Schott, R., *see* L. Alonso 159 (1) (1996) 15–28
- Schreiber, U., *see* K. Weihrauch 16 (1) (1981) 5–24
- Schröder, B.S.W., *see* A. Melton 136 (1) (1994) 79–107
- Schröder, K., *see* F. Meyer auf der Heide 196 (1-2) (1998) 181–200
- Schuler, R., *see* V. Arvind 137 (2) (1995) 279–282
- Schulz, K.U., *see* F. Baader 142 (2) (1995) 229–255
- Schulz, K.U., *see* F. Baader 192 (1) (1998) 107–161
- Schupp, P.E., *see* D.E. Muller 37 (1) (1985) 51–75
- Schupp, P.E., *see* D.E. Muller 54 (2-3) (1987) 267–276
- Schupp, P.E., *see* D.E. Muller 97 (2) (1992) 233–244
- Schupp, P.E., *see* D.E. Muller 141 (1-2) (1995) 69–107
- Schürfeld, U., *see* S. Bublit 48 (1) (1986) 53–73
- Schurz, G., Most general first order theorems are not recursively enumerable 147 (1-2) (1995) 149–163
- Schuster, A., *see* E. Shamir 64 (1) (1989) 83–96
- Schuster, P., *see* W. Hartmann 10 (1) (1980) 53–61
- Schützenberger, M.P., Sur les relations rationnelles entre monoides libres 3 (2) (1976) 243–259
- Schützenberger, M.P., Sur une variante des fonctions séquentielles 4 (1) (1977) 47–57
- Schützenberger, M.P., *see* C. Choffrut 58 (1-3) (1988) 81–101
- Schützenberger, M.-P., *see* C. Reutenauer 145 (1-2) (1995) 229–240
- Schwartzbach, M.I., Interpretations of recursively defined types 106 (1) (1992) 119–134
- Schwartzbach, M.I., Static correctness of hierarchical procedures 156 (1-2) (1996) 177–201
- Schwartzbach, M.I., *see* P.D. Mosses 167 (1-2) (1996) 1
- Schwarze, F., *see* F. Meyer auf der Heide 196 (1-2) (1998) 181–200
- Schwarzkopf, O., *see* M. de Berg 140 (2) (1995) 301–317
- Schwer, S.R., Fine covers of a VAS language 95 (1) (1992) 159–168
- Schwer, S.R., The context-freeness of the languages associated with vector addition systems is decidable 98 (2) (1992) 199–247
- Schwiegelshohn, U., *see* F. Gasperoni 196 (1-2) (1998) 347–363
- Schwind, C., *see* P. Chatalic 171 (1-2) (1997) 247–280

- Scollo, G., *see* V. Manca 77 (1-2) (1990) 131–159
- Scollo, G., *see* C.A. Vissers 89 (1) (1991) 179–206
- Scollo, G., *see* A. Nijholt 199 (1-2) (1998) 1–3
- Scott, D.S., A type-theoretical alternative to ISWIM, CUCH, OWHY 121 (1-2) (1993) 411–440
- Scott, E.A., Weights for total division orderings on strings 135 (2) (1994) 345–359
- Scott, P.J., *see* E.S. Bainbridge 70 (1) (1990) 35–64
- Scott, P.J., *see* E.S. Bainbridge 71 (3) (1990)
- Scott, P.J., *see* J.-Y. Girard 97 (1) (1992) 1–66
- Scott, P.J., *see* G. Bellin 135 (1) (1994) 11–65
- Sedgewick, R., *see* P. Flajolet 144 (1-2) (1995) 101–124
- Séébold, P., Fibonacci morphisms and Sturmian words 88 (2) (1991) 365–384
- Séébold, P., On the conjugation of standard morphisms 195 (1) (1998) 91–109
- Seetharaman, G., A simplified design strategy for mapping image processing algorithms on a SIMD torus 140 (2) (1995) 319–331
- Segala, R., *see* R. De Nicola 138 (2) (1995) 391–423
- Seger, C.-J. and J.A. Brzozowski, An optimistic ternary simulation of gate races 61 (1) (1988) 49–66
- Seger, C.-J., On the existence of speed-independent circuits 86 (2) (1991) 343–364
- Seidel, K., Probabilistic communicating processes 152 (2) (1995) 219–249
- Seidel, R., *see* H. Edelsbrunner 92 (2) (1992) 319–336
- Seiden, S., *see* S. Irani 194 (1-2) (1998) 163–182
- Seidl, H., Parameter-reduction of higher level grammars 55 (1) (1987) 47–85
- Seidl, H., *see* A. Weber 88 (2) (1991) 325–349
- Seidl, H., Single-valuedness of tree transducers is decidable in polynomial time 106 (1) (1992) 135–181
- Seidl, H., Finite tree automata with cost functions 126 (1) (1994) 113–142
- Seiferas, J., *see* Z. Galil 13 (3) (1981) 331–336
- Seiferas, J., *see* A. Blumer 40 (1) (1985) 31–55
- Seiferas, J.I. and R. McNaughton, Regularity-preserving relations 2 (2) (1976) 147–154
- Seino, K., *see* E. Tomita 41 (2-3) (1985) 223–230
- Seino, K., *see* E. Tomita 64 (1) (1989) 39–53
- Seite, B., A YACC extension for LLR grammar parsing 52 (1-2) (1987) 91–143
- Seki, H., Unfold/fold transformation of stratified programs 86 (1) (1991) 107–139
- Seki, H., T. Matsumura, M. Fujii and T. Kasami, On multiple context-free grammars 88 (2) (1991) 191–229
- Seki, S. and Y. Kobuchi, On standard locally catenative L schemes 83 (2) (1991) 237–248
- Sekimoto, S. and S. Hirokawa, One-step recurrent terms in λ - β -calculus 56 (2) (1988) 223–231
- Seleznev, O., *see* J. Demetovics 190 (2) (1998) 151–166
- Selivanov, V., Fine hierarchy of regular ω -languages 191 (1-2) (1998) 37–59
- Selkow, S.M., *see* C.E. Hughes 15 (1) (1981) 111–114
- Sellink, M.P.A., *see* J.F. Groote 170 (1-2) (1996) 47–81
- Selman, A.L., *see* R.E. Ladner 1 (2) (1976) 103–123
- Selman, A.L., *see* T.P. Baker 8 (2) (1979) 177–187
- Selman, A.L., Reductions on NP and P-selective sets 19 (3) (1982) 287–304
- Selman, A.L., *see* L. Longpré 115 (2) (1993) 277–290
- Selmi, C., Over testable languages 161 (1-2) (1996) 157–190
- Sen, S., Lower bounds for parallel algebraic decision trees, parallel complexity of convex hulls and related problems 188 (1-2) (1997) 59–78
- Sénéchaud, P., *see* D. Duval 123 (1) (1994) 117–130
- Sénizergues, G., *see* J.-M. Autebert 31 (3) (1984) 337–349
- Sénizergues, G., A characterisation of deterministic context-free languages by means of right-congruences 70 (2) (1990) 213–232
- Sénizergues, G., Some decision problems about controlled rewriting systems 71 (3) (1990) 281–346
- Sénizergues, G., Some undecidable termination problems for semi-Thue systems 142 (2) (1995) 257–276
- Sénizergues, G., A polynomial algorithm testing partial confluence of basic semi-Thue systems 192 (1) (1998) 55–75

- Senoussi, H. and A. Saoudi, A quadtree algorithm for template matching on a pyramid computer 136 (2) (1994) 387–417
- Serna, M.J., *see* J. Díaz 181 (2) (1997) 267–287
- Seroussi, G., *see* A. Lempel 22 (3) (1983) 285–296
- Seshadri, S., *see* R.J. Lipton 116 (1) (1993) 195–226
- Sethi, R., Pebble games for studying storage sharing 19 (1) (1982) 69–84
- Sethi, R., *see* G. Berry 48 (1) (1986) 117–126
- Sgall, J., *see* A. Feldmann 130 (1) (1994) 49–72
- Sghaier, S.B.M., *see* J. Desharnais 149 (2) (1995) 333–360
- Shallit, J., A generalization of automatic sequences 61 (1) (1988) 1–16
- Shallit, J., *see* J.-P. Allouche 94 (2) (1992) 161–174
- Shallit, J., *see* J.-P. Allouche 98 (2) (1992) 163–197
- Shallit, J., *see* S. Lehr 163 (1–2) (1996) 193–210
- Shallit, J., *see* C. Pomerance 180 (1–2) (1997) 181–201
- Shamir, A., *see* Z. Manna 6 (2) (1978) 109–141
- Shamir, E., *see* D. Gordon 23 (3) (1983) 305–315
- Shamir, E. and A. Schuster, Communication aspects of networks based on geometric incidence relations 64 (1) (1989) 83–96
- Shamir, R., *see* I. Pe'er 175 (2) (1997) 349–372
- Shankar, P. and B.S. Adiga, A graph-based regularity test for deterministic context-free languages 88 (1) (1991) 117–125
- Shankar, P. and B.S. Adiga, A graph-based regularity test for deterministic context-free languages (*Corrigendum*) 95 (2) (1992) 339–340
- Shankar, P., *see* S.R. Kulkarni 165 (2) (1996) 355–390
- Sharir, M., *see* B. Chazelle 84 (1) (1991) 77–105
- Sharir, M., *see* H. Edelsbrunner 92 (2) (1992) 319–336
- Sharir, M., *see* M. de Berg 140 (2) (1995) 301–317
- Sharma, A., *see* S. Jain 127 (2) (1994) 351–386
- Sharma, A., *see* S. Jain 137 (1) (1995) 85–108
- Sharma, A., *see* J. Case 164 (1–2) (1996) 13–28
- Shasha, D., *see* G. Koren 128 (1–2) (1994) 75–97
- Shaw, R.A., *see* L.M. Goldschlager 21 (1) (1982) 105–111
- Shawe-Taylor, J., *see* J.Y. Kim 92 (1) (1992) 107–117
- Shen, E. and Q. Tian, Monadic partition logics and finite automata 166 (1–2) (1996) 63–81
- Shen, H. and W. Liang, Efficient enumeration of all minimal separators in a graph 180 (1–2) (1997) 169–180
- Shen, H., Optimal algorithms for generalized searching in sorted matrices 188 (1–2) (1997) 221–230
- Shen, Z., *see* L. Zhang 145 (1–2) (1995) 345–355
- Shende, S.M., *see* M.A. Palis 98 (2) (1992) 289–319
- Shepherdson, J.C., *see* C.C. Elgot 8 (3) (1979) 325–357
- Shepherdson, J.C., Graph theoretic characterization of \mathcal{G} -schemes and \mathcal{TL} -schemes 17 (2) (1982) 217–228
- Shepherdson, J.C., A sound and complete semantics for a version of negation as failure 65 (3) (1989) 343–371
- Shepherdson, J.C., The role of standardising apart in logic programming 129 (1) (1994) 143–166
- Shilov, N.V., Program schemata vs. automata for decidability of program logics 175 (1) (1997) 15–27
- Shimozono, S., Finding optimal subgraphs by local search 172 (1–2) (1997) 265–271
- Shinoda, J., *see* K. Aoki 123 (2) (1994) 315–327
- Shinohara, A., Complexity of computing Vapnik–Chervonenkis dimension and some generalized dimensions 137 (1) (1995) 129–144
- Shinohara, T., *see* S. Arikawa 95 (1) (1992) 97–113
- Shinohara, T., *see* H. Arimura 185 (1) (1997) 47–62
- Shore, R.A. and T.A. Slaman, The p-T-degrees of the recursive sets: lattice embeddings, extensions of embeddings and the two-quantifier theory 97 (2) (1992) 263–284
- Shoudai, T. and S. Miyano, Using maximal independent sets to solve problems in parallel 148 (1) (1995) 57–65
- Shparlinski, I., *see* M. Karpinski 157 (2) (1996) 259–266
- Shparlinski, I., On finding primitive roots in finite fields 157 (2) (1996) 273–275

- Shrivastava, S.K., *see* J.A. Smith 196 (1-2) (1998) 319–345
- Shub, M., *see* F. Cucker 133 (1) (1994) 3–14
- Shub, M. and S. Smale, Complexity of Bezout's theorem V: Polynomial time 133 (1) (1994) 141–164
- Shub, M., *see* F. Cucker 161 (1-2) (1996) 301–306
- Shufelt, J.A. and H.J. Berliner, Generating Hamiltonian circuits without backtracking from errors 132 (1-2) (1994) 347–375
- Shyamasundar, R.K., On a characterization of pushdown permuters 17 (3) (1982) 333–341
- Shyr, H.J., *see* M. Ito 96 (2) (1992) 325–344
- Sidney, J.B., *see* N. Santoro 53 (2-3) (1987) 345–352
- Sidney, J.B., *see* N. Santoro 100 (1) (1992) 185–204
- Sidney, S.J., *see* N. Santoro 53 (2-3) (1987) 345–352
- Sidney, S.J., *see* N. Santoro 100 (1) (1992) 185–204
- Sieber, K., Full abstraction for the second order subset of an ALGOL-like language 168 (1) (1996) 155–212
- Siefkes, D., *see* L.A. Hemachandra 80 (2) (1991) 203–225
- Siegelmann, H.T. and E.D. Sontag, Analog computation via neural networks 131 (2) (1994) 331–360
- Siegelmann, H.T., The simple dynamics of super Turing theories 168 (2) (1996) 461–472
- Sieling, D. and I. Wegener, Graph driven BDDs – a new data structure for Boolean functions 141 (1-2) (1995) 283–310
- Sieveking, M., *see* J. Heintz 11 (3) (1980) 321–330
- Sifakis, J., A unified approach for studying the properties of transition systems 18 (3) (1982) 227–258
- Sifakis, J., *see* R. Alur 138 (1) (1995) 3–34
- Sigstam, I. and V. Stoltenberg-Hansen, Representability of locally compact regular spaces by domains and formal spaces 179 (1-2) (1997) 319–331
- Sikkel, K., Parallel on-line parsing in constant time per word 120 (2) (1993) 303–310
- Sikkel, K., Parsing schemata and correctness of parsing algorithms 199 (1-2) (1998) 87–103
- Silva, M., *see* J. Esparza 102 (1) (1992) 185–205
- Silva, M., *see* E. Teruel 153 (1-2) (1996) 271–300
- Silvestri, R., *see* D.P. Bovet 104 (2) (1992) 263–283
- Silvestri, R., *see* M. Cadoli 182 (1-2) (1997) 183–202
- Simon, E., *see* S. Abiteboul 78 (1) (1991) 137–158
- Simon, I., *see* A. Mandel 5 (2) (1977) 101–111
- Simon, I., Factorization forests of finite height 72 (1) (1990) 65–94
- Simon, J., *see* J. Gill 12 (3) (1980) 333–338
- Simon, J., On tape-bounded probabilistic Turing machine acceptors 16 (1) (1981) 75–91
- Simon, K., An improved algorithm for transitive closure on acyclic digraphs 58 (1-3) (1988) 325–346
- Simonot, M., *see* P. Manoury 135 (2) (1994) 319–343
- Simonson, S., *see* A.S. Fraenkel 110 (1) (1993) 197–214
- Simplot, D., *see* M. Latteux 178 (1-2) (1997) 275–283
- Simpson, A.K., A characterisation of the least-fixed-point operator by dinaturality 118 (2) (1993) 301–314
- Sinclair, A., *see* M. Jerrum 73 (1) (1990) 91–100
- Singh, K.S., *see* R. Srikant 115 (2) (1993) 351–357
- Sipser, M., Halting space-bounded computations 10 (3) (1980) 335–338
- Sipser, M., *see* H.P. Katseff 15 (3) (1981) 291–309
- Sipser, M., *see* L. Fortnow 134 (2) (1994) 545–557
- Siromoney, R., V.R. Dare and K.G. Subramanian, Infinite arrays and infinite computations 24 (2) (1983) 195–205
- Siromoney, R., K.G. Subramanian and V.R. Dare, Infinite arrays and controlled deterministic table OL array systems 33 (1) (1984) 3–11
- Siromoney, R. and V.R. Dare, On infinite words obtained by selective substitution grammars 39 (2-3) (1985) 281–295
- Siromoney, R., *see* V.R. Dare 47 (2) (1986) 159–168
- Siromoney, R., *see* K.G. Subramanian 106 (2) (1992) 373–383
- Sirvent, V.F., Relationships between the dynamical systems associated to the Rauzy substitutions 164 (1-2) (1996) 41–57

- Sirvent, V.F., On some dynamical subsets of the Rauzy fractal 180 (1-2) (1997) 363–370
- Siu, M.K., *see* K. Lam 16 (3) (1981) 271–278
- Sivakumar, D., *see* A.V. Naik 148 (2) (1995) 325–349
- Škalikova, N.A., *see* J. Hromkovič 97 (2) (1992) 285–300
- Skandalis, K., Non-recursiveness of the operations on real numbers 71 (3) (1990) 425–429
- Skarbek, W., Generating ordered trees 57 (1) (1988) 153–159
- Skordev, G., *see* J.-P. Allouche 188 (1-2) (1997) 195–209
- Skubiszewski, M., Binary periodic synchronizing sequences 102 (2) (1992) 253–281
- Skurczyński, J., The Borel hierarchy is infinite in the class of regular sets of trees 112 (2) (1993) 413–418
- Skyum, S., *see* A. Ehrenfeucht 1 (4) (1976) 325–330
- Skyum, S., On good ETOL forms 7 (3) (1978) 263–272
- Slaman, T.A., *see* R.A. Shore 97 (2) (1992) 263–284
- Sleep, M.R., *see* J.R. Kennaway 175 (1) (1997) 93–125
- Slissenko, A., *see* D. Burago 157 (2) (1996) 161–183
- Slissenko, A.O., On fault tolerance of syntax 119 (1) (1993) 215–222
- Slobodová, A., Some properties of space-bounded synchronized alternating Turing machines with universal states only 96 (2) (1992) 411–419
- Slobodová, A., *see* J. Hromkovič 132 (1-2) (1994) 319–336
- Slowinski, K., Picture words with invisible lines 108 (2) (1993) 357–363
- Slutzki, G., Alternating tree automata 41 (2-3) (1985) 305–318
- Slutzki, G., *see* R. Boonyavatana 56 (3) (1988) 321–338
- Slutzki, G., *see* C.A. Rich 129 (2) (1994) 323–336
- Slutzki, G. and S. Vágvolgyi, Deterministic top-down tree transducers with iterated look-ahead 143 (2) (1995) 285–308
- Slutzki, G., *see* B. Mobasher 171 (1-2) (1997) 77–109
- Slutzki, G., *see* D. Fernández-Baca 181 (1) (1997) 57–74
- Smale, S., *see* F. Cucker 133 (1) (1994) 3–14
- Smale, S., *see* M. Shub 133 (1) (1994) 141–164
- Smith, C., *see* J. Case 25 (2) (1983) 193–220
- Smith, C.H., *see* D. Angluin 66 (3) (1989) 255–272
- Smith, C.H. and M. Velauthapillai, On the inference of approximate programs 77 (3) (1990) 249–266
- Smith, C.H., *see* L. Fortnow 197 (1-2) (1998) 139–156
- Smith, E., On the border of causality: contact and confusion 153 (1-2) (1996) 245–270
- Smith, J.A. and S.K. Shrivastava, Performance of fault-tolerant data and compute intensive programs over a network of workstations 196 (1-2) (1998) 319–345
- Smith, S.F., *see* R.L. Constable 121 (1-2) (1993) 89–112
- Smolka, G., *see* H. Ait-Kaci 122 (1-2) (1994) 263–283
- Smolka, G., *see* R. Backofen 146 (1-2) (1995) 243–268
- Smolka, G., *see* A. Podelski 173 (1) (1997) 235–252
- Smolka, S.A., *see* S.-H. Wu 176 (1-2) (1997) 1–38
- Smyth, C.J., *see* L. Halpenny 102 (2) (1992) 329–354
- Smyth, M.B., Effectively given domains 5 (3) (1977) 257–274
- Smyth, M.B., The largest cartesian closed category of domains 27 (1-2) (1983) 109–119
- Smyth, M.B., *see* A. Edalat 115 (1) (1993) 77–106
- Smyth, M.B., Semi-metrics, closure spaces and digital topology 151 (1) (1995) 257–276
- Smyth, W.F., *see* C.S. Iliopoulos 92 (1) (1992) 87–105
- Smyth, W.F., *see* J.W. Daykin 127 (1) (1994) 53–67
- Smyth, W.F., *see* C.S. Iliopoulos 172 (1-2) (1997) 281–291
- Smythe, R.T., *see* H.M. Mahmoud 144 (1-2) (1995) 221–249
- Snir, M., Comparisons between linear functions can help 19 (3) (1982) 321–330
- Snir, M., Lower bounds on probabilistic linear decision trees 38 (1) (1985) 69–82
- Snir, M., *see* C.P. Kruskal 48 (1) (1986) 75–94
- Snir, M., *see* C.P. Kruskal 64 (2) (1989) 135–157
- Snir, M., *see* A. Aggarwal 71 (1) (1990) 3–28

- Snir, M., *see* C.P. Kruskal 71 (1) (1990) 95–132
- Snir, M., Size-depth trade-offs for monotone arithmetic circuits 82 (1) (1991) 85–93
- Snyder, L., *see* C.C. Elgot 5 (3) (1977) 275–305
- Snyder, L., *see* A.L. Rosenberg 11 (2) (1980) 145–165
- Snyder, W., *see* J.H. Gallier 67 (2-3) (1989) 203–260
- Snyder, W., *see* C. Lynch 142 (2) (1995) 141–177
- Soare, R.I., *see* V.L. Bennisson 6 (3) (1978) 233–254
- Soare, R.I., *see* K. Ambos-Spies 132 (1-2) (1994) 229–241
- Soisalon-Soininen, E., On the covering problem for left-recursive grammars 8 (1) (1979) 1–11
- Soittola, M., Positive rational sequences 2 (3) (1976) 317–322
- Soldano, H., *see* M.-F. Sagot 180 (1-2) (1997) 115–137
- Solitto, U., A typed calculus based on a fragment of Linear Logic 68 (3) (1989) 333–342
- Soloviev, S., *see* G. Longo 121 (1-2) (1993) 323–349
- Sontacchi, G., *see* G. Jacopini 73 (1) (1990) 1–46
- Sontacchi, G., *see* G. Jacopini 121 (1-2) (1993) 169–178
- Sontag, E.D., *see* H.T. Siegelmann 131 (2) (1994) 331–360
- Sopena, E., *see* R. Cori 61 (1) (1988) 93–102
- Sopena, E., Hypermap rewriting: a combinatorial approach 85 (2) (1991) 253–281
- Soria, M., *see* C. Choppy 67 (2-3) (1989) 261–282
- Soria, M., *see* M. Drmota 144 (1-2) (1995) 67–99
- Soundararajan, N., Correctness proofs of CSP programs 24 (2) (1983) 131–141
- Soundararajan, N., A proof technique for parallel programs 31 (1-2) (1984) 13–29
- Soundararajan, N., Denotational semantics of CSP 33 (2-3) (1984) 279–304
- Spaccamela, A.M., *see* G. Ausiello 95 (2) (1992) 245–261
- Spanier, E.H., *see* S. Ginsburg 5 (3) (1977) 307–320
- Spanier, E.H., *see* S. Ginsburg 39 (2-3) (1985) 309–317
- Sparmann, U., *see* B. Becker 84 (2) (1991) 225–250
- Spehner, J.-C., Systèmes entiers d'équations sur un alphabet fini et Conjecture d'Ehrenfeucht 39 (2-3) (1985) 171–188
- Spehner, J.-C., Le calcul rapide des mélanges de deux mots 47 (2) (1986) 181–203
- Spehner, J.-C., La reconnaissance des facteurs d'un mot dans un texte 48 (1) (1986) 35–52
- Spehner, J.-C., La reconnaissance des facteurs d'un langage fini dans un texte en temps lineaire 60 (3) (1988) 341–381
- Spehner, J.-C., *see* M. Elbaz 77 (3) (1990) 331–343
- Spehner, J.-C., Merging in maps and in pavings 86 (2) (1991) 205–232
- Spehner, J.-C., A bijection between cliques in graphs and factorizations in free monoids 134 (1) (1994) 209–223
- Spehner, J.-C., *see* J.-D. Fouks 166 (1-2) (1996) 147–172
- Spencer, D., *see* J.R.B. Cockett 139 (1-2) (1995) 69–113
- Spencer, J., Ulam's searching game with a fixed number of lies 95 (2) (1992) 307–321
- Spencer, J., Randomization, derandomization and antirandomization: three games 131 (2) (1994) 415–429
- Spinrad, J., *see* T. Kloks 175 (2) (1997) 309–335
- Spirakis, P., The parallel complexity of deadlock detection 52 (1-2) (1987) 155–163
- Spirakis, P., *see* J. Garofalakis 128 (1-2) (1994) 63–74
- Spirakis, P.G., *see* D.P. Dubhashi 148 (1) (1995) 133–140
- Spirakis, P.G., *see* D.J. Kavvadias 168 (1) (1996) 121–154
- Spirakis, P.G., *see* J. Díaz 181 (2) (1997) 267–287
- Spooner, D.A., *see* J.R.B. Cockett 177 (1) (1997) 73–109
- Sportelli, T., *see* M. Madonia 108 (2) (1992) 251–270
- Sprenger, M. and M. Wymann-Böni, How to decide the lark 110 (2) (1993) 419–432
- Springsteel, F.N., On the pre-AFL of $\log n$ space and related families of languages 2 (3) (1976) 295–304
- Springsteel, F.N., *see* P. Pudlák 8 (2) (1979) 203–225
- Sprugnoli, R., *see* E. Barcucci 127 (2) (1994) 333–351
- Sprugnoli, R., *see* E. Barcucci 159 (1) (1996) 129–136
- Squier, C. and C. Wrathall, A note on representations of a certain monoid 17 (2) (1982) 229–231

- Squier, C.C., Units of special Church–Rosser monoids 49 (1) (1987) 13–22
- Squier, C.C., F. Otto and Y. Kobayashi, A finiteness condition for rewriting systems 131 (2) (1994) 271–294
- Sreedhar, V. and K. Taghva, Capturing strong reduction in director string calculus 107 (2) (1993) 333–347
- Sridhar, R., K. Han and N. Chandrasekharan, Efficient algorithms for shortest distance queries on special classes of polygons 140 (2) (1995) 291–300
- Srikant, R., R. Sundaram, K.S. Singh and C.P. Rangan, Optimal path cover problem on block graphs and bipartite permutation graphs 115 (2) (1993) 351–357
- Srikrishna, G. and C.P. Rangan, Optimal parallel algorithms for path problems on planar graphs 145 (1-2) (1995) 27–43
- Srinivas, B.N., *see* S. Ramesh 154 (2) (1996) 379–385
- Srinivas, Y.V., A sheaf-theoretic approach to pattern matching and related problems 112 (1) (1993) 53–97
- Srinivasan, A. and C.P. Rangan, Efficient algorithms for the minimum weighted dominating clique problem on permutation graphs 91 (1) (1991) 1–21
- Srivas, M., *see* J. Hsiang 54 (1) (1987) 3–28
- Srivastava, D., *see* D.B. Kemp 146 (1-2) (1995) 145–184
- Srivastava, D., *see* K.A. Ross 193 (1-2) (1998) 149–179
- Staiger, L., Projection lemmas for ω -languages 32 (3) (1984) 331–337
- Staiger, L., Ein Satz über die Entropie von Untermonoiden (A theorem on the entropy of submonoids) 61 (2-3) (1988) 279–282
- Staiger, L., *see* I. Litovsky 174 (1-2) (1997) 1–21
- Staiger, L., *see* O. Maler 183 (1) (1997) 93–112
- Stancampiano, E., *see* R. Gorrieri 140 (1) (1995) 73–94
- Staples, J., Computation on graph-like expressions 10 (2) (1980) 171–185
- Staples, J., Optimal evaluations of graph-like expressions 10 (3) (1980) 297–316
- Staples, J., Speeding up subtree replacement systems 11 (1) (1980) 39–47
- Staples, J., *see* L.M. Goldschlager 21 (1) (1982) 105–111
- Staples, J. and V.L. Nguyen, Computing the behaviour of asynchronous processes 26 (3) (1983) 343–353
- Staples, J., Delaying unification algorithms for lambda calculi 56 (3) (1988) 277–288
- Staples, J., *see* P. Kearney 91 (2) (1991) 129–179
- Staples, J., *see* B. Jay 169 (1) (1996) 1
- Staples, J., Preface 185 (2) (1997) 215
- Stark, E.W., Proving entailment between conceptual state specifications 56 (1) (1988) 135–154
- Stark, E.W., Concurrent transition systems 64 (3) (1989) 221–269
- Stark, E.W., *see* S.-H. Wu 176 (1-2) (1997) 1–38
- Starke, P.H., Analyse und Synthese von asynchronen ND-Automaten 3 (2) (1976) 261–266
- Statman, R., Intuitionistic propositional logic is polynomial-space complete 9 (1) (1979) 67–72
- Statman, R., The typed λ -calculus is not elementary recursive 9 (1) (1979) 73–81
- Statman, R., On the existence of closed terms in the typed λ calculus II: Transformations of unification problems 15 (3) (1981) 329–338
- Statman, R., *see* A. Pasztor 43 (2-3) (1986) 251–263
- Statman, R., Every countable poset is embeddable in the poset of unsolvable terms 48 (1) (1986) 95–100
- Statman, R., On sets of solutions to combinator equations 66 (1) (1989) 99–104
- Statman, R., Some examples of non-existent combinators 121 (1-2) (1993) 441–448
- Stavi, J., *see* K.R. Apt 33 (1) (1984) 65–84
- Štefánková, I., *see* D. Pardubská 67 (1) (1989) 111–113
- Štefánková, I., *see* A. Bebják 88 (2) (1991) 297–311
- Ștefănescu, G., On flowchart theories: Part II. The nondeterministic case 52 (3) (1987) 307–340
- Ștefănescu, G., *see* V.-E. Căzănescu 99 (1) (1992) 1–63
- Steffen, B. and J. Knoop, Finite constants: Characterizations of a new decidable set of constants 80 (2) (1991) 303–318
- Steffen, M., *see* B. Pierce 176 (1-2) (1997) 235–282
- Steffen, M., *see* B. Pierce 184 (1-2) (1997) 247
- Steinby, M., Systolic trees and systolic language recognition by tree automata 22 (1-2) (1983) 219–232
- Steinby, M., *see* T. Knuutila 129 (2) (1994) 337–367

- Stemann, V., *see* F. Meyer auf der Heide 162 (2) (1996) 245–281
- Stemple, D., *see* N. Immerman 155 (1) (1996) 111–140
- Stephan, F., Noisy inference and oracles 185 (1) (1997) 129–157
- Stephan, F., *see* L. Fortnow 197 (1-2) (1998) 139–156
- Stephen, J.B., *see* J.-C. Birget 132 (1-2) (1994) 243–258
- Stern, J., Characterizations of some classes of regular events 35 (1) (1985) 17–42
- Stetsenko, V., On almost bad Boolean bases 136 (2) (1994) 419–469
- Stewart, I.A., Methods for proving completeness via logical reductions 118 (2) (1993) 193–229
- Stewart, I.A., Complete problems for monotone NP 145 (1-2) (1995) 147–157
- Steyaert, J.-M., *see* R. Casas 74 (3) (1990) 273–298
- Stickel, M.E., A Prolog technology theorem prover: a new exposition and implementation in Prolog 104 (1) (1992) 109–128
- Stidham Jr., S., *see* M. El-Taha 106 (2) (1992) 243–264
- Stillman, J., *see* D. Kapur 81 (2) (1991) 169–187
- Stinson, D.R., *see* C. Blundo 200 (1-2) (1998) 313–334
- Stirling, C., A proof-theoretic characterization of observational equivalence 39 (1) (1985) 27–45
- Stirling, C., Modal logics for communicating systems 49 (2-3) (1987) 311–347
- Stirling, C., A generalization of Owicki–Gries’s Hoare logic for a concurrent while language 58 (1-3) (1988) 347–359
- Stirling, C. and D. Walker, Local model checking in the modal μ -calculus 89 (1) (1991) 161–177
- Stirling, C., *see* J. Bradfield 96 (1) (1992) 157–174
- Stockmeyer, L., *see* M.R. Garey 1 (3) (1976) 237–267
- Stockmeyer, L., *see* R. Fagin 36 (2-3) (1985) 239–250
- Stockmeyer, L., *see* N. Alon 130 (1) (1994) 175–201
- Stockmeyer, L.J., The polynomial-time hierarchy 3 (1) (1976) 1–22
- Stockmeyer, L.J., *see* A.L. Rosenberg 11 (2) (1980) 145–165
- Stockmeyer, L.J., *see* A.J. Mayer 161 (1-2) (1996) 109–122
- Stoklosa, J. and W. Zakowski, Computations of (α, k) -machines 14 (3) (1981) 247–265
- Stolboushkin, A.P. and M.A. Taitslin, The comparison of the expressive power of first-order dynamic logics 27 (1-2) (1983) 197–209
- Stolfi, J., *see* L.J. Guibas 49 (1) (1987) 81–84
- Stoltenberg-Hansen, V. and J.V. Tucker, Algebraic and fixed point equations over inverse limits of algebras 87 (1) (1991) 1–24
- Stoltenberg-Hansen, V., *see* I. Sigstam 179 (1-2) (1997) 319–331
- Storer, J.A., Toward an abstract theory of data compression 24 (3) (1983) 221–237
- Stork, H.-G., On the paging-complexity of periodic arrangements 4 (2) (1977) 171–197
- Stoß, H.-J., On the representation of rational functions of bounded complexity 64 (1) (1989) 1–13
- Stoß, H.-J., Lower bounds for the complexity of polynomials 64 (1) (1989) 15–23
- Stoss, H.-J., The complexity of evaluating interpolation polynomials 41 (2-3) (1985) 319–323
- Stoughton, A., Substitution revisited 59 (3) (1988) 317–325
- Stoughton, A., Interdefinability of parallel operations in PCF 79 (2) (1991) 357–358
- Stoy, J.E., The congruence of two programming language definitions 13 (2) (1981) 151–174
- Strassen, V., Die Berechnungskomplexität der symbolischen Differentiation von Interpolationspolynomen 1 (1) (1976) 21–25
- Strassen, V., *see* J. von zur Gathen 11 (3) (1980) 331–335
- Strassen, V., *see* A. Alder 15 (2) (1981) 201–211
- Strassen, V., *see* W. Baur 22 (3) (1983) 317–330
- Straubing, H., A generalization of the Schützenberger product of finite monoids 13 (2) (1981) 137–150
- Straubing, H., Semigroups and languages of dot-depth two 58 (1-3) (1988) 361–378
- Straubing, H. and P. Weil, On a conjecture concerning dot-depth two languages 104 (2) (1992) 161–183
- Straubing, H., *see* P. Péladéau 180 (1-2) (1997) 325–339
- Strauss, M., Normal numbers and sources for BPP 178 (1-2) (1997) 155–169
- Strawn, G.O., *see* W.A. Baldwin 84 (2) (1991) 293–311
- Strecke, G.E., *see* A. Melton 136 (1) (1994) 79–107

- Streicher, T., Independence of the induction principle and the axiom of choice in the pure calculus of constructions 103 (2) (1992) 395–408
- Stromquist, W. and D. Ullman, Sequential compounds of combinatorial games 119 (2) (1993) 311–321
- Stuckey, P.J., *see* K. Kanchanasut 105 (1) (1992) 27–56
- Stuckey, P.J., *see* J. Jaffar 46 (2-3) (1986) 141–158
- Stuckey, P.J., *see* D.B. Kemp 146 (1-2) (1995) 145–184
- Stuckey, P.J., *see* K.A. Ross 193 (1-2) (1998) 149–179
- Sturivant, C., *see* J. Boyar 93 (2) (1992) 303–319
- Sturivant, C. and G.S. Frandsen, The computational efficacy of finite-field arithmetic 112 (2) (1993) 291–309
- Su, J., *see* S. Grumbach 173 (1) (1997) 151–181
- Su, J., Dynamic constraints and object migration 184 (1-2) (1997) 195–236
- Subbiah, R., S.S. Iyengar, S. Radhakrishnan and R.L. Kashyap, An optimal distributed algorithm for recognizing mesh-connected networks 120 (2) (1993) 261–278
- Subrahmanian, V.S., *see* H.A. Blair 68 (2) (1989) 135–154
- Subrahmanian, V.S., Paraconsistent disjunctive deductive databases 93 (1) (1992) 115–141
- Subrahmanian, V.S., *see* W. Marek 103 (2) (1992) 365–386
- Subrahmanian, V.S., *see* V. Kagan 155 (1) (1996) 157–177
- Subrahmanian, V.S., *see* G. Gottlob 166 (1-2) (1996) 221–262
- Subrahmanian, V.S., *see* A. Nerode 171 (1-2) (1997) 111–146
- Subramanian, K.G., *see* R. Siromoney 24 (2) (1983) 195–205
- Subramanian, K.G., *see* R. Siromoney 33 (1) (1984) 3–11
- Subramanian, K.G., R. Siromoney and L. Mathew, Lyndon trees 106 (2) (1992) 373–383
- Subramanian, S., *see* P.B. Miltersen 130 (1) (1994) 203–236
- Suciu, D., Bounded fixpoints for complex objects 176 (1-2) (1997) 283–328
- Suciu, D., Domain-independent queries on databases with external functions 190 (2) (1998) 279–315
- Sudarshan, S., *see* K.A. Ross 193 (1-2) (1998) 149–179
- Sudborough, I.H., *see* B. Monien 21 (3) (1982) 237–253
- Sudborough, I.H., Bandwidth constraints on problems complete for polynomial time 26 (1-2) (1983) 25–52
- Sudborough, I.H. and E. Welzl, Complexity and decidability for chain code picture languages 36 (2-3) (1985) 173–202
- Sudborough, I.H., *see* B. Monien 41 (2-3) (1985) 141–167
- Sudborough, I.H., *see* C. Kim 52 (3) (1987) 177–191
- Sudborough, I.H., *see* B. Monien 58 (1-3) (1988) 209–229
- Sudborough, I.H., *see* C. Kim 104 (2) (1992) 185–206
- Sulimov, A.A., *see* V.A. Nepomniaschy 119 (1) (1993) 173–185
- Sundaram, R., *see* R. Srikant 115 (2) (1993) 351–357
- Sünderhauf, Ph., A faithful computational model of the real numbers 151 (1) (1995) 277–294
- Sureson, C., NP \neq co-NP and models of arithmetic 147 (1-2) (1995) 55–67
- Sureson, C., P. NP, Co-NP and weak systems of arithmetic 154 (2) (1996) 145–163
- Suri, S., *see* J. Hersberger 130 (1) (1994) 139–161
- Suros, R., *see* J.-M. Fournneau 155 (1) (1996) 141–156
- Suzuki, I., Y. Motohashi, K. Taniguchi, T. Kasami and T. Okamoto, Specification and verification of decentralized daisy chain arbiters with ω -extended regular expressions 43 (2-3) (1986) 277–291
- Suzuki, I., *see* J. Li 135 (2) (1994) 377–404
- Svrtan, D., New plethysm operation, Chern characters of exterior and symmetric powers with applications to Stiefel–Whitney classes of grassmannians 117 (1-2) (1993) 289–301
- Swart, C. and D. Richards, On the inference of strategies 67 (1) (1989) 5–18
- Świątek, G., *see* J.W. Jaromczyk 154 (1) (1996) 41–56
- Sýkora, O., *see* V. Palko 82 (1) (1991) 157–163
- Sýkora, O. and I. Vrto, Edge separators for graphs of bounded genus with applications 112 (2) (1993) 419–420
- Symvonis, A., *see* G.E. Pantziou 185 (2) (1997) 347–377
- Sysło, M.M., The subgraph isomorphism problem for outerplanar graphs 17 (1) (1982) 91–97
- Szalas, A., Concerning the semantic consequence relation in first-order temporal logic 47 (3) (1986) 329–334

- Szalas, A., A complete axiomatic characterization of first-order temporal logic of linear time 54 (2-3) (1987) 199–214
- Szalas, A. and L. Holenderski, Incompleteness of first-order temporal logic with until 57 (2-3) (1988) 317–325
- Szalas, A., On strictly arithmetical completeness in logics of programs 79 (2) (1991) 341–355
- Szczepanska, D., A Hoare-like verification system for a language with an exception handling mechanism 80 (2) (1991) 319–335
- Szegedy, M., *see* M.M. Halldórsson 130 (1) (1994) 163–174
- Szemerédi, E., *see* L. Babai 74 (3) (1990) 313–323
- Szepietowski, A., If deterministic and nondeterministic space complexities are equal for $\log \log n$, then they are also equal for $\log n$ 74 (1) (1990) 115–119
- Szpankowski, W., *see* P. Kirschenhofer 68 (1) (1989) 1–17
- Szpankowski, W., A characterization of digital search trees from the successful search viewpoint 85 (1) (1991) 117–134
- Szpankowski, W., *see* P. Kirschenhofer 106 (2) (1992) 395–400
- Szpankowski, W., *see* P. Jacquet 144 (1-2) (1995) 161–197
- Szwast, W., On Horn spectra 82 (2) (1991) 329–339
- Szwerinski, H., Time-optimal solution of the firing-squad-synchronization-problem for n -dimensional rectangles with the general at an arbitrary position 19 (3) (1982) 305–320
- Szymacha, T., *see* M. Chrobak 71 (3) (1990) 419–424
- Szymański, J., On the complexity of algorithms on recursive trees 74 (3) (1990) 355–361
- Szymanski, T.G., *see* H.B. Hunt, III 2 (3) (1976) 361–382
- Szymanski, T.G., Concerning bounded-right-context grammars 3 (3) (1976) 273–282
- Szymanski, T.G., *see* M.M. Geller 4 (2) (1977) 143–153
- Taentzer, G., Parallel high-level replacement systems 186 (1-2) (1997) 43–81
- Taghva, K., *see* V. Sreedhar 107 (2) (1993) 333–347
- Taitslin, M.A., *see* A.P. Stolboushkin 27 (1-2) (1983) 197–209
- Takada, Y., Learning semilinear sets from examples and via queries 104 (2) (1992) 207–233
- Takada, Y., *see* T. Koshiba 185 (1) (1997) 63–79
- Takahashi, A., S. Ueno and Y. Kajitani, Mixed searching and proper-path-width 137 (2) (1995) 253–268
- Takahashi, M., Nest sets and relativized closure properties 22 (3) (1983) 253–264
- Takahashi, M. and H. Yamasaki, A note on ω -regular languages 23 (2) (1983) 217–225
- Takahashi, M., *see* K. Kobayashi 28 (3) (1984) 315–327
- Takahashi, M., *see* H. Yamasaki 31 (1-2) (1984) 1–11
- Takahashi, M., The greatest fixed-points and rational omega-tree languages 44 (3) (1986) 259–274
- Takahashi, M., *see* H. Yamasaki 46 (1) (1986) 91–99
- Takahashi, M., Brzozowski hierarchy of ω -languages 49 (1) (1987) 1–12
- Takahashi, N., Various hierarchies of ω -regular sets 174 (1-2) (1997) 259–268
- Takahashi, Y., A unified constructive network model for problem-solving 156 (1-2) (1996) 217–261
- Takahashi, Y., Solving optimization problems with variable-constraint by an extended Cohen–Grossberg model 158 (1-2) (1996) 279–341
- Takanami, I., *see* M. Toda 24 (2) (1983) 179–194
- Takanami, I., *see* K. Inoue 24 (3) (1983) 331–336
- Takanami, I., *see* K. Inoue 27 (1-2) (1983) 61–83
- Takanami, I., *see* H. Matsuno 36 (2-3) (1985) 291–308
- Takanami, I., *see* K. Inoue 41 (2-3) (1985) 331–339
- Takanami, I., *see* A. Ito 66 (3) (1989) 273–287
- Takanami, I., *see* K. Inoue 67 (1) (1989) 99–110
- Takanami, I., *see* K. Inoue 88 (2) (1991) 287–296
- Takanami, I., *see* K. Inoue 127 (1) (1994) 171–179
- Takanami, I., *see* A. Ito 143 (1) (1995) 123–135
- Takanami, I., *see* K. Inoue 9 (3) (1979) 311–328
- Takano, A., *see* Y. Futamura 90 (1) (1991) 61–79
- Takasu, S. and S. Kawabata, A logical basis for programming methodology 16 (1) (1981) 43–60
- Takayama, Y., Defining concurrent processes constructively 122 (1-2) (1994) 137–164

- Takenaga, Y., *see* K. Hosaka 180 (1-2) (1997) 47–60
- Takimoto, E., A. Miyashiro, A. Maruoka and Y. Sakai, Learning orthogonal F -Horn formulas 185 (1) (1997) 177–190
- Talamo, M., *see* M. Protasi 64 (1) (1989) 119–124
- Talamo, M., *see* G. Gambosi 68 (1) (1989) 57–70
- Talamo, M., *see* G. Gambosi 70 (2) (1990) 251–260
- Talamo, M., *see* G. Gambosi 84 (1) (1991) 107–126
- Talamo, M. and P. Vocca, A data structure for lattice representation 175 (2) (1997) 373–392
- Talcott, C., A theory for program and data type specification 104 (1) (1992) 129–159
- Talcott, C., *see* I. Mason 105 (2) (1992) 167–215
- Talcott, C., A theory of binding structures and applications to rewriting 112 (1) (1993) 99–143
- Tamaki, H., *see* T. Sato 34 (1-2) (1984) 227–240
- Tamassia, R., *see* G. Di Battista 61 (2-3) (1988) 175–198
- Tamassia, R., *see* F.P. Preparata 74 (1) (1990) 95–114
- Tamassia, R. and I.G. Tollis, Dynamic reachability in planar digraphs with one source and one sink 119 (2) (1993) 331–343
- Tamassia, R., *see* P.B. Miltersen 130 (1) (1994) 203–236
- Tampakas, B., *see* J. Garofalakis 128 (1-2) (1994) 63–74
- Tanaka, G., *see* M. Katsura 108 (1) (1993) 119–149
- Tanaka, K., *see* S. Ginsburg 145 (1-2) (1995) 291–316
- Tang, A., Chain properties in $P\omega$ 9 (2) (1979) 153–172
- Tang, A., *see* T. Kamimura 23 (3) (1983) 317–331
- Tang, A., *see* T. Kamimura 27 (1-2) (1983) 39–60
- Tang, A., *see* T. Kamimura 29 (1-2) (1984) 155–166
- Tang, A., *see* T. Kamimura 34 (3) (1984) 275–288
- Tang, C.-J. and Y.-L. Zhang, The limited regular languages 23 (1) (1983) 1–10
- Tang, C.-J., *see* S. Ginsburg 48 (2-3) (1986) 297–328
- Tang, C.-J., *see* S. Ginsburg 54 (2-3) (1987) 299–313
- Tang, C.-J., *see* S. Ginsburg 63 (1) (1989) 63–90
- Tang, S. and R.V. Book, Polynomial-time reducibilities and “almost all” oracle sets 81 (1) (1991) 35–47
- Tang, S., *see* O. Watanabe 97 (2) (1992) 199–215
- Tang, S., B. Fu and T. Liu, Exponential-time and subexponential-time sets 115 (2) (1993) 371–381
- Taniguchi, H., *see* K. Inoue 24 (3) (1983) 331–336
- Taniguchi, H., *see* K. Inoue 27 (1-2) (1983) 61–83
- Taniguchi, H., *see* H. Matsuno 36 (2-3) (1985) 291–308
- Taniguchi, K., *see* M. Ito 22 (1-2) (1983) 175–194
- Taniguchi, K., *see* M. Ito 34 (3) (1984) 315–335
- Taniguchi, K., *see* I. Suzuki 43 (2-3) (1986) 277–291
- Tannen, V., *see* P. Buneman 149 (1) (1995) 3–48
- Tao, R.-J., On the computational power of automata with time or space bounded by Ackermann’s or superexponential functions 16 (2) (1981) 115–148
- Tarhio, J. and E. Ukkonen, A greedy approximation algorithm for constructing shortest common superstrings 57 (1) (1988) 131–145
- Tarjan, R., *see* J. Cai 106 (1) (1992) 21–60
- Tarjan, R.E., *see* S. Even 2 (3) (1976) 339–344
- Tarjan, R.E., *see* S. Even 4 (1) (1977) 123
- Tarjan, R.E., *see* R. Paige 40 (1) (1985) 67–84
- Tarlecki, A., On the existence of free models in abstract algebraic institutions 37 (3) (1985) 269–304
- Tarlecki, A., *see* A. Blikle 90 (1) (1991) 209–233
- Tarlecki, A., R.M. Burstall and J.A. Goguen, Some fundamental algebraic tools for the semantics of computation: Part 3. Indexed categories 91 (2) (1991) 239–264
- Tarlecki, A., *see* S. Kahrs 173 (2) (1997) 445–484
- Tarsi, M., *see* N. Linial 38 (2-3) (1985) 343–347
- Tarui, J., Probabilistic polynomials, AC^0 functions and the polynomial-time hierarchy 113 (1) (1993) 167–183

- Tatsuta, M., Program synthesis using realizability 90 (2) (1991) 309–353
- Tatsuta, M., Realizability interpretation of coinductive definitions and program synthesis with streams 122 (1–2) (1994) 119–136
- Tatsuta, M., *see* S. Kobayashi 131 (1) (1994) 121–138
- Taubenberger, S., *see* F. Drewes 145 (1–2) (1995) 159–187
- Taylor, W., *see* K.A. Baker 69 (3) (1989) 319–345
- Tchier, F., *see* J. Desharnais 149 (2) (1995) 333–360
- Tchuente, M., Sequential simulation of parallel iterations and applications 48 (2–3) (1986) 135–144
- Tchuente, M., *see* M.A. Kiwi 136 (2) (1994) 527–532
- Teillaud, M., *see* J.-D. Boissonnat 112 (2) (1993) 339–354
- Teillaud, M., *see* M. de Berg 140 (2) (1995) 301–317
- Tellier, I., *see* A. Finkel 164 (1–2) (1996) 207–221
- Temperini, M., *see* C. Limongelli 104 (1) (1992) 89–107
- Tendeau, F., Computing abstract decorations of parse forests using dynamic programming and algebraic power series 199 (1–2) (1998) 145–166
- Teng, S.-H., *see* A. Feldmann 130 (1) (1994) 49–72
- Teng, S.-H., Independent sets versus perfect matchings 145 (1–2) (1995) 381–390
- Tennent, R.D., Semantics of interference control 27 (3) (1983) 297–310
- Tennent, R.D. and J.K. Tobin, Continuations in possible-world semantics 85 (2) (1991) 283–303
- Ten Pas, P., *see* A. Ehrenfeucht 125 (2) (1994) 259–293
- Ten Pas, P., *see* A. Ehrenfeucht 155 (2) (1996) 425–438
- Terlutte, A., Cyclic rational transductions and polynomials of rational functions 70 (2) (1990) 261–271
- Terlutte, A., *see* T. Harju 134 (2) (1994) 403–413
- Terrier, V., On real time one-way cellular array 141 (1–2) (1995) 331–335
- Terrier, V., Language not recognizable in real time by one-way cellular automata 156 (1–2) (1996) 281–287
- Teruel, E. and M. Silva, Structure theory of equal conflict systems 153 (1–2) (1996) 271–300
- Terwijn, S.A., *see* K. Ambos-Spies 168 (1) (1996) 3–19
- Terwijn, S.A., *see* K. Ambos-Spies 172 (1–2) (1997) 195–207
- Teusink, F., Three-valued completion for abductive logic programs 165 (1) (1996) 171–200
- Thalheim, B., *see* J. Demetrovics 190 (2) (1998) 151–166
- Thatcher, J., *see* H. Ehrig 28 (1–2) (1984) 45–81
- Thatcher, J.W., *see* J.B. Wright 7 (1) (1978) 57–77
- Thatcher, J.W., E.G. Wagner and J.B. Wright, More on advice on structuring compilers and proving them correct 15 (3) (1981) 223–249
- Thatte, S., Implementing first-order rewriting with constructor systems 61 (1) (1988) 83–92
- Thatte, S.R., Full abstraction and limiting completeness in equational languages 65 (1) (1989) 85–119
- Thatte, S.R., *see* L.S. Moss 111 (1–2) (1993) 191–210
- Thatte, S.R., Type inference with partial types 124 (1) (1994) 127–148
- Thérien, D., Classification of finite monoids: the language approach 14 (2) (1981) 195–208
- Thérien, D., Programs over aperiodic monoids 64 (3) (1989) 271–280
- Thérien, D., *see* P. Péladéau 180 (1–2) (1997) 325–339
- Thiagarajan, P.S., *see* C. Fernández 28 (1–2) (1984) 171–196
- Thiagarajan, P.S., *see* H.J. Genrich 30 (3) (1984) 241–318
- Thiagarajan, P.S., Some behavioural aspects of net theory 71 (1) (1990) 133–153
- Thiagarajan, P.S., *see* B. Rozoy 91 (2) (1991) 285–313
- Thiagarajan, P.S., *see* M. Nielsen 96 (1) (1992) 3–33
- Thiagarajan, P.S., *see* M. Mukund 96 (1) (1992) 35–72
- Thiagarajan, P.S., *see* P.W. Hoogers 153 (1–2) (1996) 129–170
- Thibau, V., *see* J.-P. Delahaye 78 (1) (1991) 189–216
- Thibon, J.-Y., Intégrité des algèbres de séries formelles sur un alphabet partiellement commutatif 41 (1) (1985) 109–112
- Thibon, J.Y., *see* G. Duchamp 57 (2–3) (1988) 239–249
- Thierrin, G., *see* T. Head 23 (1) (1983) 83–89
- Thierrin, G., *see* Y.Q. Guo 46 (1) (1986) 47–51

- Thierrin, G., *see* M. Ito 96 (2) (1992) 325–344
- Thierrin, G., *see* M. Ito 136 (2) (1994) 471–485
- Thierrin, G., *see* M. Ito 183 (1) (1997) 3–19
- Thilikos, D.M., *see* N.D. Dendris 172 (1-2) (1997) 233–254
- Thomas, A., *see* J.-M. Dumont 65 (2) (1989) 153–169
- Thomas, G., The problem of defining the singular points of quasi-linear differential-algebraic systems 187 (1-2) (1997) 49–79
- Thomas, M. and P. Watson, Solving divergence in Knuth–Bendix completion by enriching signatures 112 (1) (1993) 145–185
- Thomas, R.M., *see* T. Herbst 112 (2) (1993) 187–214
- Thomas, W., Remark on the star-height-problem 13 (2) (1981) 231–237
- Thomas, W., Infinite trees and automaton-definable relations over ω -words 103 (1) (1992) 143–159
- Thomsen, B., *see* K.G. Larsen 88 (1) (1991) 15–32
- Thorup, M., *see* A. Blikle 90 (1) (1991) 209–233
- Thurimella, R., *see* D. Fussell 74 (1) (1990) 19–35
- Tian, L., *see* D.T. Huynh 123 (2) (1994) 183–197
- Tian, L., *see* D.T. Huynh 131 (2) (1994) 441–448
- Tian, Q., *see* E. Shen 166 (1-2) (1996) 63–81
- Tichy, R.F., *see* Ph. Flajolet 123 (2) (1994) 291–314
- Tienari, M., *see* J. Eloranta 179 (1-2) (1997) 397–419
- Tikekar, V.G., *see* K.K. Nambiar 24 (2) (1983) 143–159
- Timkovsky, V.G., *see* T. Jiang 143 (1) (1995) 113–122
- Timmerman, E., *see* M. Latteux 46 (1) (1986) 101–106
- Timmerman, E., *see* I. Litovsky 53 (2-3) (1987) 187–200
- Timmerman, E., The three subfamilies of rational ω -languages closed under ω -transduction 76 (2-3) (1990) 243–250
- Tindell, R., *see* S.L. Bloom 9 (3) (1979) 265–286
- Tiomkin, M., Probabilistic termination versus fair termination 66 (3) (1989) 333–340
- Tiomkin, M.L. and J.A. Makowsky, Propositional dynamic logic with local assignments 36 (1) (1985) 71–87
- Tiplea, F.L., C. Ene, C.M. Ionescu and O. Procopiu, Some decision problems for parallel communicating grammar systems 134 (2) (1994) 365–385
- Tirri, S., The congruence theory of closure properties of regular tree languages 76 (2-3) (1990) 261–271
- Tiskin, A., The bulk-synchronous parallel random access machine 196 (1-2) (1998) 109–130
- Tiuryn, J., Unique fixed points vs. least fixed points 12 (3) (1980) 229–254
- Tiuryn, J., *see* J.A. Bergstra 17 (2) (1982) 113–149
- Tiuryn, J. and P. Urzyczyn, Some relationships between logics of programs and complexity theory 60 (1) (1988) 83–108
- Tiuryn, J., *see* D.B. Benson 63 (3) (1989) 275–294
- Tiuryn, J. and D.B. Benson, Fixed points in free process algebras, Part II 70 (2) (1990) 179–192
- Tiuryn, J., *see* A.J. Kfoury 93 (1) (1992) 1–41
- Tiwari, P., *see* Y. Mansour 107 (1) (1992) 121–133
- Tobin, J.K., *see* R.D. Tennent 85 (2) (1991) 283–303
- Toda, M., K. Inoue and I. Takanami, Two-dimensional pattern matching by two-dimensional on-line tessellation acceptors 24 (2) (1983) 179–194
- Toda, S., Positive relativizations for log space computability 77 (3) (1990) 221–235
- Toda, S., Restricted relativizations of probabilistic polynomial time 93 (2) (1992) 265–277
- Toda, S. and O. Watanabe, Polynomial-time 1-Turing reductions from #PH to #P 100 (1) (1992) 205–221
- Tofte, M., *see* R. Milner 87 (1) (1991) 209–220
- Tokura, N., *see* T. Araki 15 (1) (1981) 51–75
- Tollis, I.G., *see* R. Tamassia 119 (2) (1993) 331–343
- Tollu, C., *see* S. Grumbach 149 (1) (1995) 67–99
- Tomescu, I., On the asymptotic average length of a maximum common subsequence for words over a finite alphabet 164 (1-2) (1996) 277–285
- Tomescu, I., On words containing all short subwords 197 (1-2) (1998) 235–240

- Tomita, E., A direct branching algorithm for checking equivalence of strict deterministic vs. $LL(k)$ grammars 23 (2) (1983) 129–154
- Tomita, E., An extended direct branching algorithm for checking equivalence of deterministic pushdown automata 32 (1-2) (1984) 87–120
- Tomita, E. and K. Seino, A weaker sufficient condition for the equivalence of a pair of dpda's to be decidable 41 (2-3) (1985) 223–230
- Tomita, E. and K. Seino, A direct branching algorithm for checking the equivalence of two deterministic pushdown transducers, one of which is real-time strict 64 (1) (1989) 39–53
- Tomita, S., *see* T. Kanaoka 28 (1-2) (1984) 223–233
- Tomita, S., *see* T. Kanaoka 40 (2-3) (1985) 245–255
- Tomkins, A., *see* D. Lopresti 181 (1) (1997) 159–179
- Toniolo, L., *see* L. Colussi 163 (1-2) (1996) 117–144
- Topor, R.W., Domain-independent formulas and databases 52 (3) (1987) 281–306
- Torán, J., *see* B. Jenner 141 (1-2) (1995) 175–193
- Toran, J., *see* J. Díaz 181 (2) (1997) 267–287
- Torenvliet, L., *see* L.A. Hemaspaandra 154 (2) (1996) 367–377
- Torng, E., *see* R. Motwani 130 (1) (1994) 17–47
- Torrens, J., *see* P. Burmeister 184 (1-2) (1997) 145–193
- Torres, A., *see* Y. Dimopoulos 170 (1-2) (1996) 209–244
- Tortora, G., *see* G. Notia 120 (1) (1993) 45–68
- Toyama, Y., How to prove equivalence of term rewriting systems without induction 90 (2) (1991) 369–390
- Träff, J.L., *see* T. Amtoft 98 (2) (1992) 347–356
- Trahan, J.L., M.C. Loui and V. Ramachandran, Multiplication, division, and shift instructions in parallel random access machines 100 (1) (1992) 1–44
- Trakhtenbrot, B.A., *see* A. Mazurkiewicz 90 (1) (1991) 171–184
- Trakhtenbrot, M.B., Relationships between classes of monotonic functions 2 (2) (1976) 225–247
- Trân, N.Q., *see* O.H. Ibarra 99 (2) (1992) 243–264
- Trân, N.Q., *see* O.H. Ibarra 112 (2) (1993) 391–397
- Trân, N.Q., *see* O.H. Ibarra 115 (2) (1993) 261–275
- Trân, N.Q., *see* O.H. Ibarra 179 (1-2) (1997) 381–395
- Traub, J.F., G.W. Wasilkowski and H. Woźniakowski, Average case optimality for linear problems 29 (1-2) (1984) 1–25
- Treinen, R., *see* H. Comon 176 (1-2) (1997) 67–87
- Tretkoff, C., Complexity, combinatorial group theory and the language of palutators 56 (3) (1988) 253–275
- Trigg, P., J.R. Hindley and M.W. Bunder, Combinatory abstraction using **B**, **B'** and friends 135 (2) (1994) 405–422
- Trivedi, K.S., *see* H. de Meer 128 (1-2) (1994) 179–210
- Troeger, D.R., *see* S.L. Bloom 35 (1) (1985) 43–53
- Troelstra, A.S., On the syntax of Martin-Löf's type theories 51 (1-2) (1987) 1–26
- Troesch, A., Interprétation géométrique de l'algorithme d'Euclide et reconnaissance de segments 115 (2) (1993) 291–319
- Trombetta, A., *see* D. Mundici 182 (1-2) (1997) 217–232
- Tromp, J., *see* S. Lehr 163 (1-2) (1996) 193–210
- Tromp, J., L. Zhang and Y. Zhao, Small weight bases for Hamming codes 181 (2) (1997) 337–345
- Tromp, J., *see* J. Kececioğlu 185 (1) (1997) 3–13
- Tronci, E., Equational programming in λ -calculus via SL-systems. Part 1 160 (1-2) (1996) 145–184
- Tronci, E., Equational programming in λ -calculus via SL-systems. Part 2 160 (1-2) (1996) 185–216
- Truszczyński, M., *see* V.W. Marek 190 (2) (1998) 241–277
- Trystram, D., *see* Y. Robert 64 (2) (1989) 159–173
- Trystram, D., *see* E. Bampis 147 (1-2) (1995) 1–18
- Tsay, Y.-K., *see* B. Jonsson 167 (1-2) (1996) 47–72
- Tsiknis, G.K., *see* P.C. Gilmore 111 (1-2) (1993) 211–252
- Tsiknis, G.K., *see* P.C. Gilmore 111 (1-2) (1993) 253–290
- Tsou, D.-M., *see* P.C. Fischer 24 (3) (1983) 323–329

- Tsuda, T., *see* K. Aoki 123 (2) (1994) 315–327
- Tsukiji, T., On a small class of Boolean sums 163 (1-2) (1996) 283–289
- Tucker, J.V., *see* J.A. Bergstra 17 (2) (1982) 113–149
- Tucker, J.V., *see* J.A. Bergstra 17 (3) (1982) 303–315
- Tucker, J.V., *see* J.A. Bergstra 22 (3) (1983) 265–284
- Tucker, J.V., *see* J.A. Bergstra 28 (1-2) (1984) 215–221
- Tucker, J.V., *see* J.A. Bergstra 50 (2) (1987) 137–181
- Tucker, J.V., *see* V. Stoltenberg-Hansen 87 (1) (1991) 1–24
- Tuijn, C. and M. Gyssens, CGOOD, a categorical graph-oriented object data model 160 (1-2) (1996) 217–239
- Tulchinsky, I., *see* R. Holte 100 (1) (1992) 105–135
- Tulipani, S., *see* G. Marongiu 67 (1) (1989) 87–97
- Tulley, D., *see* M.D. Atkinson 178 (1-2) (1997) 103–118
- Tulley, D., *see* M.D. Atkinson 182 (1-2) (1997) 145–157
- Turakainen, P., The undecidability of some equivalence problems concerning ngsm's and finite substitutions 174 (1-2) (1997) 269–274
- Turán, G., *see* S.R. Buss 62 (3) (1988) 311–317
- Turini, F., *see* A. Brogi 149 (2) (1995) 201–229
- Turski, W.M., Prescribing behaviours 90 (1) (1991) 119–125
- Tuza, Z., *see* M.J.M. De Boer 83 (2) (1991) 205–218
- Tyszkiewicz, J., The Kolmogorov expressive power of Boolean query languages 190 (2) (1998) 317–361
- Tygu, E., Higher order dataflow schemes 90 (1) (1991) 185–198
- Uchimura, K., Properties of structure generating functions of automata and their applications for linear systems 18 (2) (1982) 207–220
- Uchimura, K., Truncations of infinite matrices and algebraic series associated with some CF grammars 31 (3) (1984) 227–261
- Ueno, S., *see* A. Takahashi 137 (2) (1995) 253–268
- Ukkonen, E., *see* K.-J. Räihä 16 (2) (1981) 187–198
- Ukkonen, E., Structure preserving elimination of null productions from context-free grammars 17 (1) (1982) 43–54
- Ukkonen, E., *see* J. Tarhio 57 (1) (1988) 131–145
- Ukkonen, E., Approximate string-matching with q -grams and maximal matches 92 (1) (1992) 191–211
- Ukkonen, E., *see* E. Ohlebusch 186 (1-2) (1997) 231–248
- Ullman, D., *see* A.S. Fraenkel 112 (2) (1993) 371–382
- Ullman, D., *see* W. Stromquist 119 (2) (1993) 311–321
- Ullman, J.D., *see* M.M. Geller 4 (2) (1977) 143–153
- Ullman, J.D., *see* F. Sadri 17 (3) (1982) 317–331
- Ullman, J.D., *see* D. Maier 32 (1-2) (1984) 185–199
- Ullman, J.D., *see* J.F. Naughton 146 (1-2) (1995) 269–310
- Ulmer, F., *see* W. Geiselman 187 (1-2) (1997) 3–6
- Upfal, E., *see* D. Peleg 53 (2-3) (1987) 281–293
- Upfal, E., *see* A. Borodin 58 (1-3) (1988) 57–68
- Urbanek, F.J., *see* H. Prodinger 8 (2) (1979) 161–175
- Urbanek, F.J., *see* W. Kuich 22 (1-2) (1983) 95–126
- Urbanek, F.J., On Greibach normal form construction 40 (2-3) (1985) 315–317
- Urbanek, F.J., On Greibach normal form construction 44 (2) (1986) 229–236
- Urquhart, A., The complexity of Gentzen systems for propositional logic 66 (1) (1989) 87–97
- Urrutia, J., *see* N. Santoro 53 (2-3) (1987) 345–352
- Urrutia, J., *see* F. Bauernöppel 175 (2) (1997) 239–255
- Urzyczyn, P., *see* J. Tiuryn 60 (1) (1988) 83–108
- Urzyczyn, P., *see* A.J. Kfoury 93 (1) (1992) 1–41
- Uspensky, V.A., Gödel's incompleteness theorem 130 (2) (1994) 239–319
- Utard, G., *see* L. Bougé 189 (1-2) (1997) 71–107
- Vaandrager, F., *see* R. van Glabbeek 113 (2) (1993) 293–348

- Vaandrager, F.W., Determinism \rightarrow (event structure isomorphism = step sequence equivalence) 79 (2) (1991) 275–294
- Vaccaro, U., *see* R.M. Capocelli 86 (2) (1991) 365–375
- Vaccaro, U., *see* R.M. Capocelli 134 (1) (1994) 63–78
- Vaccaro, U., *see* C. Blundo 154 (2) (1996) 283–306
- Vaccaro, U., *see* C. Blundo 165 (2) (1996) 407–440
- Vágvölgyi, S., *see* Z. Fülöp 81 (1) (1991) 1–15
- Vágvölgyi, S., Top-down tree transducers with two-way tree walking look-ahead 93 (1) (1992) 43–74
- Vágvölgyi, S., *see* Z. Fülöp 108 (2) (1992) 185–236
- Vágvölgyi, S., A fast algorithm for constructing a tree automaton recognizing a congruential tree language 115 (2) (1993) 391–399
- Vágvölgyi, S., *see* J.-L. Coquidé 127 (1) (1994) 69–98
- Vágvölgyi, S., *see* G. Slutzki 143 (2) (1995) 285–308
- Vágvölgyi, S., *see* P. Gyenizse 156 (1-2) (1996) 71–97
- Vágvölgyi, S., *see* P. Gyenizse 194 (1-2) (1998) 87–122
- Vakarelov, D., Modal logics for knowledge representation systems 90 (2) (1991) 433–456
- Valentini, S., *see* G. Sambin 159 (2) (1996) 319–341
- Valiant, L.G., *see* M.S. Paterson 2 (3) (1976) 397–400
- Valiant, L.G., The complexity of computing the permanent 8 (2) (1979) 189–201
- Valiant, L.G., Negation can be exponentially powerful 12 (3) (1980) 303–314
- Valiant, L.G., *see* G. Lev 22 (3) (1983) 233–251
- Valiant, L.G., *see* M.R. Jerrum 43 (2-3) (1986) 169–188
- Valiant, L.G. and V.V. Vazirani, NP is as easy as detecting unique solutions 47 (1) (1986) 85–93
- Valiente, G., *see* P. Burmeister 184 (1-2) (1997) 145–193
- Valiev, M.K., Π_1^1 -universality of some propositional logics of concurrent programs 119 (1) (1993) 223–232
- Valk, R., Infinite behaviour of Petri nets 25 (3) (1983) 311–341
- Vallée, B., *see* H. Daudé 123 (1) (1994) 95–115
- Vallée, B., *see* P. Flajolet 194 (1-2) (1998) 1–34
- Valmari, A., *see* J. Eloranta 179 (1-2) (1997) 397–419
- Van, D.L., Ensembles code-compatibles et une généralisation du théorème de Sardinas–Patterson 38 (1) (1985) 123–132
- Van, D.L. and P.T. Huy, Varieties of finite monoids and Büchi–McNaughton theorem 98 (2) (1992) 321–337
- Van Bakel, S., Complete restrictions of the intersection type discipline 102 (1) (1992) 135–163
- Van Bakel, S., Intersection type assignment systems 151 (2) (1995) 385–435
- Van Beek, P., *see* R. Dechter 173 (1) (1997) 283–308
- Van Breugel, F., *see* M.M. Bonsangue 193 (1-2) (1998) 1–51
- Van Cutsem, B., *see* Ph. Flajolet 132 (1-2) (1994) 1–35
- Van Den Broek, P.M., Comparison of two graph-rewrite systems 61 (1) (1988) 67–81
- Van den Bussche, J. and D. Van Gucht, The expressive power of cardinality-bounded set values in object-based data models 149 (1) (1995) 49–66
- Van de Pol, J., Operational semantics of rewriting with priorities 200 (1-2) (1998) 289–312
- Van der Meyden, R., Recursively indefinite databases 116 (1) (1993) 151–194
- Van der Poorten, A.J., *see* M. Mendes France 65 (2) (1989) 213–220
- Van der Woude, J., *see* H. Doornbos 179 (1-2) (1997) 103–135
- Van Emde Boas, P., Some applications of the McCreight–Meyer algorithm in abstract complexity theory 7 (1) (1978) 79–98
- Van Glabbeek, R. and F. Vaandrager, Modular specification of process algebras 113 (2) (1993) 293–348
- Van Glabbeek, R.J., Notes on the methodology of CCS and CSP 177 (2) (1997) 329–349
- Van Gucht, D., Interaction-free multivalued dependency sets 62 (1-2) (1988) 221–233
- Van Gucht, D., *see* M. Gyssens 87 (2) (1991) 263–286
- Van Gucht, D., *see* J. Van den Bussche 149 (1) (1995) 49–66
- Van Hentenryck, P., *see* L. Michel 173 (1) (1997) 3–48
- Vanherpe, J.-M., *see* V. Giakoumakis 180 (1-2) (1997) 269–286

- Van Leeuwen, J. and D. Wood, A decomposition theorem for hyperalgebraic extensions of language families 1
(3) (1976) 199–214
- Van Leeuwen, J., *see* P.M.W. Knijnenburg 91 (2) (1991) 181–203
- Van Oostrom, V., *see* J.W. Klop 121 (1-2) (1993) 279–308
- Van Oostrom, V., Confluence by decreasing diagrams 126 (2) (1994) 259–280
- Van Oostrom, V., Developing developments 175 (1) (1997) 159–181
- Van Raamsdonk, F., *see* J.W. Klop 121 (1-2) (1993) 279–308
- Van Sinderen, M., *see* C.A. Vissers 89 (1) (1991) 179–206
- Van Vlijmen, B., *see* A. Ponse 177 (2) (1997) 285–286
- Van Wamel, J., Process algebra with language matching 177 (2) (1997) 425–458
- Vardi, M.Y., *see* C. Beeri 38 (1) (1985) 99–116
- Vardi, M.Y., *see* A. Prasad Sistla 49 (2-3) (1987) 217–237
- Vardi, M.Y., *see* G.M. Kuper 116 (1) (1993) 33–57
- Vardi, M.Y., *see* S. Abiteboul 149 (1) (1995) 101–128
- Varman, P. and K. Doshi, An efficient parallel algorithm for updating minimum spanning trees 58 (1-3) (1988)
379–397
- Varman, P.J., *see* V.S. Pai 128 (1-2) (1994) 211–239
- Varricchio, S., *see* A. De Luca 63 (3) (1989) 333–348
- Varricchio, S., Factorizations of free monoids and unavoidable regularities 73 (1) (1990) 81–89
- Varricchio, S., *see* A. De Luca 87 (2) (1991) 315–327
- Varricchio, S., Rational series with coefficients in a commutative ring 98 (1) (1992) 41–50
- Varricchio, S., On the decidability of the equivalence problem for partially commutative rational power series
99 (2) (1992) 291–299
- Varricchio, S., *see* A. De Luca 100 (1) (1992) 67–104
- Varricchio, S., *see* M. Madonia 180 (1-2) (1997) 1–15
- Varvel, D., *see* R. Holte 100 (1) (1992) 105–135
- Vauquelin, B. and P. Franchi-Zannettacci, Automates a file 11 (2) (1980) 221–225
- Važenin, J.M., Sur la liaison entre problèmes combinatoires et algorithmiques 16 (1) (1981) 33–41
- Vazirani, U.V. and V.V. Vazirani, A natural encoding scheme proved probabilistic polynomial complete 24 (3)
(1983) 291–300
- Vazirani, V.V., *see* U.V. Vazirani 24 (3) (1983) 291–300
- Vazirani, V.V., *see* M.R. Jerrum 43 (2-3) (1986) 169–188
- Vazirani, V.V., *see* L.G. Valiant 47 (1) (1986) 85–93
- Vazirani, V.V., *see* S. Khuller 88 (1) (1991) 183–189
- Vazirani, V.V., *see* S. Khuller 127 (2) (1994) 255–267
- Velauthapillai, M., *see* C.H. Smith 77 (3) (1990) 249–266
- Velinov, Y., An algebraic structure for derivations in rewriting systems 57 (2-3) (1988) 205–224
- Veni Madhavan, C.E., Secondary attribute retrieval using tree data structures 33 (1) (1984) 107–116
- Veni Madhavan, C.E., *see* V.S. Lakshmanan 54 (1) (1987) 103–128
- Venkatesan, S.M., Approximation algorithms for weighted matching 54 (1) (1987) 129–137
- Venneri, B., *see* S. Ronchi della Rocca 28 (1-2) (1984) 151–169
- Venturini Zilli, M., Reduction graphs in the lambda calculus 29 (3) (1984) 251–275
- Venturini Zilli, M., *see* G. Mascari 40 (2-3) (1985) 211–235
- Verbeek, R. and K. Weihrauch, Data representation and computational complexity 7 (2) (1978) 99–116
- Verbeek, R., *see* M. Karpinski 154 (1) (1996) 23–39
- Verbitsky, O., Towards the parallel repetition conjecture 157 (2) (1996) 277–282
- Vereshchagin, N.K., *see* A.A. Muchnik 157 (2) (1996) 227–258
- Verhoef, C., *see* A. Ponse 177 (2) (1997) 285–286
- Verhoef, C., *see* P.R. D’Argenio 177 (2) (1997) 351–380
- Verma, R.M., Transformations and confluence for rewrite systems 152 (2) (1995) 269–283
- Verraedt, R., *see* G. Rozenberg 14 (3) (1981) 267–288
- Verraedt, R., *see* G. Rozenberg 26 (3) (1983) 301–326
- Verraedt, R., *see* G. Rozenberg 27 (1-2) (1983) 85–108
- Verraedt, R., *see* A. Ehrenfeucht 28 (1-2) (1984) 197–214

- Verraedt, R., *see* G. Rozenberg 29 (1-2) (1984) 41–48
- Verschelde, J. and A. Haegemans, Homotopies for solving polynomial systems within a bounded domain 133 (1) (1994) 165–185
- Vianu, V., *see* D. Karabeg 76 (1) (1990) 93–114
- Vianu, V. and G. Vossen, Conceptual level concurrency control of relational update transactions 95 (1) (1992) 1–42
- Vianu, V., *see* S. Abiteboul 149 (1) (1995) 101–128
- Vianu, V., *see* S. Lifschitz 190 (2) (1998) 211–239
- Viari, A., *see* M.-F. Sagot 180 (1-2) (1997) 115–137
- Vickers, S., Information systems for continuous posets 114 (2) (1993) 201–229
- Vidal, G., *see* M. Alpuente 165 (1) (1996) 133–169
- Vieille, L., Recursive query processing: the power of logic 69 (1) (1989) 1–53
- Viennot, G., *see* M.-P. Delest 34 (1-2) (1984) 169–206
- Viennot, L., Parallel N -free order recognition 175 (2) (1997) 393–406
- Viennot, X.G., *see* P. Leroux 79 (1) (1991) 179–193
- Vigna, S., On the relations between distributive computability and the BSS model 162 (1) (1996) 5–21
- Vilfan, B., Lower bounds for the size of expressions for certain functions in d -ary logic 2 (2) (1976) 249–269
- Villemaire, R., The theory of $(\mathbb{N}, +, V_k, V_l)$ is undecidable 106 (2) (1992) 337–349
- Vincent, M.W., A corrected 5NF definition for relational database design 185 (2) (1997) 379–391
- Vingralek, R., H. Hasse-Ye, Y. Breitbart and H.-J. Schek, Unifying concurrency control and recovery of transactions with semantically rich operations 190 (2) (1998) 363–396
- Vinodchandran, N.V., *see* V. Arvind 180 (1-2) (1997) 17–45
- Virgili, P., *see* G. Sambin 159 (2) (1996) 319–341
- Viro, B., *see* L. Bougé 189 (1-2) (1997) 71–107
- Vishkin, U., A parallel-design distributed-implementation (PDDI) general-purpose computer 32 (1-2) (1984) 157–172
- Vishkin, U., *see* G.M. Landau 43 (2-3) (1986) 239–249
- Vishkin, U., *see* Y. Maon 47 (3) (1986) 277–298
- Vishkin, U., *see* T. Eilam-Tzoref 60 (3) (1988) 231–254
- Vishkin, U., *see* N. Megiddo 61 (2-3) (1988) 307–316
- Vishkin, U., *see* J.F. JáJá 154 (2) (1996) 225–245
- Visser, E., Polymorphic syntax definition 199 (1-2) (1998) 57–86
- Visser, C.A., G. Scollo, M. Van Sinderen and E. Brinksma, Specification styles in distributed systems design and verification 89 (1) (1991) 179–206
- Viswanathan, V., *see* S.-H.S. Huang 106 (2) (1992) 361–371
- Vitányi, P.M.B., Deterministic Lindenmayer languages, nonterminals and homomorphisms 2 (1) (1976) 49–71
- Vitányi, P.M.B., On the simulation of many storage heads by one 34 (1-2) (1984) 157–168
- Vitter, J.S., *see* P.B. Miltersen 130 (1) (1994) 203–236
- Vocca, P., *see* M. Talamo 175 (2) (1997) 373–392
- Vogel, J. and K. Wagner, Two-way automata with more than one storage medium 39 (2-3) (1985) 267–280
- Vogler, H., *see* J. Engelfriet 42 (3) (1986) 251–368
- Vogler, H., *see* J. Engelfriet 48 (2-3) (1986)
- Vogler, H., *see* J. Engelfriet 78 (2) (1991) 267–303
- Vogler, H., *see* Z. Fuaeloep 108 (2) (1992) 185–236
- Vogler, W., *see* A. Habel 89 (1) (1991) 33–62
- Vogler, W., Executions: a new partial-order semantics of Petri nets 91 (2) (1991) 205–238
- Vogler, W., Bisimulation and action refinement 114 (1) (1993) 173–200
- Vogliotti, C.Q., *see* G. Braga 145 (1-2) (1995) 1–26
- Vogliotti, C.Q., *see* G. Cattaneo 178 (1-2) (1997) 77–102
- Volger, H., Turing machines with linear alternation, theories of bounded concatenation and the decision problem of first order theories 23 (3) (1983) 333–337
- Vollmar, R., *see* K. Inoue 41 (2-3) (1985) 331–339
- Vollmer, H. and K.W. Wagner, Recursion theoretic characterizations of complexity classes of counting functions 163 (1-2) (1996) 245–258

- Vollmer, H., *see* K.W. Regan 188 (1-2) (1997) 101–116
- Von Bochmann, G., *see* R. Fournier 87 (1) (1991) 97–114
- Von Brand, H., *see* I.F. Akyildiz 64 (2) (1989) 203–219
- Von Brand, H., *see* I.F. Akyildiz 125 (1) (1994) 111–130
- Von Haeseler, F., *see* J.-P. Allouche 188 (1-2) (1997) 195–209
- Von Wright, J., *see* R.J.R. Back 100 (2) (1992) 365–383
- Von zur Gathen, J. and V. Strassen, Some polynomials that are hard to compute 11 (3) (1980) 331–335
- Von zur Gathen, J., Factoring polynomials and primitive elements for special primes 52 (1-2) (1987) 77–89
- Vorobjov, N., *see* D. Grigoriev 157 (2) (1996) 185–214
- Voronkov, A., *see* A. Degtyarev 166 (1-2) (1996) 291–300
- Vossen, G., *see* A. Lukassen 82 (2) (1991) 303–327
- Vossen, G., *see* V. Vianu 95 (1) (1992) 1–42
- Vrancken, J.L.M., The algebra of communicating processes with empty process 177 (2) (1997) 287–328
- Vrt'o, I., *see* V. Palko 82 (1) (1991) 157–163
- Vrt'o, I., *see* O. Sýkora 112 (2) (1993) 419–420
- Vuillemin, J., *see* R.L. Rivest 3 (3) (1976) 371–384
- Vuillemin, J., Comment vérifier l'associativité d'une table de groupe 4 (1) (1977) 77–82
- Vuillemin, J., *see* P. Flajolet 9 (1) (1979) 99–125
- Vyskoč, J., An $O(n^{\lg k} \cdot 2^{n/2})$ time and $O(k \cdot 2^{n/k})$ space algorithm for certain NP-complete problems 51 (1-2) (1987) 221–227
- Vyskoč, J., An $O(n^{\lg k} \cdot 2^{n/2})$ time and $O(k \cdot 2^{n/k})$ space algorithm for certain NP-complete problems (Corrigendum) 70 (2) (1990) 273–274
- Waack, S., *see* M. Krause 86 (2) (1991) 267–275
- Waczulík, J., *see* X. Gubáš 143 (2) (1995) 335–342
- Wada, K., *see* K. Nakano 197 (1-2) (1998) 57–77
- Wadge, W.W., An extensional treatment of dataflow deadlock 13 (1) (1981) 3–15
- Wadler, P., Deforestation: transforming programs to eliminate trees 73 (2) (1990) 231–248
- Wagner, E., *see* H. Ehrig 28 (1-2) (1984) 45–81
- Wagner, E.G., *see* J.B. Wright 7 (1) (1978) 57–77
- Wagner, E.G., *see* J.W. Thatcher 15 (3) (1981) 223–249
- Wagner, E.G. and H. Ehrig, Canonical constraints for parametrized data types 50 (3) (1987) 323–349
- Wagner, E.G., A categorical treatment of pre- and post-conditions 53 (1) (1987) 3–24
- Wagner, E.G., Algebras, polynomials and programs 70 (1) (1990) 3–34
- Wagner, E.G., An algebraically specified language for data directed design 77 (1-2) (1990) 195–219
- Wagner, E.G., On the role of memory in object-based and object-oriented languages 140 (1) (1995) 179–199
- Wagner, K., *see* J. Vogel 39 (2-3) (1985) 267–280
- Wagner, K.R., Liminf convergence in Ω -categories 184 (1-2) (1997) 61–104
- Wagner, K.W., Some observations on the connection between counting and recursion 47 (2) (1986) 131–147
- Wagner, K.W., More complicated questions about maxima and minima, and some closures of NP 51 (1-2) (1987) 53–80
- Wagner, K.W., *see* T. Lengauer 75 (3) (1990) 357–363
- Wagner, K.W., *see* H. Vollmer 163 (1-2) (1996) 245–258
- Waldmann, U., Semantics of order-sorted specifications 94 (1) (1992) 1–35
- Walker, A., *see* G.T. Herman 2 (1) (1976) 115–130
- Walker, D., *see* C. Stirling 89 (1) (1991) 161–177
- Walker, D., *see* R. Milner 114 (1) (1993) 149–171
- Walukiewicz, I., Gentzen-type axiomatization for PAL 118 (1) (1993) 67–79
- Walukiewicz, I., *see* D. Niwiński 163 (1-2) (1996) 99–116
- Wan, P.-J., Q. Yang and D. Kelley, A $\frac{3}{2} \log 3$ -competitive algorithm for the counterfeit coin problem 181 (2) (1997) 347–356
- Wan, P.-J., TWDM multichannel lightwave hypercube networks 194 (1-2) (1998) 123–136
- Wan Cho, J., *see* B. Man Kim 103 (2) (1992) 283–309
- Wand, M., Fixed-point constructions in order-enriched categories 8 (1) (1979) 13–30
- Wand, M., Specifications, models, and implementations of data abstractions 20 (1) (1982) 3–32

- Wang, B.-F., *see* G.-H. Chen 120 (2) (1993) 215–227
- Wang, F., A temporal logic for real-time partial ordering with named transactions 181 (1) (1997) 195–225
- Wang, H., *see* O.H. Ibarra 85 (1) (1991) 53–74
- Wang, H., *see* O.H. Ibarra 99 (2) (1992) 301–313
- Wang, H., *see* T. Jiang 125 (2) (1994) 243–257
- Wang, J., On p-creative sets and p-completely creative sets 85 (1) (1991) 1–31
- Wang, J., *see* J. Belanger 181 (2) (1997) 229–245
- Wang, J., Finite derivation type for semi-direct products of monoids 191 (1-2) (1998) 219–228
- Wang, J.-T., *see* C.-H. Cho 196 (1-2) (1998) 259–288
- Wang, K., On characterizing boundedness of database schemes with bounded dependencies 100 (2) (1992) 347–364
- Wang, L., *see* T. Jiang 143 (1) (1995) 137–148
- Wang, Y., *see* A. Ito 143 (1) (1995) 123–135
- Wareham, H.T., *see* H. Bodlaender 147 (1-2) (1995) 31–54
- Warmerdam, J.H.A., *see* J.W. De Bakker 90 (1) (1991) 127–149
- Warmuth, M.K., *see* J. Gonczarowski 37 (2) (1985) 217–243
- Warmuth, M.K., *see* J. Gonczarowski 45 (1) (1986) 87–119
- Wasilkowski, G.W., Any iteration for polynomial equations using linear information has infinite complexity 22 (1-2) (1983) 195–208
- Wasilkowski, G.W., *see* J.F. Traub 29 (1-2) (1984) 1–25
- Watanabe, O., The time-precision tradeoff problem on on-line probabilistic Turing machines 24 (1) (1983) 105–117
- Watanabe, O., On one-one polynomial time equivalence relations 38 (2-3) (1985) 157–165
- Watanabe, O., A comparison of polynomial time completeness notions 54 (2-3) (1987) 249–265
- Watanabe, O., On the p-isomorphism conjecture 83 (2) (1991) 337–343
- Watanabe, O. and S. Tang, On polynomial-time Turing and many-one completeness in PSPACE 97 (2) (1992) 199–215
- Watanabe, O., *see* S. Toda 100 (1) (1992) 205–221
- Wätjen, D., *see* H. Fernau 194 (1-2) (1998) 35–55
- Watson, P., *see* M. Thomas 112 (1) (1993) 145–185
- Weber, A. and H. Seidl, On the degree of ambiguity of finite automata 88 (2) (1991) 325–349
- Weber, A., Finite-valued distance automata 134 (1) (1994) 225–251
- Weber, A., Exponential upper and lower bounds for the order of a regular language 134 (1) (1994) 253–262
- Wechsung, G. and A. Brandstädt, A relation between space, return and dual return complexities 9 (1) (1979) 127–140
- Wechsung, G., *see* L.A. Hemachandra 83 (2) (1991) 313–322
- Wedde, H., *see* A. Maggiolo-Schettini 13 (1) (1981) 61–83
- Wedde, H., An iterative and starvation-free solution for a general class of distributed control problems based on interaction primitives 24 (1) (1983) 1–20
- Wegener, I., Switching functions whose monotone complexity is nearly quadratic 9 (1) (1979) 83–97
- Wegener, I., A counterexample to a conjecture of Schnorr referring to monotone networks 9 (1) (1979) 147–150
- Wegener, I., Boolean functions whose monotone complexity is of size $n^2/\log n$ 21 (2) (1982) 213–224
- Wegener, I., On the complexity of slice functions 38 (1) (1985) 55–68
- Wegener, I., More on the complexity of slice functions 43 (2-3) (1986) 201–211
- Wegener, I., *see* S. Bublitz 48 (1) (1986) 53–73
- Wegener, I., *see* K. Lenz 81 (2) (1991) 257–268
- Wegener, I., The complexity of the parity function in unbounded fan-in, unbounded depth circuits 85 (1) (1991) 155–170
- Wegener, I., BOTTOM-UP-HEAPSORT, a new variant of HEAPSORT beating, on an average, QUICKSORT (if n is not very small) 118 (1) (1993) 81–98
- Wegener, I., *see* D. Sieling 141 (1-2) (1995) 283–310
- Wegner, L., *see* J. Albert 16 (3) (1981) 291–305
- Wegner, P., Interactive foundations of computing 192 (2) (1998) 315–351
- Wei, J., Correctness of fixpoint transformations 129 (1) (1994) 123–142

- Weibel, T., Extension of combinatory logic to a theory of combinatory representation 97 (1) (1992) 157–173
- Weibel, T., An order-sorted resolution in theory and practice 185 (2) (1997) 393–410
- Weiernmann, A., Termination proofs for term rewriting systems by lexicographic path orderings imply multiply recursive derivation lengths 139 (1-2) (1995) 355–362
- Weihl, W.E., *see* A. Fekete 149 (1) (1995) 151–178
- Weihrauch, K., *see* R. Verbeek 7 (2) (1978) 99–116
- Weihrauch, K. and U. Schreiber, Embedding metric spaces into CPO's 16 (1) (1981) 5–24
- Weihrauch, K. and G. Schäfer, Admissible representations of effective CPO's 26 (1-2) (1983) 131–147
- Weihrauch, K., Type 2 recursion theory 38 (1) (1985) 17–33
- Weihrauch, K., *see* C. Kreitz 38 (1) (1985) 35–53
- Weihrauch, K. and C. Kreitz, Type 2 computational complexity of functions on Cantor's space 82 (1) (1991) 1–18
- Weihrauch, K., Computability on computable metric spaces 113 (2) (1993) 191–210
- Weijland, W.P., *see* J.C.M. Baeten 67 (2-3) (1989) 283–301
- Weijland, W.P., Semantics for logic programs without occur check 71 (1) (1990) 155–174
- Weil, P., Inverse monoids of dot-depth two 66 (3) (1989) 233–245
- Weil, P., Products of languages with counter 76 (2-3) (1990) 251–260
- Weil, P., *see* H. Straubing 104 (2) (1992) 161–183
- Weinert, H.J., *see* U. Hebisich 92 (2) (1992) 269–289
- Weir, D.J., A geometric hierarchy beyond context-free grammars 104 (2) (1992) 235–261
- Weispfenning, V., The complexity of the word problem for abelian l -groups 48 (1) (1986) 127–132
- Wells, C., A generalization of the concept of sketch 70 (1) (1990) 159–178
- Welzl, E., Colour-families are dense 17 (1) (1982) 29–41
- Welzl, E., *see* K.-J. Lange 35 (1) (1985) 1–15
- Welzl, E., *see* I.H. Sudborough 36 (2-3) (1985) 173–202
- Welzl, E., *see* H. Edelsbrunner 66 (2) (1989) 157–180
- Welzl, E., *see* T. Asano 181 (1) (1997) 3–15
- Wen, Z.-X. and Z.-Y. Wen, Some studies on the (p, q) -type sequences 94 (2) (1992) 373–393
- Wen, Z.-Y., *see* Z.-X. Wen 94 (2) (1992) 373–393
- Werchner, R., *see* E.W. Mayr 162 (2) (1996) 283–296
- West, J., Sorting twice through a stack 117 (1-2) (1993) 303–313
- Weyhrauch, R., *see* J. Ketonen 32 (3) (1984) 297–307
- Weyhrauch, R.W., *see* L. Aiello 5 (2) (1977) 135–177
- Whitesides, S., *see* P. Eades 131 (2) (1994) 361–374
- Whitesides, S., *see* P. Eades 169 (1) (1996) 23–37
- Whitty, R.W., *see* N.E. Fenton 36 (2-3) (1985) 145–171
- Wiber, G., *see* F. Gruau 141 (1-2) (1995) 1–52
- Widmayer, P., *see* T. Asano 181 (1) (1997) 3–15
- Wiedermann, J., On the computational efficiency of symmetric neural networks 80 (2) (1991) 337–345
- Wiedmer, E., Computing with infinite objects 10 (2) (1980) 133–155
- Wichagen, R., R. Freivalds and E.B. Kinber, On the power of probabilistic strategies in inductive inference 28 (1-2) (1984) 111–133
- Wichagen, R., *see* R. Freivalds 110 (1) (1993) 131–144
- Wielonsky, F., *see* L. Baratchart 94 (2) (1992) 175–197
- Wigderson, A., *see* A. Borodin 58 (1-3) (1988) 57–68
- Wigderson, A., *see* R. Heiman 107 (1) (1992) 63–76
- Wilf, H.S., Récents développements et problèmes dans le domaine de la génération aléatoire 159 (1) (1996) 5–13
- Wilharm, A., *see* H.-J. Kreowski 44 (3) (1986) 275–305
- Wilke, T., An algebraic characterization of frontier testable tree languages 154 (1) (1996) 85–106
- Wilkinson, J., *see* T. Head 21 (3) (1982) 357–361
- Wilkinson, J., *see* T. Head 23 (1) (1983) 83–89
- Wilkinson, J., *see* T. Head 35 (2-3) (1985) 295–312
- Willecke-Klemme, U., *see* L. Priese 54 (2-3) (1987) 139–163

- Wilm, A., Determinism and non-determinism in PDL 87 (1) (1991) 189–202
- Wilson, C., *see* E. Allender 75 (3) (1990) 335–346
- Wilson, D.S., *see* G. Nadathur 198 (1-2) (1998) 49–98
- Winkler, S., *see* R. Loogen 142 (1) (1995) 59–87
- Winkler, T., *see* P. Lincoln 135 (1) (1994) 155–169
- Winklmann, K., *see* A.R. Meyer 18 (3) (1982) 301–323
- Winkowski, J., Behaviours of concurrent systems 12 (1) (1980) 39–60
- Winkowski, J., *see* A. Maggiolo-Schettini 13 (1) (1981) 61–83
- Winkowski, J., An algebraic description of system behaviours 21 (3) (1982) 315–340
- Winkowski, J., *see* A. Maggiolo-Schettini 103 (2) (1992) 335–363
- Winograd, S., On multiplication in algebraic extension fields 8 (3) (1979) 359–377
- Winograd, S., *see* A. Lempel 22 (3) (1983) 285–296
- Winograd, S., *see* A. Averbuch 58 (1-3) (1988) 17–56
- Winograd, S., *see* A. Averbuch 86 (2) (1991) 143–203
- Winkel, G., *see* M. Nielsen 13 (1) (1981) 85–108
- Winkel, G., Synchronization trees 34 (1-2) (1984) 33–82
- Winkel, G., On powerdomains and modality 36 (1) (1985) 127–137
- Winkel, G., A note on model checking the modal ν -calculus 83 (1) (1991) 157–167
- Winkel, G., *see* M. Nielsen 153 (1-2) (1996) 211–244
- Winkel, G., *see* V. Sassone 170 (1-2) (1996) 297–348
- Wirsing, M., *see* M. Broy 33 (2-3) (1984) 139–174
- Wirsing, M., Structured algebraic specifications: A kernel language 42 (2) (1986) 123–250
- Wirsing, M., *see* R. Hennicker 173 (2) (1997) 393–443
- Wise, D.S., A strong pumping lemma for context-free languages 3 (3) (1976) 359–369
- Woeginger, G.J., On-line scheduling of jobs with fixed start and end times 130 (1) (1994) 5–16
- Wolf, M.J., Nondeterministic circuits, space complexity and quasigroups 125 (2) (1994) 295–313
- Wolfe, D., Snakes in Domineering games 119 (2) (1993) 323–329
- Wolfram, D.A., A semantics for λ Prolog 136 (1) (1994) 277–289
- Wolfstahl, Y., *see* S. Moran 84 (2) (1991) 179–197
- Wolper, P., *see* A. Prasad Sistla 49 (2-3) (1987) 217–237
- Wong, C.K., *see* A.K. Chandra 3 (3) (1976) 293–304
- Wong, C.K., *see* U.I. Gupta 16 (3) (1981) 307–319
- Wong, C.K., *see* D.T. Lee 22 (1-2) (1983) 209–217
- Wong, C.K., *see* D.T. Lee 23 (3) (1983)
- Wong, C.K., *see* M. Kaminski 160 (1-2) (1996) 271–281
- Wong, L., *see* P. Buneman 149 (1) (1995) 3–48
- Wong, M.H. and D. Agrawal, Context-specific synchronization for atomic data types in object-based databases 149 (1) (1995) 179–199
- Wood, D., *see* J. van Leeuwen 1 (3) (1976) 199–214
- Wood, D., *see* H.A. Maurer 12 (2) (1980) 135–159
- Wood, D., *see* H.A. Maurer 22 (3) (1983) 331–346
- Wood, D., *see* R. Klein 72 (2-3) (1990) 251–264
- Wood, D., *see* H.A. Maurer 84 (2) (1991) 265–279
- Wood, D., *see* H. Cameron 127 (2) (1994) 199–228
- Wood, D., *see* K. Salomaa 164 (1-2) (1996) 123–140
- Wos, L., *see* W. McCune 87 (1) (1991) 221–228
- Wotschke, D., *see* W. Bucher 14 (3) (1981) 227–246
- Wotschke, D., *see* J. Goldstine 18 (1) (1982) 33–40
- Woźniakowski, H., *see* J.F. Traub 29 (1-2) (1984) 1–25
- Wrathall, C., Complete sets and the polynomial-time hierarchy 3 (1) (1976) 23–33
- Wrathall, C., *see* R.V. Book 7 (2) (1978) 185–195
- Wrathall, C., *see* R.V. Book 15 (1) (1981) 41–50
- Wrathall, C., *see* C. Squier 17 (2) (1982) 229–231
- Wrathall, C., *see* R.V. Book 19 (3) (1982) 231–251

- Wright, J., *see* H. Ehrig 28 (1-2) (1984) 45–81
- Wright, J.B., E.G. Wagner and J.W. Thatcher, A uniform approach to inductive posets and inductive closure 7 (1) (1978) 57–77
- Wright, J.B., *see* J.W. Thatcher 15 (3) (1981) 223–249
- Wright, P.E., *see* E.G. Coffman, Jr. 125 (1) (1994) 3–16
- Wright, P.E., *see* F. Baccelli 125 (1) (1994) 149–165
- Wu, S.-H., S.A. Smolka and E.W. Stark, Composition and behaviors of probabilistic I/O automata 176 (1-2) (1997) 1–38
- Wyllie, J., *see* S. Fortune 10 (2) (1980) 111–121
- Wymann-Böni, M., *see* M. Sprenger 110 (2) (1993) 419–432
- Wyrostek, P., On the size of unambiguous context-free grammars 47 (1) (1986) 107–110
- Xin, Z.L., An efficient algorithm to decide whether a monoid presented by a regular Church- Rosser Thue system is a group 66 (1) (1989) 55–63
- Xu, G.W., *see* Y.Q. Guo 46 (1) (1986) 47–51
- Xu, J., *see* B. Yi 113 (2) (1993) 211–230
- Xu, J., *see* J. Lu 113 (2) (1993) 259–272
- Xue, G., An $O(n)$ time hierarchical tree algorithm for computing force field in n -body simulations 197 (1-2) (1998) 157–169
- Xunrang, G. and Z. Yuzhang, Asymptotic optimal HEAPSORT algorithm 134 (2) (1994) 559–565
- Yajima, S., *see* K. Hamaguchi 103 (2) (1992) 191–204
- Yajima, S., *see* K. Hosaka 180 (1-2) (1997) 47–60
- Yakhnis, A., *see* W. Kohn 138 (1) (1995) 141–168
- Yamada, H., *see* M. Imori 38 (2-3) (1985) 167–192
- Yamada, K., *see* K. Hashiguchi 92 (1) (1992) 77–86
- Yamamoto, A., *see* S. Arikawa 95 (1) (1992) 97–113
- Yamamoto, H., On the power of alternation on reversal-bounded alternating Turing machines with a restriction 180 (1-2) (1997) 139–154
- Yamasaki, H., *see* M. Takahashi 23 (2) (1983) 217–225
- Yamasaki, H., *see* K. Kobayashi 28 (3) (1984) 315–327
- Yamasaki, H., Normal Petri nets 31 (3) (1984) 307–315
- Yamasaki, H. and M. Takahashi, Generalized parenthesis languages and minimization of their parenthesis parts 31 (1-2) (1984) 1–11
- Yamasaki, H., M. Takahashi and K. Kobayashi, Characterization of ω -regular languages by monadic second-order formulas 46 (1) (1986) 91–99
- Yamasaki, H., *see* T. Moriya 61 (2-3) (1988) 137–147
- Yamasaki, H., Language-theoretical representations of ω -languages 66 (3) (1989) 247–254
- Yamasaki, S., M. Yoshida and S. Doshita, A fixpoint semantics of Horn sentences based on substitution sets 51 (3) (1987) 309–324
- Yamasaki, S., Recursion equation sets computing logic programs 76 (2-3) (1990) 309–322
- Yamasaki, S., A denotational semantics and dataflow construction for logic programs 124 (1) (1994) 71–91
- Yamasaki, S., *SLDNF* resolution with non-safe rule and fixpoint semantics for general logic programs 160 (1-2) (1996) 283–303
- Yamasaki, Y., The arithmetic of reversed positional games 174 (1-2) (1997) 247–249
- Yamashita, M., *see* J. Li 135 (2) (1994) 377–404
- Yang, L., *see* J. Zhang 74 (3) (1990) 253–271
- Yang, Q., *see* P.-J. Wan 181 (2) (1997) 347–356
- Yang, T., *see* O.H. Ibarra 179 (1-2) (1997) 381–395
- Yanklevich, D., *see* U. Montanari 149 (2) (1995) 299–332
- Yannakakis, M., *see* C.H. Papadimitriou 84 (1) (1991) 127–150
- Yao, A., *see* J. Håstad 141 (1-2) (1995) 269–282
- Yao, A.C.-C., On the time-space tradeoff for sorting with linear queries 19 (2) (1982) 203–218
- Yao, A.C.-C., Algebraic decision trees and Euler characteristics 141 (1-2) (1995) 133–150
- Yap, C.K., Some consequences of non-uniform conditions on uniform classes 26 (3) (1983) 287–300
- Yardeni, E., *see* M. Codish 124 (1) (1994) 93–125

- Yarroll, L.M.H., See more through lenses than bananas 169 (1) (1996) 113–121
- Ye, X., Coexistence of uniquely ergodic subsystems of interval mapping 123 (1) (1994) 167–181
- Yehudai, A., *see* M.A. Harrison 9 (2) (1979) 173–205
- Yehudai, A., *see* J. Pittl 22 (1-2) (1983) 57–69
- Yehudai, A., *see* Y. Maon 33 (2-3) (1984) 239–260
- Yehudai, A., *see* Y. Itzhaik 34 (3) (1984) 255–274
- Yehudai, A., *see* Y. Maon 47 (3) (1986) 247–262
- Yellin, D.M., An algorithm for dynamic subset and intersection testing 129 (2) (1994) 397–406
- Yen, H.-C., *see* L.E. Rosier 44 (1) (1986) 69–105
- Yen, H.-C., *see* R.R. Howell 46 (2-3) (1986) 107–140
- Yen, H.-C., *see* L.E. Rosier 58 (1-3) (1988) 263–324
- Yen, H.-C., *see* E. Gannett 76 (2-3) (1990) 331–341
- Yen, H.-C., *see* R.R. Howell 80 (1) (1991) 77–104
- Yen, H.-C., *see* R.R. Howell 82 (2) (1991) 341–372
- Yen, H.-C., A multiparameter analysis of domino tiling with an application to concurrent systems 98 (2) (1992) 263–287
- Yen, H.-C., S.-T. Jian and T.-P. Lao, Deciding bisimulation and trace equivalences for systems with many identical processes 170 (1-2) (1996) 445–464
- Yen, H.-C., On reachability equivalence for BPP-nets 179 (1-2) (1997) 301–317
- Yesha, Y., *see* J. Hartmanis 34 (1-2) (1984) 17–32
- Yi, B. and J. Xu, Analogy calculus 113 (2) (1993) 211–230
- Ying, M., When is the ideal completion of abstract basis algebraic 159 (2) (1996) 355–356
- Yoccoz, S., *see* P. Darondeau 97 (1) (1992) 131–142
- Yoeli, M., *see* T. Etzion 23 (3) (1983) 243–272
- Yoeli, M., *see* A. Ginzburg 40 (2-3) (1985) 301–314
- Yokomori, T., On purely morphic characterizations of context-free languages 51 (3) (1987) 301–308
- Yokomori, T., *see* S. Kobayashi 174 (1-2) (1997) 251–257
- Yokouchi, H., Church–Rosser theorem for a rewriting system on categorical combinators 65 (3) (1989) 271–290
- Yokouchi, H., F-semantics for type assignment systems 129 (1) (1994) 39–77
- Yomdin, Y., *see* Y. Elihai 157 (1) (1996) 53–77
- Yoneda, M., *see* S. Hirose 35 (2-3) (1985) 261–269
- Yoneda, M., *see* S. Hirose 36 (1) (1985) 109–112
- Yoneda, M., *see* S. Okawa 44 (2) (1986) 225–228
- Yoo, H., *see* K. Hashiguchi 76 (2-3) (1990) 273–284
- Yoo, H. and K. Hashiguchi, Extended automata-like regular expressions of star degree at most (2, 1) 88 (2) (1991) 351–363
- Yoo, H. and K. Hashiguchi, Extended regular expressions of arbitrary star degrees 97 (2) (1992) 217–231
- Yoshida, M., *see* S. Yamasaki 51 (3) (1987) 309–324
- Yoshida, N., *see* K. Honda 151 (2) (1995) 437–486
- You, J.-H., R. Cartwright and M. Li, Iterative belief revision in extended logic programming 170 (1-2) (1996) 383–406
- Young, G.H., *see* J. Du 75 (3) (1990) 347–355
- Young, P., *see* S.R. Mahaney 39 (2-3) (1985) 207–224
- Young, P., *see* D. Joseph 39 (2-3) (1985) 225–237
- Young, P., *see* L.A. Hemachandra 80 (2) (1991) 203–225
- Yovine, S., *see* R. Alur 138 (1) (1995) 3–34
- Yu, C.T., *see* K. Lam 16 (3) (1981) 271–278
- Yu, C.-W. and G.-H. Chen, Efficient parallel algorithms for doubly convex-bipartite graphs 147 (1-2) (1995) 249–265
- Yu, S., *see* K. Culik II 32 (3) (1984) 227–247
- Yu, S., *see* K. Culik, II 47 (1) (1986) 15–26
- Yu, S., *see* A. Salomaa 48 (2-3) (1986) 283–296
- Yu, S., *see* K. Salomaa 82 (1) (1991) 131–139

- Yu, S., Q. Zhuang and K. Salomaa, The state complexities of some basic operations on regular languages 125 (2) (1994) 315–328
- Yu, S., *see* H. Jürgensen 134 (1) (1994) 107–117
- Yu, S., *see* K. Salomaa 164 (1-2) (1996) 123–140
- Yu, X. and M. Yung, Scheduling task-trees with additive scales on parallel/distributed machines 181 (2) (1997) 357–378
- Yueh, K., *see* A.K. Joshi 12 (3) (1980) 265–290
- Yunès, J.B., Seven-state solutions to the Firing Squad Synchronization Problem 127 (2) (1994) 313–332
- Yung, M., *see* G. Brassard 84 (1) (1991) 23–52
- Yung, M., *see* X. Yu 181 (2) (1997) 357–378
- Yung, M., *see* Y. Afek 186 (1-2) (1997) 199–230
- Yung, M.M., *see* Z. Galil 49 (2-3) (1987) 171–184
- Yuzhang, Z., *see* G. Xunrang 134 (2) (1994) 559–565
- Zacchi, M., *see* B. Jacobs 95 (1) (1992) 143–158
- Zach, R., *see* M. Baaz 160 (1-2) (1996) 241–270
- Zaguia, N., *see* J. Desharnais 149 (2) (1995) 333–360
- Zaguia, N., *see* K. Ewacha 175 (2) (1997) 271–282
- Zaionc, M., Word operation definable in the typed λ -calculus 52 (1-2) (1987) 1–14
- Žák, S., A Turing machine time hierarchy 26 (3) (1983) 327–333
- Žák, S., *see* P. Savický 172 (1-2) (1997) 293–301
- Zakowski, W., *see* J. Stokłosa 14 (3) (1981) 247–265
- Zaks, S., Lexicographic generation of ordered trees 10 (1) (1980) 63–82
- Zaks, S., *see* Y. Perl 19 (1) (1982) 1–16
- Zaks, S., *see* E. Korach 64 (1) (1989) 125–132
- Zaks, S., *see* D. Kozen 123 (2) (1994) 377–388
- Zaks, S., *see* O. Biran 145 (1-2) (1995) 271–290
- Zalcstein, Y., *see* M. Garzon 88 (1) (1991) 83–98
- Zaniolo, C., *see* D. Saccà 62 (1-2) (1988) 187–220
- Zantema, H., *see* A. Middeldorp 175 (1) (1997) 127–158
- Zantema, H., *see* W. Fokkink 177 (2) (1997) 407–423
- Zaroliagis, C.D., *see* D.P. Dubhashi 148 (1) (1995) 133–140
- Zaroliagis, C.D., *see* D.J. Kavvadias 168 (1) (1996) 121–154
- Zavattaro, G., *see* N. Busi 192 (2) (1998) 167–199
- Zedan, H., *see* D. Scholefield 131 (1) (1994) 219–241
- Zeilberger, D., Identities in search of identity 117 (1-2) (1993) 23–38
- Zeitman, R.S., *see* J.W. Grossman 57 (2-3) (1988) 327–330
- Zenger, C., Indexed types 187 (1-2) (1997) 147–165
- Zetsche, F., *see* M.E. Majster-Cederbaum 124 (1) (1994) 1–40
- Zeugmann, T., On the power of recursive optimizers 62 (3) (1988) 289–310
- Zeugmann, T., *see* S. Lange 155 (2) (1996) 365–410
- Zeugmann, T., Foreword 185 (1) (1997) 1
- Zhang, G.-Q., Stable neighbourhoods 93 (1) (1992) 143–157
- Zhang, G.-Q., On maximal stable functions 146 (1-2) (1995) 331–339
- Zhang, G.-Q., Quasi-prime algebraic domains 155 (1) (1996) 221–264
- Zhang, G.-Q., The largest cartesian closed category of stable domains 166 (1-2) (1996) 203–219
- Zhang, G.-Q. and R.E. Canfield, The end of pumping? 174 (1-2) (1997) 275–279
- Zhang, G.-Q. and W.C. Rounds, Defaults in domain theory 177 (1) (1997) 155–182
- Zhang, G.-Q., *see* I. Castellani 179 (1-2) (1997) 203–215
- Zhang, J., L. Yang and M. Deng, The parallel numerical method of mechanical theorem proving 74 (3) (1990) 253–271
- Zhang, K., *see* T. Jiang 143 (1) (1995) 137–148
- Zhang, L. and W. Qiu, Decompositions of recognizable strong maximal codes 108 (1) (1993) 173–183
- Zhang, L., *see* K. Madlener 113 (1) (1993) 119–165

- Zhang, L., On the approximation of longest common nonsupersequences and shortest common nonsubsequences 143 (2) (1995) 353–362
- Zhang, L. and Z. Shen, Completion of recognizable bitfix codes 145 (1-2) (1995) 345–355
- Zhang, L., *see* J. Tromp 181 (2) (1997) 337–345
- Zhang, L., *see* R. Beigel 191 (1-2) (1998) 245–248
- Zhang, M.-H., Data types with errors and exceptions 105 (2) (1992) 275–299
- Zhang, S., Polynomial-time algorithms for testing strong isomorphism and computing the automorphism group of R -strongly connected automata 95 (2) (1992) 263–277
- Zhang, S., Efficient simplicity testing of automata 99 (2) (1992) 265–278
- Zhang, W., Cut elimination and automatic proof procedures 91 (2) (1991) 265–284
- Zhang, W., Cut formulas in propositional logic 120 (1) (1993) 157–168
- Zhang, W., Depth of proofs, depth of cut-formulas and complexity of cut formulas 129 (1) (1994) 193–206
- Zhang, W., Number of models and satisfiability of sets of clauses 155 (1) (1996) 277–288
- Zhang, Y. and A.K. Mackworth, Constraint nets: a semantic model for hybrid dynamic systems 138 (1) (1995) 211–239
- Zhang, Y.-L., *see* C.-J. Tang 23 (1) (1983) 1–10
- Zhao, Y., *see* J. Tromp 181 (2) (1997) 337–345
- Zheng, X., *see* K. Ambos-Spies 172 (1-2) (1997) 195–207
- Zhong, N., Recursively enumerable subsets of R^q in two computing models Blum–Shub–Smale machine and Turing machine 197 (1-2) (1998) 79–94
- Zhou, D., *see* D.Y. Long 188 (1-2) (1997) 231–240
- Zhu, Y., *see* T.-Y. Cheung 81 (2) (1991) 295–304
- Zhu, Y., *see* X. Gu 163 (1-2) (1996) 239–243
- Zhuang, Q., *see* S. Yu 125 (2) (1994) 315–328
- Ziadi, D., Regular expression for a language without empty word 163 (1-2) (1996) 309–315
- Zielonka, W., *see* P. Gastin 125 (2) (1994) 167–204
- Zielonka, W., Infinite games on finitely coloured graphs with applications to automata on infinite trees 200 (1-2) (1998) 135–183
- Zierer, H., *see* R. Berghammer 43 (2-3) (1986) 123–147
- Zierer, H., Relation algebraic domain constructions 87 (1) (1991) 163–188
- Ziller, W., *see* A. Scedrov 146 (1-2) (1995) 1–3
- Zimand, M., If not empty, NP-P is topologically large 119 (2) (1993) 293–310
- Zimand, M., On the topological size of p-m-complete degrees 147 (1-2) (1995) 137–147
- Zimand, M., *see* C. Calude 154 (2) (1996) 307–327
- Zimányi, E., Query evaluation in probabilistic relational databases 171 (1-2) (1997) 179–219
- Zimmerman, P., *see* Ph. Flajolet 132 (1-2) (1994) 1–35
- Zimmermann, P., *see* P. Flajolet 79 (1) (1991) 37–109
- Zipstein, M., Data compression with factor automata 92 (1) (1992) 213–221
- Zissimopoulos, V., *see* Y. Kopidakis 178 (1-2) (1997) 265–273
- Zissimopoulos, V., *see* E. Angel 191 (1-2) (1998) 229–243
- Zucca, E., *see* E. Astesiano 33 (1) (1984) 45–63
- Zucker, J.I., *see* J.W. De Bakker 26 (1-2) (1983) 53–82
- Zucker, J.I., *see* J.W. De Bakker 29 (1-2) (1984) 229–230
- Zuo, Q., *see* J.W. Hong 47 (3) (1986) 323–328
- Zvonkin, A.K., *see* S.K. Lando 117 (1-2) (1993) 227–241
- Zwick, U., *see* N. Alon 64 (3) (1989) 331–342
- Zwick, U. and M.S. Paterson, The memory game 110 (1) (1993) 169–196
- Zwick, U., The smallest networks on which the Ford–Fulkerson maximum flow procedure may fail to terminate 148 (1) (1995) 165–170
- Zwick, U. and M. Paterson, The complexity of mean payoff games on graphs 158 (1-2) (1996) 343–359